

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.  
105 15-34

DATE OF ISSUANCE  
20 FEB 1992

TERM OF ISSUANCE  
Conditional

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT  
Super K-Geo Liquid  
Weed & Feed Formula II

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Celex Corporation  
377 Amelia Street  
Plymouth, Michigan 48170

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is exempt from the requirements of section 407 of FIFRA section 407 of FIFRA provided that you:

1. Submit data and information on other material required for registration under section 4 of your product under FIFRA section 4 of FIFRA section 4 when the Agency requires it. Requirements of similar products to submit such data.

2. Add the phrase: EPA Registration No. 40515-34 to the label before you release the product for shipment.

3. On the label, under "Environmental Hazards", after "Do not apply directly to water" add "to areas where surface water is present or to intertidal areas below the mean high water mark".

4. The Precautionary Statements should be revised as follows: "Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contamination of food or feedstuff."

**BEST AVAILABLE COPY**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

*[Handwritten Signature]*

DATE

2/17/92

5. The Statements of Practical Treatment should be revised as follows: "Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feedstuffs."

6. One year storage stability data at ambient warehouse conditions must be submitted to EPA within 15 months of the date on this registration notice.

7. Submit three (3) copies of your final printed labeling, before you release the product for shipment. Refer to the A-79 previously mailed to you for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller  
 Product Manager (23)  
 Fungicide-Herbicide Branch  
 Registration Division (H7505C)

Enclosure

**BEST AVAILABLE COPY**

CONCURRENCES							
SYMBOL	H7505C						
SURNAME	Robbins						
DATE	2/19/92						



LIQUID WEED & FEED

II

15-0-0

FOR USE IN HOSE-END SPRAYER
ONE QUART COVERS UP TO 5,000 SQ. FT.
1/2 GALLON COVERS UP TO 10,000 SQ. FT.

ACTIVE INGREDIENTS:

- \*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid 4.50%
\*\*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid 4.72%

INERT INGREDIENTS: 90.78%
TOTAL: 100.00%

THIS PRODUCT CONTAINS:

- \*0.36 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 3.75%
\*\*0.37 lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 3.85%

ACCEPTED with COMMENTS in EPA Letter Dated

20 FEB 1992

Keep Out Of Reach Of Children

CAUTION

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

46515-34

See back panel for additional precautionary statements. Read entire label.

NET CONTENTS: 1 QUART (2.3 LBS.)

NET 64 FL. OZ. (1/2 GAL.), 4.6 LBS.

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles, long pants, long-sleeved shirt and shoes when applying this product. When handling, wear chemical resistant gloves. Wash skin thoroughly with plenty of soap and water after handling. Avoid contamination of food or feedstuffs.

Do not reenter or permit others to reenter treated areas until spray has dried.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

EMERGENCY INFORMATION: 1-800/858-7378

OTHER INFORMATION: 1-313/459-4200

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FOR HOMEOWNER USE ONLY.

This product will feed lawns with 15½ nitrogen and control most broadleaf weeds, including Dandelion, Clover, Plantain, Dock, English Daisy, Lambsquarter, Mallow, Chickweed, Oxalis, Purslane, Ragweed, and Knotweed.

WHERE TO USE: NOT FOR USE ON ST. AUGUSTINE, CENTIPEDE, CARPETGRASS, DICYNDESA OR BENTGRASS LAWNS. Super K-Gro Liquid Weed & Feed may be used on Bluegrass, Fescue, Ryegrass, Bermuda and Zoysia lawns.

**BEST AVAILABLE COPY**

506

**WHEN TO USE:** Use during calm, warm weather (not over 80°F) and when rain is not expected within 24 hours. Avoid spray drifting to desirable plants, flowers, vegetables, etc. (immediately rinse off any undesired contact).

Do not use during drought, dormancy, on newly planted lawns or within drip line of trees and shrubs. Seed may be planted 4 weeks after application.

**HOW TO USE (for 1 quart container):** 1) SHAKE BEFORE USING. 2) Connect spray nozzle to garden hose. 3) Remove cap from bottle and screw bottle into the spray nozzle. 4) Turn the "on-off" lever to the "off" position and then turn water on full volume. 5) Hold the sprayer at waist level with nozzle pointed away from the face and body. 6) To spray, turn the "on-off" lever to the center "on" position. 7) Walk back and forth over lawn while spraying, covering the lawn thoroughly. Overlap slightly for uniform coverage.

**HOW TO USE (for 1/2 gallon container):** 1) SHAKE WELL BEFORE USING. 2) Unscrew the cap from this container and carefully remove the foil seal. 3) Fill the hose-end sprayer jar with the amount of product specified in the chart below. **DO NOT DILUTE THIS PRODUCT WITH WATER** when filling the sprayer jar. 4) Attach the sprayer to garden hose. 5) Turn water on at full volume. 6) Hold the sprayer at waist level with the nozzle pointed away from the face and body. 7) Walk back and forth over lawn while spraying (as you would when mowing), covering the lawn thoroughly. Overlap slightly for uniform coverage.

LAWN AREA	AMOUNT TO USE
2,500 SQ. FT.	16 oz. (1 pint)
5,000 SQ. FT.	32 oz. (1 quart)
10,000 SQ. FT.	64 oz. (1/2 gallon)

**NOTE:** One quart covers 5,000 sq. ft. 1/2 gallon covers 10,000 sq. ft. Do not apply at a heavier rate than specified or damage to lawn may result.

Super K-Gro Liquid Weed & Feed should be supplemented by Super K-Gro Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office for questions concerning a regular fertilizer program.

Guaranteed Analysis		15-0-0
Total Nitrogen (N).....		15%
15% Urea Nitrogen		
Derived from Urea		

**BEST AVAILABLE COPY**

6-76

**STORAGE & DISPOSAL**

**STORAGE:** Keep from freezing. Store in original container preferably in a locked storage area inaccessible to children. Do not store near fertilizer, seed or feed products.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**MADE IN THE USA FOR K MART CORPORATION, TROY MICHIGAN 48084**

**REGISTERED AND MANUFACTURED BY CELEX CORPORATION, PLYMOUTH, MI 48170**

**EPA Est. No. 46515-MI-1**

**EPA Reg. No. 46515-**

**BEST AVAILABLE COPY**