

26 JUN 1992

M. George Pazianos  
Pazianos Associates  
1338 G. St., S.E.  
Washington, D.C. 20002

Dear Mr. Pazianos:

Subject: Request for Stamped Label With Required Changes Made  
Super K Gro Liquid Weed & Feed Formula II  
EPA Registration Number 46515-34  
Agency's Letter Dated April 20, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided the following changes are made:

Since the 1 1/2 gallon container is not considered to be "Ready To-Use", the following label statements are required per the February 7, 1990 Amendment to the Registration Standard for 2,4 D and MCPP:

Groundwater Contamination - "Most cases of groundwater contamination involving phenyl herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination."

Protective Clothing Statements - "Wear long pants, long sleeved shirt shoes and gloves when mixing, loading or applying this product."

Eye Protection Statements - "Wear face shield or goggles when mixing, loading or applying this product."

**BEST AVAILABLE COPY**

CONCURRENCES							
SYMBOL	H7505C						
SURNAME	Robbins						
DATE	6/25/92						

2976

[2]

Cleaning of Equipment - "When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources."

A stamped copy of the label is enclosed for your records. Please submit three (3) copies of final printed labeling with the above changes made.

Sincerely Yours,

Joanne L. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

**BEST AVAILABLE COPY**

CONCURRENCES

SYMBOL	H7505C						
SURNAME	Robbins						
DATE	6/25/92						

TMO 3 23-15 4

3076

SUPER K-GRO<sup>R</sup>

LIQUID  
WEED & FEED

II

15-0-0

FOR USE IN HOSE-END SPRAYER  
ONE QUART COVERS UP TO 5,000 SQ. FT.  
1/2 GALLON COVERS UP TO 10,000 SQ. FT.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid .....	4.50%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.....	4.72%
INERT INGREDIENTS: .....	90.78%
TOTAL:	100.00%

THIS PRODUCT CONTAINS:

- \*0.36 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 3.75%
- \*\*0.37 lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 3.85%

ACCEPTED  
STATEMENTS  
EPA Letter Date

26 JUN 1992

Keep Out Of Reach Of Children

CAUTION

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide has been registered under EPA Reg. No. 46515-34

See back panel for additional precautionary statements.  
Read entire label.

NET CONTENTS: 1 QUART (2.3 LBS.)

NET 64 FL. OZ. (1/2 GAL.), 4.6 LBS.

4010

**IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Causes moderate eye irritation. Avoid breathing spray mist. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product. When handling this product, wear chemical resistant gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feedstuffs.

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists.  
**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.  
**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**EMERGENCY INFORMATION: 1-800/858-7378  
OTHER INFORMATION: 1-313/459-4200**

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **FOR HOMEOWNER USE ONLY.**

Do not reenter or permit others to reenter treated areas until sprays have dried.

This product will feed lawns with 15% nitrogen and control most broadleaf weeds, including Dandelion, Clover, Plantain, Dock, English Daisy, Lambsquarter, Mallow, Chickweed, Oxalis, Purslane, Ragweed, Knotweed.

**BEST AVAILABLE COPY**

50%

**WHERE TO USE:** NOT FOR USE ON ST. AUGUSTINE, CENTIPEDE, CARPETGRASS, DICHONDRA OR BENTGRASS LAWNS. Super K-Gro Liquid Weed & Feed may be used on Bluegrass, Fescue, Ryegrass, Bermuda and Zoysia lawns.

**WHEN TO USE:** Use during calm, warm weather (not over 80°F) and when rain is not expected within 24 hours. Avoid spray drifting to desirable plants, flowers, vegetables, etc. (immediately rinse off any undesired contact).

Do not use during drought, dormancy, on newly planted lawns or within drip line of trees and shrubs. Seed may be planted 4 weeks after application.

**HOW TO USE (for 1 quart container):** 1) SHAKE BEFORE USING. 2) Connect spray nozzle to garden hose. 3) Remove cap from bottle and screw bottle into the spray nozzle. 4) Turn the "on-off" lever to the "off" position and then turn water on full volume. 5) Hold the sprayer at waist level with nozzle pointed away from the face and body. 6) To spray, turn the "on-off" lever to the center "on" position. 7) Walk back and forth over lawn while spraying, covering the lawn thoroughly. Overlap slightly for uniform coverage.

**HOW TO USE (for 1/2 gallon container):** 1) SHAKE WELL BEFORE USING. 2) Unscrew the cap from this container and carefully remove the foil seal. 3) Fill the hose-end sprayer jar with the amount of product specified in the chart below. DO NOT DILUTE THIS PRODUCT WITH WATER when filling the sprayer jar. 4) Attach the sprayer to garden hose. 5) Turn water on at full volume. 6) Hold the sprayer at waist level with the nozzle pointed away from the face and body. 7) Walk back and forth over lawn while spraying (as you would when mowing), covering the lawn thoroughly. Overlap slightly for uniform coverage.

LAWN AREA	AMOUNT TO USE
2,500 SQ. FT.	16 oz. (1 pint)
5,000 SQ. FT.	32 oz. (1 quart)
10,000 SQ. FT.	64 oz. (1/2 gallon)

**NOTE:** One quart covers 5,000 sq. ft. 1/2 gallon covers 10,000 sq. ft. Do not apply at a heavier rate than specified or damage to lawn may result.

Super K-Gro Liquid Weed & Feed should be supplemented by Super K-Gro Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office for questions concerning a regular fertilizer program.

Guaranteed Analysis	
	15-0-0
Total Nitrogen (N).....	15%
15% Urea Nitrogen	
Derived from Urea	

**BEST AVAILABLE COPY**

6 10 6

**STORAGE & DISPOSAL**

**STORAGE:** Keep from freezing. Store in original container preferably in a locked storage area inaccessible to children. Do not store near fertilizer, seed or feed products.

**DISPOSAL:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**MADE IN THE USA FOR KMART CORPORATION, TROY MICHIGAN 48084**

**REGISTERED AND MANUFACTURED BY CELEX CORPORATION, PLYMOUTH, MI 48170**

**EPA Est. No. 46515-MI-1**

**EPA Reg. No. 46515-34**

**BEST AVAILABLE COPY**