

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

H. George Lazianus  
Parsons Associates  
1000 H. St., S.E.  
Washington, D.C. 20003

Dear Mr. Parlanus:

Subject: Master Label - Paraquat and 1,1,1-Trichloro-2,2,2-Trifluoroethane  
Super K-10 Liquid Weed & Feed Formulation  
EPA Registration Number 4461-1-1  
Your Submission Dated July 21, 1992

The labeling you submitted is being submitted in accordance with  
the provisions of the Federal Insecticide, Fungicide, and  
Herbicide Act as amended. It is possible that changes may be  
made to the label to meet the requirements of the Act and  
the regulations thereunder. Please refer to the attached  
labeling and compare it to your label. Any changes to the  
label printed labeling.

Sincerely,  
Sincerely,  
Sincerely,

Jeanne L. Miller  
Product Manager (13)  
Fungicide/Herbicide Branch  
Registration Division (H7505)

Enclosure

**BEST AVAILABLE COPY**

CONCURRENCES

SYMBOL	H7505C						
SURNAME	Robbins						
DATE	8/19/92						

**SUPER K-GRO<sup>R</sup>**

**LIQUID  
WEED & FEED**

**FORMULA II**

**0-0-0**

**FOR USE IN HOSE-END SPRAYER  
ONE QUART COVERS UP TO 5,000 SQ. FT. ✓  
1/2 GALLON COVERS UP TO 10,000 SQ. FT.**

**ACTIVE INGREDIENTS:**

- \*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid ..... 4.50% ✓
- \*\*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid..... 4.72% ✓

**INERT INGREDIENTS:** ..... 90.78% ✓  
**TOTAL:** 100.00% ✓

**THIS PRODUCT CONTAINS:**

- \*0.36 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 3.75%
- \*\*0.37 lbs. 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 3.85%

**Keep Out Of Reach Of Children**

**CAUTION** ✓

**ACCEPTED**  
 17 0110 1000  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 26515-30 ✓

See back panel for additional precautionary statements.  
Read entire label.

**NET CONTENTS: 1 QUART (2.3 LBS.)**

**NET 64 FL. OZ. (1/2 GAL.), 4.6 LBS.**

7-21-92

**BEST AVAILABLE COPY**

**IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

(For 1 quart container) - Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Causes moderate eye irritation. Avoid breathing spray mist. Wear long pants, long-sleeved shirt and shoes when applying this product. Wear goggles when applying this product. When handling this product, wear chemical resistant gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feedstuffs.

(For 1/2 gal. container) - Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Causes moderate eye irritation. Avoid breathing spray mist. Wear long pants, long-sleeved shirt, shoes and gloves when mixing and loading this product. Wear face shield or goggles when mixing, loading or applying this product. When handling this product, wear chemical resistant gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feedstuffs.

**STATEMENT OF PRACTICAL TREATMENT**

- IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists.
- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.
- IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**EMERGENCY INFORMATION: 1-800/858-7378  
OTHER INFORMATION: 1-313/459-4200**

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **FOR HOMEOWNER USE ONLY.**

**BEST AVAILABLE COPY**

Do not reenter or permit others to reenter treated areas until sprays have dried.

(For 1/2 gal. container) - Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

This product will feed lawns with 15% nitrogen and control most broadleaf weeds, including Dandelion, Clover, Plantain, Dock, English Daisy, Lambsquarter, Mallow, Chickweed, Oxalis, Purslane, Ragweed, Knotweed.

**WHERE TO USE: NOT FOR USE ON ST. AUGUSTINE, CENTIPEDE, CARPETGRASS, DICHONDRA OR BENTGRASS LAWNS.** Super K-Gro Liquid Weed & Feed may be used on Bluegrass, Fescue, Ryegrass, Bermuda and Zoysia lawns.

**WHEN TO USE:** Use during calm, warm weather (not over 80°F) and when rain is not expected within 24 hours. Avoid spray drifting to desirable plants, flowers, vegetables, etc. (immediately rinse off any undesired contact).

Do not use during drought, dormancy, on newly planted lawns or within drip line of trees and shrubs. Seed may be planted 4 weeks after application.

**HOW TO USE (for 1 quart container):** 1) SHAKE BEFORE USING. 2) Connect spray nozzle to garden hose. 3) Remove cap from bottle and screw bottle into the spray nozzle. 4) Turn the "on-off" lever to the "off" position and then turn water on full volume. 5) Hold the sprayer at waist level with nozzle pointed away from the face and body. 6) To spray, turn the "on-off" lever to the center "on" position. 7) Walk back and forth over lawn while spraying, covering the lawn thoroughly. Overlap slightly for uniform coverage.

**HOW TO USE (for 1/2 gallon container):** 1) SHAKE WELL BEFORE USING. 2) Unscrew the cap from this container and carefully remove the foil seal. 3) Fill the hose-end sprayer jar with the amount of product specified in the chart below. DO NOT DILUTE THIS PRODUCT WITH WATER when filling the sprayer jar. 4) Attach the sprayer to garden hose. 5) Turn water on at full volume. 6) Hold the sprayer at waist level with the nozzle pointed away from the face and body. 7) Walk back and forth over lawn while spraying (as you would when mowing), covering the lawn thoroughly. Overlap slightly for uniform coverage.

LAWN AREA	AMOUNT TO USE
2,500 SQ. FT.	16 oz. (1 pint)
5,000 SQ. FT.	32 oz. (1 quart)
10,000 SQ. FT.	64 oz. (1/2 gallon)

**BEST AVAILABLE COPY**

**NOTE:** One quart covers 5,000 sq. ft. 1/2 gallon covers 10,000 sq. ft. Do not apply at a heavier rate than specified or damage to lawn may result.

Super K-Gro Liquid Weed & Feed should be supplemented by Super K-Gro Liquid Lawn Fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your local extension office for questions concerning a regular fertilizer program.

-----	<b>Guaranteed Analysis</b>	<b>15-0-0</b>
Total Nitrogen (N).....		<b>15%</b>
15% Urea Nitrogen		
Derived from Urea		

**STORAGE & DISPOSAL**

**STORAGE:** Keep from freezing. Store in original container preferably in a locked storage area inaccessible to children. Do not store near fertilizer, seed or feed products.

**DISPOSAL:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**MADE IN THE USA FOR KMART CORPORATION, TROY MICHIGAN 48084**

**REGISTERED AND MANUFACTURED BY CELEX CORPORATION, PLYMOUTH, MI 48170**

EPA Est. No. 46515-MI-1

EPA Reg. No. 46515-34

**BEST AVAILABLE COPY**