YM23 16515 - 34

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

NOV | 1993

Ms. Joyce B. Pazianos Pazianos Associates 1338 G. St., S.E. Washington, D.C. 20003

Dear Ms. Pazianos:

SUBJECT: Super K-Gro Liquid Weed & Feed Formula II

EPA Registration No.46515-34

Label Amendment

Your Application Dated June 30, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

1) Under the Environmental Hazards section, change the third sentence to read: "Do not apply directly to water."

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES							
SYMBOL \$ 75057							
SURNAME) (Mulian							
DATE 10/29/30		_		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
APPLICATE FOR PORCH							

EPA Form 1320-1A (1/90)

2044

ACCEPTED with COMMENTS to EPA Letter Dated:

<u>FRONT PANEL</u>

01 NOV 1993

Super K-Gro® Liquid Weed & Feed Formula II [15-0-0]

For Use in a Hose-End Sprayer [1 Quart Covers up to 5,000 sq.ft.] [1/2 Gallon Covers up to 10,000 sq.ft.]

Under the Federal Inserticide, Pungicide, and Rodenticide Act as amended, for the pesticide ashtered under EPA Reg. No. 46515

[Controls Dandelions, Clover, Chickweed, Knotweed, Plantain, and many other broadleaf lawn weeds.]

Active Ingredients:

This Product Contains:

)

*0.36 lb. 2,4-Dichlorophenoxyacetic Acid equivalent per gailon or 3.75%

**0.37 lb. 2-(2-Methyl-4-chlorophenoxy) Propionic Acid equivalent per gallon or 3.85%

Super K-Gro® is a registered trademark of KMart Corporation

Keep out of reach of children CAUTION

See back panel for additional precautionary statements. Read outire label.

Net Contents [1 Quart (2.3 lbs.)][64 fl.oz.(1/2 Gallon)(4.6 lbs.)]

BACK PANEL

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ AND FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

306-4005	Guaranteed Analysis	15-(1-0)
Total Nitrogen (N)	······································	15.00%
15% Urea Nitroge		
Derived from Urea		1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION:

For I Quart Container: Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Causes moderate eye irritation. Avoid breathing spray mist. When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves. Wear goggles when applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of food and feedstuffs.

BEST AVAILABLE COPT

For 1/2 Gallon Container: Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Causes moderate eye irritation. Avoid breathing spray mist. When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves. Wear face shield or goggles when mixing, loading or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of food and feedstuffs.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician if irritation persists. If on skin: Wash with plenty of soap and water. Get medical attention.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably

mouth-to-mouth. Get medical attention.

Emergency: 800/858-7378 Other: 313/459-4200

ENVIRONMENTAL HAZARDS

)

1

This product is toxic to aquatic invertebrates. Drift and runoff may adversely affect aquatic invertebrates and non-target plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. FOR HOMEOWNER USE ONLY. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

For 1/2 gallon container: Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP herbicides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this herbicide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

This product will feed lawns with 15% nitrogen and control most broadleaf weeds including dandelion, clover, plantain, dock, English daisy, lambsquarter, mallew, chickweed, oxalis, purslane, ragweed, and knotweed.

This product should be used as part of a comprehensive fertilizing program. Please consult your local extension office with questions concerning a regular fertilizer program.

WHERE TO USE: DO NOT USE ON ST. AUGUSTINE, CENTIPEDE, CARPETGRASS, DICHONDRA, OR BENTGRASS LAWNS. This product may be used on Bluegrass, Fescue, Ryegrass, Bermuda and Zoysia lawns. Do not use on lawns where desirable clovers are present. Seed may be planted 4 weeks after application. Newly seeded lawns may be treated after they have been moved at least three times.

WHEN TO USE: Use during calm, warm weather (not over 85°F) and when rain is not expected within 24 hours of application. Avoid spray drifting to desired plants, flowers, vegetables, etc. (immediately rinse off any undesired contact). Water lawn thoroughly 1-2 days before application. Do not use during drought, dormancy on newly planted lawns, or within the dripline of trees and shrubs.



HOW TO USE: Option A = I Quart Container

1) SHAKE WELL BEFORE USING. 2) Attach spray nozzle to garden hose. 3) Adjust ON/OFF valve to the "OFF" position and turn on the water at the faucet. 4) Push slide button to the "OPEN" position. 5) Hold the sprayer at waist level with the nozzle pointed away from face and body. 6) To begin spraying, point the spray nozzle towards the area to be treated and turn the water control valve down to the "ON" position. The product is automatically mixed with water at the correct dilution. 7) Walk back & forth over the lawn while spraying, covering the lawn thoroughly. Overlap slightly for uniform coverage.

Option $B = \frac{1}{2}$ Gallon Container

SHAKE WELL BEFORE USING. 1) General Dilution: Use 2 fl.oz. per gallon of water. Use a hose-end sprayer to apply. [When using the K GRO® 21 Gallon Sprayer or refilling the K GRO® Liquid Weed & Feed 32 oz. sprayer – add the desired amount of this product directly to the sprayer jar - do not dilute with water.] Follow the directions on the sprayer being used and following the application rates listed below. 2) Attach the sprayer to the garden hose. 3) Turn water on at full volume. 4) Hold the sprayer at waist level with the nozzle pointed away from face and body. 5) Walk back & forth over the lawn while spraying, covering the lawn thoroughly. Overlap slightly for uniform coverage.

APPLICATION RATES (for 1/2 gallon container)

Lawn Area	Amount of Product	Amount of Water
312 sq.ft.	2 fl.oz.	1 gallon
936 sq.ft.	6 fl.oz.	3 gallons
2,500 sq.ft.	16 oz. (1 pint)	8 gallons
5,000 sq.ft.	32 oz. (1 quart)	16 gallons
10,000 sq.ft.	64 oz. (1/2 gallon)	32 gallons

NOTE: [One quart covers 5,000 sq.ft.][1/2 gallon covers 10,000 sq.ft.] Do not apply at a heavier rate than specified or damage to lawn may result. The maximum number of applications per treatment site is 2 per year.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Store in original container, preferably in a locked storage area inaccessible to children. Do not store near fertilizer, seed or feed products.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Made in the USA for KMart Corporation, Troy, Michigan 48084 Registered and manufactured by Celex Corporation, Plymouth, Michigan 48170

EPA Reg. No. 46515-34 EPA Est. No. 46515-MI-1

)