

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Application for Pesticide:

Registration
 Amendment
 Other

OPP Identifier Number

Section I

1. Company/Product Number 46515-48	2. Product Manager G. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) House and Garden Bug Killer 4	PM# 13	
5. Name and Address of Applicant (include ZIP Code) Celex Division of United Industries Corp. PO Box 15842 St. Louis, Missouri 63114-0842 <input type="checkbox"/> Check if this is a new address	6 Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No. _____ Product Name _____	

Section II

NOTIFICATION

Amendment - Explain below
 Resubmission in response to Agency letter dated _____
 Notification - Explain below.

Final printed label in response to Agency letter dated **FEB 19 2001**
 "ME TOO" Application.
 Other - explain below

Explanation: Use additional page(s) if necessary. (For section I and Section II)

Notification under PR Notice 98-10 of optional marketing claims "Kills Fast!" and "For Use Indoors and Outdoors" both of which are variations of claims on the EPA stamped accepted label.

Section III

1. Material in Which This Product Will Be Packaged:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted.		If "YES," Unit package wgt No. per container			
If "YES," Package wgt No. per container		3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container	
5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Glenda L. Mah	Title Regulatory Affairs Specialist	Telephone No. (include Area Code) 800-242-1166 Ext. 3415
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Glenda Mah</i>	3. Title Regulatory Affairs Specialist	
4. Typed Name Glenda L. Mah	5. Date 2-15-01	

House & Garden Bug Killer 4

Combines quick knockdown and residual killing action of crawling insects for up to 4 weeks · Kills Fast! · Kills fast plus keeps killing up to 4 weeks · Kills fast plus kills insects landing on treated surfaces [for] up to 4 weeks · Kills flying & crawling bugs [pests] [insects] · Kills over 50 insects [pests] [bugs] · Kills 50+ insects [pests] [bugs] · Kills over 50 types of insects [pests] [bugs] · Kills flying and crawling insects [pests] [bugs] including roaches, ants, spiders, fleas, waterbugs, silverfish, mosquitoes, and other listed insects · Water-based · For Use Indoors & Outdoors · GreenThumb® Satisfaction Guarantee · Guaranteed Quality by Albertsons

For use around the home only.

Active Ingredients:	
Permethrin	0.15%
d-Terms Allethrin	0.25%
Other Ingredients:	99.60%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back [panel] for additional precautionary statements.

[Read entire label.]

NET-WEIGHT 10 OZ./283 g

[Bracketed Text] = Optional Language

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

SHAKE WELL BEFORE USING. Do not use on surfaces that can be harmed or stained by water. [Remove protective cap.] hold container upright, and aim spray away from face and body.

[This product combines quick knockdown and residual killing action of crawling insects for up to 4 weeks.]

INDOORS

AS A SURFACE SPRAY

To kill cockroaches (waterbugs), crickets, silverfish (firebrats), clover mites, millipedes, centipedes, earwigs, sowbugs (pillbugs), spiders, ants, clothes moths, carpet beetles, boxelder bugs, scorpions, spider beetles, grasshoppers, houseflies, mosquitoes, gnats, fruit flies, cluster flies, flying moths, confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain mites, red flour beetles, an-goumois grain moths, grain weevils, Indian meal moths, Mediterranean flour moths, lesser grain borers, cigarette beetles, drug store beetles, and chocolate moths: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Remove food and foodstuffs and thoroughly clean before spraying. Dispose of any infested products. Cover shelves and drawers with fresh shelf paper after spray has dried. Repeat as necessary.

To kill spiders: Spray directly on pests. Use repeated applications to webbing and cracks and crevices which harbor spiders.

To kill ants: Spray trails, nests and points of entry within homes and buildings. Spray directly on ants where possible. Repeat as necessary.

To kill wasps, hornets, yellow jackets and bees: Use in late evening or early morning when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as

necessary.

To kill carpet beetles and clothes moths: To treat carpets, hold container 14-18 inches from carpet. Apply spray evenly, covering the entire surface until slightly moist. Spray underside of carpet when possible. Avoid wetting or soaking. To treat clothing, blankets, carpets and other fabrics before storage, dry clean or wash before treatment and after storage. Apply spray evenly, covering the material on both sides until slightly moist. For best results, place treated materials in plastic bags after drying and store in a dark place. Also spray floor and baseboards, closets, cracks, crevices, infested areas of shelving and or wherever these insects are seen or suspected.

FOR USE ON HOUSE PLANTS

Remove infested plants from living areas prior to use. Spray plants in an area not likely to be occupied by children or pets. Cover or spray away from fish aquaria. When leaves are dry, return plants to original location. Use caution when spraying ferns palms and fuchsias. As with all plants, especially carnations, chrysanthemums and roses, there are a wide variety of species and cultivars, and a wide variety of resistance to injury. To help prevent injury to plants, spray a few leaves as directed and wait 24 hours to check for possible injury.

To kill leafrollers, armyworms, cutworms, cabbage worms on chrysanthemums, and fungus gnats on velvet plants: Spray directly on insects and to cover all foliage. Avoid heavy wetting.

To kill aphids, armyworms, corn earworms, fall cankerworms, inchworms, Japanese beetles, leafminers, leafrollers, and whiteflies on ageratum, ardisia, aster, azalea, baby's breath, begonia, birds-nest fern, bleeding heart, carnation, coleus, crown of thorns, cockscomb, cyclamen, dracaena, dumbcane, English ivy, fuchsia, gladiolus, grape ivy, hypoestes, ivy, juniper, lily, marigold, orchid, palms, pansy, pluggy-back plant, poinsettia, portulaca, pothos, prayer plant, purple passion, piperomia, petunia, philodendron, rabbits foot fern, rose, schefflera, snapdragon, snake plant, statice, velvet plant, verbena and zinnia: Spray directly on insects and to cover all foliage. Avoid heavy wetting. Repeat applications may be necessary to control Japanese beetles on roses.

AS A SPACE SPRAY

NOTIFICATION
FEB 19 2001

2 2 3

To kill houseflies, mosquitoes, cluster flies, gnats, fruit flies and flying moths: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of room, especially windows and other light sources which attract insects. Fill room with mist, then leave treated area immediately. Keep room closed for at least 15 minutes. Ventilate room when treatment is completed. Repeat as necessary.

FOR CONTACT APPLICATION ONLY (no residual control)

To kill fleas, brown dog ticks, deer ticks, bear ticks, black legged ticks (which carry Lyme disease), and lone star ticks on dogs, cats and surfaces: Spray animals along back, under forelegs and on other areas, except scrotum and anus. Part fur to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until fur is thoroughly moist. Do not spray directly in eyes, mouth or nose of animal. To prevent re-infestation, thoroughly spray animals bedding and other resting areas until surface is slightly moist, contacting as many insects as possible. Treat the floor areas, crack, crevices, along baseboards and the entire inside surface of pet houses. Apply at a rate of 2 seconds per foot at a distance of 12 to 18 inches from the surface. Do not use this product on old, sick or debilitated animals.

To kill bedbugs: Apply as a spot treatment to cracks and crevices, around baseboards, floor boards, bed boards and walls. Thoroughly clean and air mattresses, springs and bedding before spraying. Spot treat only the areas where bedbugs hide, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestation, consult a professional applicator.

OUTDOORS

To kill ants, clove mites, crickets, earwigs, millipedes, and sowbugs (pillbugs): To help prevent infestation of buildings, treat building foundations to a height of 2 to 3 feet where pests are active and may find entrance. Also apply as a residual spray on outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate. Repeat as necessary.

••• • For houseflies, mosquitoes, cluster flies, gnats and flying moths: For use only as an aid in reducing the annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the building. Also

treat surfaces around light fixtures on porches, in garages, and other places where insects congregate. Repeat as necessary.

To kill bees, wasps, hornets and yellow jackets: Use in late evening or early morning when insects are at rest. Aim spray at nest openings in ground, bushes, and in crack and crevices which may harbor nests. Saturate nest openings and contact as many insects as possible. Repeat as necessary.

To kill tent caterpillars: Use when caterpillars are young and tents first appear. For best results, apply in late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents and saturate all sides. Repeat as necessary.

FOR USE ON PLANTS

[Optional Header: Flowers and Other Ornaments]

To kill aphids, cicadas, corn earworms, fall cankerworms inchworms, leafminers, leafrollers, mealybugs, spider mites, exposed thrips and whiteflies on ageratum, aster, azalea, begonia, coleus, common ninebark, common snowberry, exacum, euonymous, English ivy, gladiolus, gold bells, hypoxis, ivy, juniper, lilac, marigold, mock orange, nannyberry, orchid, palm, pansy, pea shrub, petunia, philodendron, poinsettia, rhododendron, rose, snapdragon, taxus, wax plant, weeping fig and zinnia: Use when temperature range from 50°F to 75°F and when there is little or no wind. Use when pests or their damage first appears. Spray directly on insects and to cover all foliage. Avoid heavy wetting. As with all plants, especially carnations, chrysanthomums and roses, there are a wide variety of species and cultivars, and a wide variety of resistance to injury. To help prevent injury to plants, spray a few leaves as directed and wait 24 hours to check for possible injury. For plants in their flowering season, use before blossoms form or after blossoms fall. Repeat as necessary at intervals of 4 to 8 days. Applications can be made up to the day of collection.

STORAGE AND DISPOSAL

Storage: Do not freeze. Store in a cool, dry area, inaccessible to children and away from heat or open flame. **Disposal:** Replace cap, wrap in several layers of newspaper and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed or foodstuffs. Remove pets, birds, and cover fish aquaria before spraying.

First Aid

If Swallowed: Call physician or Poison Control Center immediately. **If In Eyes:** Flush with plenty of water. Get medical attention if irritation persists. **If on Skin:** Wash with plenty of soap and warm water. Get medical attention if irritation persists.

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to water.

Physical or Chemical Hazards

Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not apply this product in conduits, motor housings, junctions and switch boxes, or other electrical equipment because of possible shock hazard.

[SATISFACTION GUARANTEED: If for any any reason you are not completely satisfied by the performance or results of this GreenThumb® product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[Albertson's Unconditional Guarantee: If for any reason you are not completely satisfied by your purchase, simply return the product with proof of purchase for a replacement or refund, whichever you prefer. We welcome any comments or questions you may have. When writing, please include the product code found on the back of can.]

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 800-645-4957

[Contains NO CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.]

Made in the USA for Celox,
Division of United Industries Corporation
P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 46515-48
EPA Est. No. 9688-MO-1, 46515-MI-1 B
Superscript used is first letter of lot number
© 2001