

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)
CAUTION**

Avoid inhalation, swallowing or absorption through skin. Avoid breathing vapors of spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food processing facilities, cover or remove any food and food processing equipment during application. Do not apply when food processing is under way. After processing in food packing plants, bakeries and food processing plants, wash all equipment, facilities and work areas where exposed food will be produced or stored in water. In the home, all food processing surfaces and utensils should be covered or removed, washed or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Flammable when sprayed. Do not spray directly into open flames. Do not use near open flame.

ENVIRONMENTAL HAZARDS

Highly toxic to fish. Do not apply directly to water.

Do not apply when weather conditions favor drift from the treated area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See the label for additional use instructions.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture should be stored in a cool, dry, well-ventilated container until disposal. Dispose of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Empty containers should be cleaned, triple rinsed, and recycled or properly disposed of in accordance with applicable Federal, State or local procedures.

Refer to applicable Federal, State or local disposal regulations for appropriate disposal procedures.



**RESMETHRIN
CONTACT AND SPACE SPRAY**

Kills the accessible exposed stages on contact: Crickets, Weevils, Rice Weevils, Flour Beetles, Flour Moths, Sawtooth Oothecids, Hoppers, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Lesser Meal Moth, Red Flour Beetle, Free Flies, Green Voles, Younger Flies, Most common Flour Moth, House Flies, Gnats, Cockroaches, Spiderfish, Spiders, Ants, and Crickets.

ACTIVE INGREDIENTS

*1 Resmethrin (3-phosphorylmethyl-3-furyl)methyl-2,2-dimethyl-1,3-dimethylpropyl propionate	100%
Inert ingredients	0%
Total active ingredients	100%
NET WEIGHT 1.000 LBS (453.592 grams)	

*1 is trans isomers ratio: Max. 30% (1.35 and min. 30% (1.35)
EPA Reg. No. 3,465,007 and 3,642,926
EPA Reg. No. 3,465,007 (total of resmethrin isomers)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY

Manufactured by:
Dickson Chemical Co., Inc.
STUELGART, ARKANSAS 72160

EPA Reg. 16579-AR
EPA Reg. No. 36679-1 JUN 3 1985

NET WEIGHT 1.000 LBS (453.592 grams)

Authorized for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants, Flour Mills, Rice Mills, Feed Processing Plants, Empty Grain Bins, Grain Elevators, Grain Storage, Barges, Boats, Grain Trucks, Grain Houses, Feed and Seed Stores, Grocery Stores, Restaurants, Homes, Hotels, Breweries, Canneries and Bakeries.

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

SPACE SPRAY: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove pets, birds and cover fish aquariums. Apply undiluted as a fine mist of aerosol size particles through manual, electrical or other powered application. Avoid staining by holding the spray nozzle at least 1' from objects. Direct the mist toward the ceiling and upper corners of the area to be treated. Fill the area with the mist at the rate of 1 FL. ounce per 1,000 cu. ft. Leave area closed for 30 minutes. Ventilate thoroughly before re-entry. Sweep and destroy dead insects.

In boxcars, ship cargo holds, barges and trucks cover any bagged or packaged food or feed stuffs with paper or plastic tarps. Apply space spray at a rate of 1 FL. ounce per 1,000 cu. ft. of space. Close all doors and openings before applying spray and leave closed for 30 minutes after total dosage has been applied. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects.

CONTACT SPRAY: To kill all listed crawling insects. Apply spray to produce large wetting type spray particles. Spray insects directly, whenever possible. Direct spray to contact insects in cracks and crevices in floors, shelves, drawers, baseboards, around pipes, drains, behind radiators, around electrical outlets, etc. Avoid spraying in uninfested areas and wet. Repeat as necessary. In homes and restaurants, shelves and drawers should be allowed to dry and then covered with sheet paper. Any utensils that are contacted with spray should be washed before using. Avoid contamination of food or feed stuffs.

If surface application is to be used, spray floors, walls and other surfaces applying at a rate of 1 ounce per 50 square ft. Apply with care this spray can become staining.

NON WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use is contrary to handling or contrary to label instructions.