

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing services and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. Do not use, pour, spill, or store near heat or open flame.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS HIGHLY TOXIC TO FISH. DO NOT APPLY DIRECTLY TO WATER OR WETLANDS (SWAMPS, BAYS, MARSHES, AND PONDWAYS). DRIFT AND RUNOFF FROM TREATED SITES MAY BE HAZAROUS TO FISH IN ADJACENT WATERS. DO NOT CONTAMINATE WATER WHEN DISPOSING OF EQUIPMENT WASHWATERS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SEE SIDE PANEL FOR ADDITIONAL INSTRUCTIONS.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. For containers of 1 gallon or less - Do not reuse empty container. Wrap and put in trash.

GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.



**RESMETHRIN
CONTACT AND SPACE SPRAY**

Kills the accessible exposed stages on contact:
Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Sawtooth Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Tobacco Moth, Red Flour Beetle, Fruit Flies, Grain Mites, Vinegar Flies, Mediterranean Flour Moth, Houseflies, Gnats, Cockroaches, Silverfish, Spiders, Ants, *(CRICKETS, AND MOSQUITOES)*.

ACTIVE INGREDIENTS:

*† Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate..... 0.30 %

▲ **INERT INGREDIENTS:**..... 97.70%
100.00 %

*Cis/trans isomers ratio: Max. 30% (±) cis and min. 70% (±) trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

● RUSSEL GIG'S SBP-1382 brand of resmethrin insecticide.
▲ **CONTAINS PETA-CHEM DISTILLATES**

KEEP OUT OF REACH OF CHILDREN

CAUTION

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

Manufactured by:

Dickson Chemical Co., Inc.

STUTT GART, ARKANSAS 72160

EPA Est. 46579-AR-1

EPA Reg. No. 46579-1

NET CONTENTS:

GALLONS

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

46579-1
PR: 17 / 1/24/80 131
Authorized for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Production Inspection Programs and in Other Food Processing Plants, Flour Mills, Rice Mills, Feed Processing Plants, Empty Grain Bins, Grain Elevators, Grainaries, Shipholds, Barges, Boxcars, Grain Trucks, Warehouses, Feed and Seed Stores, Grocery Stores, Restaurants, Homes, Hotels, Breweries, Cannaries and Bakeries.

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

SPACE SPRAY: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove pets, birds and cover fish aquariums. Apply undiluted as a fine mist of aerosol size particles through manual, electrical or other powered applicators. Avoid staining by holding the spray nozzle at least 5 ft. from objects. Direct the mist toward the ceiling and upper corners of the area to be treated. Fill the area with the mist at the rate of 1 Fl. ounce per 1,000 cu. ft. Leave area closed for 30 minutes. Ventilate thoroughly before re-entry, sweep up and destroy dead insects.

In boxcars, ship cargo holes, barges and trucks cover any bagged or packaged food or feed stuffs with paper or plastic tarps. Apply space spray at a rate of 1 Fl. ounce per 1,000 cu. ft. of space. Close all doors and openings before applying spray and leave closed for 30 minutes after total dosage has been applied. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects.

CONTACT SPRAY: To kill all listed crawling insects. Adjust spray to produce large wetting type spray particles. Spray insects directly whenever possible. Direct spray to contact insects in cracks and crevices in floors, shelves, drawers, baseboards, around pipes, beams, behind cabinets, around machinery and other harborages. Spray these infested areas until wet. Repeat as necessary. In homes and restaurants, shelves and drawers should be allowed to dry and then covered with shelf paper. Any utensils that are contacted with spray should be washed before using. Avoid contamination of feed or food stuffs.

If surface application is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gal. to 750 square ft. Apply with care this spray could cause staining.

NON WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.