PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

Harmful if awallowed or absorbed through skin Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting, Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is order way. After space spraying in ment packing plants, bakeries and other food processing plants, wash all equipment, henches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing services and utensils should be covered during treatment, or thoroughly washed before use.

Remove petr, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. Do not use, pour, spill, or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This Product is toxic to fish. Do not apply directly to water.

Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its fabeling SEE SIDE PANEL FOR ADDITIONAL INSTRUCTIONS

STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL Pesticide spray mixture, or russ water that cannot be used according to label instructions must be disposed of according to applicable. Schemal, state, or local procedures.

CONTAINER DISPOSAL. Triple inserior equivalent Then offer for recycling or reconditioning, or puncture and dispose of incal samitary rangifile or by other approved States and Use all Procedures

GENT RATE Consult federar state or local disposal authorities for approved alternate procedures



RESMETHRIN 5 CONTACT AND SPACE SPRAY

Kills the accessible exposed stages on contact: Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Sawtooth Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Tobocco Moth, Red Flour Beetle, Fruit Flies, Grain Mites, Vinegar Flies, Mediterranean Flour Moth, Houselles, Grats, Cockroaches, Silverfish, Spiders, Ants, and Crickets

ACTIVE INGREDIENTS:

* † Resmethrin 5 - (phenylmethyl)	- 3 - furanyl
methyl 2, 2-dimethyl-3-(2-methy	l-i-propenyl i
cyclopropane carboxylate	0.500°C
Related Compounds	. 0.068%
Aromatic petroleum hydrocarbons	
Petroleum distillate	98.7504.
INERT INGREDIENTS:	
	100.000%

*Cis.trans (somers ratio Max 30%(±)cis and min 70%(±)trans

tUS Patent Nos 3,465,007 and 3,542,928

• Penick's SBP-1382 brand of resmethrin insecticide

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by:

Dickson Chemical Co., Inc. STUTTGART, ARKANSAS 77160

EPA Est. 46579-AR-1 EPA Reg. No. 46579-2

NETCONTENTS

GALLONS

465)92-

Authorized for Use in Edible Product Areas of Official Istablishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food processing Plants, Flour Mills, Rice Mills Feed Processing Plants, Empty Grain Bins Grain Hesators, Grainanes, Shipholds, Barges, Boxcars, Grain Trucks, Warehouses, Feed and Seed Stores, Grocers Stores, Restaurants, Homes, Holels, Breweries, Cannanes and Bakeries.

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

SPACE SPRAY: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove pets, birds and cover fish aquariums. Apply undiluted as a fine mist of serosal size particles through manual, electrical or other powered applicators. Avoid staining by holding the spray nozzle at least 5 ft. from objects, Direct the mist toward the ceiling and upper corners of the area to be treated. Fill the area with the mist at the rate of 1 ft. ounce per 1,000 cu. ft. Leave area closed for 30 minutes. Ventilate thoroughly before re-entry, sweep up and destroy dead insects.

In boxcars, ship carge holes, barges and trucks cover any bagged or packaged food or feed stuffs with paper or plastic tarps. Apply space spray at a rate of 1 FL ounce per 1,000 cu. it of space. Close all doors and openings before applying spray and leave closed for 30 minutes after total dosage has been applied. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects.

CONTACT SPRAY: To kill all listed crawling insects Adjust spray to produce large wetting type spray particles. Spray insects directly whenever possible Direct spray to contact insects in cracks and crevices in floors, shelves, drawers, baseboards, around pipes, beams, behind cabinets, around machinery and other harborages. Spray thase infested areas until wet Repeat as necessary. In homes and restaurants, shelves and drawers should be allowed to dry and then covered with shelf paper. Any untensity that are contacted with spray should be woshed before using. Avoid contamination of feed or food stuffs.

If surface application is to be used, spray floors, walls, and other surfaces applying at a rate of 1 ptal to 750 quare ft. Apply with care this spray could cause staming.

NON WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when sock use and or handling is contr. y to label instructions