# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

HARMFUL IF SWALLOWED, Inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting, Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all fond processing services and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying,

#### PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. Do not use, pour, spill, or store near heat or open flame.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water.

Do not apply when weather conditions favor drift from areas treated.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal Open dumping is prohibited.

PESTICIDE DISPOSAL Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rines (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. For containers of 1 gallon or less— Do not reuse empty container. Wrap and put in trash.

GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.



## PYRA-FOG 1A CONTACT AND SPACE SPRAY

Kills the accessible exposed stages on contact: Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Sawtooth Grain beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Tobacco Moth, Red Flour Beetle, Fruit Flies, Grain Mites, Vinegar Flies, Mediterrarean Flour Moth, Houseflies, Gnats, Cockroaches, Silverfish, Spiderr, Ants, Crickets, Mushroom Flies and Fungus Gnats.

#### **ACTIVE INGREDIENTS**

Pyrethrins	.10 5
*Piperonyl Butoxide, Technical	.50 \$
N-Octyl Bicycloheptene Dicarboximide	
Petroleum Distillate	
	100 00 5

\*Equivalent to 0.40% of (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.10% of related compounds.

**KEEP OUT OF REACH OF CHILDREN** 

### CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:

Dickson Che nical Co., Inc. STUTIGART, ARKANSAS 72160

EPA Reg. No. 46579-4 EPA Est. 46579-AR-1

NET CONTENTS:

Gallons

Authorized for Lise in Edible-product Areas of Official Establishments Operating Uniter the Areas of Official Establishments Operating Uniter the Areas Poulity, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants, Flour Mills, Rice Mills, Feed Processing Plants, Empty Grain Bins, Grain Elevators, Grainaries, Shipholds, Barges, Boxcars, Crain Trucke, Warehouses, Food and Seed Stores, Grocery Stores. Restaurants. Homes, Hotels, Breweries, Canneries and Bakerics.

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

SPACE SPRAY: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove pets, birds and cover fish aquariums. Apply undiluted as a fine mist of aerosol size particles through manual, electric or other powered applicators. Avoid staining by holding the spray nozzle at least 5 Ft. from objects. Direct the mist toward the ceiling and upper corners of the area to be treated. Fill the area with the mist at the rate of 3 Fl. ounces per 1,000 cubic feet leave area closed for 30 minutes. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects,

In boxcars, ship cargo holds, barges and trucks, cover any loose or unpackaged finished foods with paper or plastic tarps, Apply space spray at a rate of 3 ft. ounces per 1,000 cubic feet of space. Close all doors and openings before applying spray and leave closed for 30 initutes after total dosage has been applied. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects,

CONTACT SPRAY: To kill all listed crawling insects. Adjust spray to produce large wetting type spray particles. Spray insects directly whenever possible. Direct spray to contact insects in cracks and crevices, in floors, shelves, drawers, base boards, around pipes, beams, behind cabinets, around machinery and other harborages. Spray these infessed areas until wet. Repeat as necessary. In homes and restaurants, shelves and drawers should be allowed to dry then covered with shelf paper. Any utensils that are contacted with spray should be washed before using. Avoid contamination of feed or find stuffs.

h surface application is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet. Apply with care, this spray could cause staining.

IN MUSHROOM PRODUCTION AND PROCESSING: To control mushroom flies or fungus gnats in growing houses, apply at a rate of 3 ounces per 1,000 cubic feet of space. Fogger should he operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned on. In packing and canning plants, use at a rate of 3 ounces to 1,000 cubic feet of space.

#### **NON WARRANTY**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ACCEPTED

JUN 3 1985

U III a file of the Pearly of Act, on a non-ded, for the peeticide recipiered under 45 7-4