

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND (DOMESTIC ANIMALS)
CAUTION**

HARMFUL IF SWALLOWED. Inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Remove pets, birds and cover fish aquariums before spraying. In case of contact, wash immediately with soap and water. Wash arms, hands and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep all unprotected persons out of operational area while applying the insecticide, or working in treated areas during posted period. Avoid contamination of feed and foodstuffs.

PHYSICAL OR CHEMICAL HAZARDS

Keep container closed when not in use.
Keep away from heat and open flame.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.
Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping and burning is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or Local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local Procedures.

GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.



PYRA-FOG 3

CONTACT AND SPACE SPRAY

Kills the accessible exposed stages on contact:
Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Sawtooth Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Tobacco Moth, Red Flour Beetle, Fruit Flies, Grain Mites, Vinegar Flies, Mediterranean Flour Moth, Houseflies, Gnats, Cockroaches, Silverfish, Spiders, Ants, Crickets, Mushroom Flies and Fungus Gnats.

ACTIVE INGREDIENTS

Pyrethrins	30%
*Piperonyl Butoxide, Technical	1.00%
N-Octyl Bicycloheptene Dicarboximide	1.00%
Petroleum Distillate	97.70%
	100.00%

*Equivalent to 0.80% of (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Contact a physician immediately.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty of water. Get medical attention if irritation persists.

MANUFACTURED BY:

Dickson Chemical Co., Inc.
STUTTGART, ARKANSAS 72160

EPA Reg. No. 46579-5
EPA Est. 46579-AR-1

NET CONTENTS:

46579-5 GALLONS

Authorized for Use in Edible product Areas Establishments Operating Under the Meat Poultry Grading and Egg Products Inspection Programs in Food Processing Plants, Flour Mills, Rice Mills, Feed Plants, Empty Grain Bins, Grain Elevators, Grainarie Barges, Boxcars, Grain Trucks, Warehouses, Feed Stores, Grocery Stores, Restaurants, Hotels, Hotel Canneries and Bakeries.

Apply with Equipment Designed and Adjusted for True Aerosol Mist.

SPACE SPRAY: Close room or area to be treated. Shut off air conditioner and ventilator system. Remove pets, birds and cover fish aquariums. Undiluted as a fine mist of aerosol size particles, manual, electric or other powered applicators. Apply by holding the spray nozzle at least 5 Ft. from object to be treated. Direct the mist toward the ceiling and upper corners of the room. Fill the area with the mist at the rate of 1,000 cubic feet per 1,000 cubic feet area closed for 30 minutes. Ventilate thoroughly before re-entry. Sweep up dead insects.

In boxcars, ship cargo holds, barges and trucks, loose or unpackaged finished foods with paper or plastic covering. Apply space spray at a rate of 3 fl. ounce per 1,000 cubic feet of space. Close all doors and openings before spraying and leave closed for 30 minutes after total application. Ventilate thoroughly before re-entry and destroy dead insects.

CONTACT SPRAY: To kill all listed crawlers, adjust spray to produce large wetting type spray. Spray insects directly whenever possible. Direct contact insects in cracks and crevices, in floor drawers, base boards, around pipes, beams, behind machinery and other harborages. Spray these areas until wet. Repeat as necessary. In restaurants, shelves and drawers should be also covered with shelf paper. Any utensils contacted with spray should be washed before use to avoid contamination of feed or food stuffs.

If surface application is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 1,000 cubic feet. Apply with care, this spray could cause damage to surfaces.

IN MUSHROOM PRODUCTION AND PROCESSING: To control mushroom flies or fungus gnats in grow rooms, apply at a rate of 3 ounces per 1,000 cubic feet. Fogger should be operated 8 to 10 feet away from the grow room, directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, apply at a rate of 2 ounces to 2,000 cubic feet of space.

NON WARRANTY

Seller makes no warranty, expressed or implied, for the use of this product other than indicated on label. Buyer assumes all risk of use and or handling of this product when such use and or handling is contrary to label instructions.



PYRA-FOG 3

CONTACT AND SPACE SPRAY

Kills the accessible exposed stages on contact:
Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Sawtooth Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Tobacco Moth, Red Flour Beetle, Fruit Flies, Grain Mites, Vinegar Flies, Mediterranean Flour Moth, Houseflies, Gnats, Cockroaches, Silverfish, Spiders, Ants, Crickets, Mushroom Flies and Fungus Gnats.

ACTIVE INGREDIENTS

Pyrethrins	10%
Piperonyl Butoxide, Technical	1.00%
N-Octyl Bicycloheptene Dicarboximide	1.00%
Petroleum Distillate	97.70%
	100.00%
*Equivalent to 0.80% of (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.20% of related compounds.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Contact a physician immediately.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN: Wash with plenty of water. Get medical attention if irritation persists.

MANUFACTURED BY:

Dickson Chemical Co., Inc.

STUTT GART, ARKANSAS 72160

EPA Reg. No. 46579-7
EPA Est. 46579-AR-1

NET CONTENTS:

46579-5

Authorized for Use in Edible product Areas of Official Establishments Operating Under the Meat Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants, Flour Mills, Rice Mills, Feed Processing Plants, Empty Grain Bins, Grain Elevators, Grainaries, Shipholds, Barges, Boxcars, Grain Trucks, Warehouses, Feed and Seed Stores, Grocery Stores, Restaurants, Hotels, Breweries, Canneries and Bakeries.

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

SPACE SPRAY: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove pets, birds and cover fish aquariums. Apply undiluted as a fine mist of aerosol size particles through manual, electric or other powered applicators. Avoid staining by holding the spray nozzle at least 5 Ft. from objects. Direct the mist toward the ceiling and upper corners of the area to be treated. Fill the area with the mist at the rate of 3 Fl. ounce per 1,000 cubic feet leave area closed for 30 minutes. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects.

In boxcars, ship cargo holds, barges and trucks, cover any loose or unpackaged finished foods with paper or plastic tarps. Apply space spray at a rate of 3 Fl. ounce per 1,000 cubic feet of space. Close all doors and openings before applying spray and leave closed for 30 minutes after total dosage has been applied. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects.

CONTACT SPRAY: To kill all listed crawling insects. Adjust spray to produce large wetting type spray particles. Spray insects directly whenever possible. Direct spray to contact insects in cracks and crevices, in floors, shelves, drawers, base boards, around pipes, beams, behind cabinets, around machinery and other harborages. Spray these infested areas until wet. Repeat as necessary. In homes and restaurants, shelves and drawers should be allowed to dry then covered with shell paper. Any utensils that are contacted with spray should be washed before using. Avoid contamination of feed or food stuffs.

If surface application is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet. Apply with care, this spray could cause staining.

IN MUSHROOM PRODUCTION AND PROCESSING: To control mushroom flies or fungus gnats in growing houses, apply at a rate of 3 ounces per 1,000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 2 ounces to 2,000 cubic feet of space.

NON WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

CAUTIONARY STATEMENTS HAZARDS TO HUMANS (DOMESTIC ANIMALS) CAUTION

IF SWALLOWED. Inhaled or absorbed through skin breathing spray mist. Avoid contact with clothing. Remove pets, birds and cover fish before spraying. In case of contact, wash with soap and water. Wash arms, hands and face with soap and water before eating or drinking. Wash all contaminated clothing with soap and hot water. Keep all unprotected persons out of area while applying the insecticide, or working in area during posted period. Avoid contamination of food stuffs.

PHYSICAL OR CHEMICAL HAZARDS

Keep closed when not in use.
Keep away from heat and open flame.

ENVIRONMENTAL HAZARDS

Is toxic to fish. Do not apply directly to water.
Do not apply when weather conditions favor drift from areas.

DIRECTIONS FOR USE

Use in accordance with Federal law to use this product in a manner consistent with its labeling.

STORAGE AND DISPOSAL

PRECAUTIONS: Do not contaminate water, food, or feed with spray.
Disposal. Open dumping and burning is prohibited.

DISPOSAL: Pesticide spray mixture, or rinse water, should not be used according to label instructions. Dispose of according to applicable Federal, State, and local laws.

DISPOSAL: Triple rinse (or equivalent). Recycle, reuse, recycling or reconditioning, or incineration and sanitary landfill, or by other approved State procedures.

Consult federal, state or local disposal authorities for alternate procedures.

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (877-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

DEC 22 1982

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
 REREISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

┌

┐

└

┘

83061
~~160~~ / 160
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

DEC 22 1982