

AND (DOMESTIC ANIMALS)
CAUTION

HARMFUL IF SWALLOWED. Inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Remove pets, birds and cover fish aquariums before spraying. In case of contact, wash immediately with soap and water. Wash arms, hands and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep all unprotected persons out of operational area while applying the insecticide, or working in treated areas during posted period. Avoid contamination of feed and foodstuffs.

PHYSICAL OR CHEMICAL HAZARDS

Keep container closed when not in use.

Keep away from heat and open flame.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.

Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. For containers of 1 gallon or less - Do not reuse empty container. Wrap and put in trash.

GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.



1212
PYRA-FOG 3
CONTACT AND SPACE SPRAY

Kills the accessible exposed stages on contact: Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Sawtooth Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Tobacco Moth, Red Flour Beetle, Fruit Flies, Grain Mites, Vinegar Flies, Mediterranean Flour Moth, Houseflies, Gnats, Cockroaches, Silverfish, Spiders, Ants, Crickets, Mushroom Flies and Fungus Gnats.

ACTIVE INGREDIENTS

Pyrethrins	30%
*Piperonyl Butoxide, Technical	1.00%
N-Octyl Bicycloheptene Dicarboximide	1.00%
Petroleum Distillate	97.70%
	100.00%

*Equivalent to 0.80% of (Butylcarb (6-Propylpiperonyl) Ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Contact a physician immediately.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty of water. Get medical attention if irritation persists.

MANUFACTURED BY:

Dickson Chemical Co., Inc.

STUTT GART, ARKANSAS 72160

EPA Reg. No. 46579-5

EPA Est. 46579-AR-1

NET CONTENTS:

Gallons

Grading and Egg Production Inspection Programs and in Other Food Processing Plants, Flour Mills, Rice Mills, Feed Processing Plants, Empty Grain Bins, Grain Elevators, Grainaries, Shipholds, Barges, Boxcars, Grain Trucks, Warehouses, Feed and Seed Stores, Grocery Stores, Restaurants, Homes, Hotels, Breweries, Canneries and Bakeries.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Stored food products which are infested should be fumigated or treated by other effective methods using an approved product intended for that purpose.

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

SPACE SPRAY: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove pets, birds and cover fish aquariums. Apply undiluted as a fine mist of aerosol size particles through manual, electric or other powered applicators. Avoid staining by holding the spray nozzle at least 5 ft. from objects. Direct the mist toward the ceiling and upper corners of the area to be treated. Fill the area with the mist at the rate of 3 fl. ounce per 1,000 cubic feet leave area closed for 30 minutes. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects.

In boxcars, ship cargo holds, barges and trucks, cover any loose or unpackaged finished foods with paper or plastic tarps. Apply space spray at a rate of 3 fl. ounce per 1,000 cubic feet of space. Close all doors and openings before applying spray and leave closed for 30 minutes after total dosage has been applied. Ventilate thoroughly before re-entry. Sweep up and destroy dead insects.

CONTACT SPRAY: To kill all listed crawling insects. Adjust spray to produce large wetting type spray particles. Spray insects directly whenever possible. Direct spray to contact insects in cracks and crevices, in floors, shelves, drawers, base boards, around pipes, beams, behind cabinets, around machinery and other harborages. Spray these infested areas until wet. Repeat as necessary. In homes and restaurants, shelves and drawers should be allowed to dry then covered with shell paper. Any utensils that are contacted with spray should be washed before using. Avoid contamination of feed or food stuffs.

If surface application is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet. Apply with care, this spray could cause staining.

IN MUSHROOM PRODUCTION AND PROCESSING: To control mushroom flies or fungus gnats in growing houses, apply at a rate of 3 ounces per 1,000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 2 ounces to 2,000 cubic feet of space.

NON WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

