

PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals
CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapor or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Keep all unprotected persons out of operational area while applying the insecticide, or working in treated areas during posted period. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquariums before spraying.

Environmental Hazards

This product is toxic to fish, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Combustible. Keep away from heat and open flame.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store in a cool, dry area away from heat or open flame. **PESTICIDE DISPOSAL:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. For containers of one gallon or less - do not reuse empty container. Replace cap and place in trash or offer for recycling if available.

Designed for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants, Flour Mills, Rice Mills, Feed Processing Plants, Empty Grain Bins, Grain Elevators, Granaries, Shipholds, Barges, Boxcars, Grain Trucks, Warehouses, Feed and Seed Stores, Grocery Stores, Restaurants, Hotels, Breweries, Canneries, Bakeries, Cattle Barns, Horse Barns, Poultry Houses, Swine Houses, Zoos, Mushroom Production and Processing, and Outdoor Application.

Confine the use of this product in food processing establishments to time periods when the plant is not in operation. Remove or cover foods during treatment. Cover all food processing surfaces during treatment or thoroughly clean before using. Fumigate or treat stored food products, which are infested, by other effective methods using an approved product intended for that purpose.

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.



PYRA-FOG 3-6-10
CONTACT AND SPACE
SPRAY

Kills the accessible exposed stages on contact: Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Sawtooth Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Tobacco Moth, Red Flour Beetle, Fruit Flies, Grain Mites, Vinegar Flies, Mediterranean Flour Moth, Houseflies, Gnats, Cockroaches, Silverfish, Spiders, Ants, Crickets, Mushroom Flies, Fungus Gnats, Horn Flies, Stable Flies, Cheese Skippers, Mosquito Larvae, Mosquitoes, and Small Flying Moth.

ACTIVE INGREDIENTS

Pyrethrins 3.00%
 Piperonyl Butoxide 6.00%
 N-Octyl Bicycloheptene Dicarboximide 10.00%

OTHER INGREDIENTS 81.00%
 100.00%

* Equivalent to 4.80% (Butylcarbityl) (6-propylpiperonyl) ether and 1.20% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID

Immediately call a poison control center or doctor.

If Swallowed: Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If On Skin Or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

MANUFACTURED BY:

Dickson Chemical Co., Inc.
STUTT GART, ARKANSAS 72160

EPA Reg. No. 46579-8
 EPA Est. No.

NET CONTENTS: Gallons

INDOOR USE AS A SPACE SPRAY

UNDILUTED:

Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of 1/4 ounce per 1,000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Sweep up and destroy fallen insects.

DRIED FRUIT PRODUCTS in storage or being processed for control of exposed listed insects. Remove and destroy infested products. As noted above disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use one-half ounce per 1,000 cubic feet of space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated area and ventilate the area before re-entry. Sweep up and destroy fallen insects.

STORED FOOD: (Stored in multi-wall bags or cloth bags) in warehouses, storage rooms, flour mills, grain elevators, granaries. Disperse this product first by directing spray into corners, under pallets, and around stacks of packaged foods hitting as many insects as possible and then treat as a space spray.

Fumigate or treat infested stored products by other effective methods using an approved product intended for this purpose. Use a dosage of one-half fluid ounce per 1,000 cubic feet of space. Do not remain in treated areas and ventilated area before re-entry. This application will kill accessible, exposed stages of those stored product pests listed above. Sweep up and destroy fallen insects.

INDOOR USE AS A SPACE SPRAY, DILUTED:

For use in conventional mechanical fogging equipment cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating systems equipment. Dilute 1 part concentrate plus 29 parts oil (refined kerosene) and mix well. Apply at the rate of 1 to 2 fluid ounces per 1,000 cubic feet filling the room mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying.

SURFACE SPRAY:

To insure maximum control of crawling insects, dilute 1 part concentrate plus 29 parts oil (refined kerosene) and mix well and apply as a coarse wetting spray using approximately 1 gallon of spray mixture to 750 square feet of surface. Spray walls, floor and other surfaces of bins and storage and handling areas thoroughly, being especially careful to treat cracks, crevices and similar hiding places. Treat unloading, handling and processing areas and inside conveying processing and handling equipment. Spray thoroughly around the base of heavy machinery and equipment. Spray insects directly when possible.

For in transit protection, clean and spray truck beds, boxcars, and ship's hold before loading. Thoroughly treat walls and floors and spray each layer of cartons or containers lightly as stacked.

To control **INDIAN MEAL MOTHS**, and **ANGOUMOIS GRAIN MOTHS** in stored grain apply to the surface of binned grain at a rate of 1 Gallon per 1,000 square feet. Apply at monthly intervals with the first appearance of moths and continuing until early fall. In case of severe infestation, break up webbing with rake before spraying and make a second application in two weeks.

As an aid in control of **MOSQUITOES, GNATS, WASPS AND SKIPERS:** treat walls, ceilings, moldings, screens, door and window frames beams, light cords and similar resting places.

ANIMAL QUARTER USE (Cattle barns, horse barns, poultry houses, swine houses, zoos): As a space spray diluted for use in conventional mechanical fogging equipment to kill **FLIES, MOSQUITOES, SMALL FLYING MOTHS, AND GNATS**, dilute 1 part concentrate plus 29 parts oil (refined kerosene) and mix well. Apply at the rate of 2 fluid ounces per 1,000 cubic feet of space above the animals. Direct spray towards the upper portions of the enclosure filling the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Wash teats of dairy animals before milking.

FOR USE IN FEDERALLY INSPECTED MEAT

AND POULTRY PLANTS: Dilute one part concentrate with 3 parts base oil (refined kerosene) and use with a ULV spraying device at the rate of one ounce per 1,000 cubic feet of room space. Apply the spray into all cracks and crevices in wood work, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible for control of exposed or accessible stages of listed insects.

Before using, exposed food products and packaging materials must be covered or removed. After use, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed. Use as a space spray only when plant is not in operation.

OUTDOOR GROUND APPLICATION

UNDILUTED: To Control **ADULT MOSQUITOES, GNATS AND SMALL FLYING MOTHS.** For best results, apply when there is a light breeze of approximately 5 mph and temperature is cool (75° or less). With a ULV spraying device spray at a dosage rate of 5 ounces per minute up-wind of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately 5 mph with a swath width of no more than 300 feet.

TEMPORARY REDUCTION OF ANNOYANCE

from FLIES, MOSQUITOS and SMALL FLYING MOTHS OUTDOORS. The afore-mentioned application for outdoor ground application will afford temporary reduction of annoyance from these pests in public gathering places (drive-in restaurants, drive-in theaters, golf courses, municipalities, parks, playgrounds and recreational areas). Direct application into tall grass, shrubbery and around lawns where these pest may hover or rest, apply while air is still. Avoid wetting foliage. Application should be made prior to attendance.

In additional outdoor areas (corrals, feed lots, swine lots and zoos), cover water, drinking fountains and animal feed before use. Fill area with mist, directing application into tall grass, shrubbery and around lawns where these pests may hover or rest, apply while air is still. Avoid wetting foliage. In zoos, avoid exposure of reptiles to the product.

NON WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ACCEPTED
 MAR 26 2003
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 46579-8

46579-8

03/26/2003

111