1 60 17

Visliam G. Loessle. 7103 Fock Creek Disve Fredrick, Mr 21701

lear Mr. Lordolers

Edgect: Requat Antimicrosec & 7. lights Fig Temistration No. 4efil-1 fulrission Pater Cannay 14, 1907

The amendment referred to above, submitted to decreed for with resistration under FIFFA, is acceptable provided that your

I. fish time (f) exister as your right printer labeline before you are to be a superior of the Section 6

Year reflected for engineers of the some of the source of the source of

The second of th

Join 1. Tee

Product transfer (2),

The rectangle to the control of the

Trolosure

117:Let (60..:10) - 10 10 10

BEST AVAILABLE COPY

OFFICIAL FILE COPY

A broad spectrum bacteriostatic, fungistatic and deodorizing agent for textiles to control microbial growth, deterioration and discoloration in the presence of moisture. For recommended uses and directions for use, refer to Technical Bulletin.

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

2ROHIBITIONS: DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

STORAGE: Moisture sensitive. Keep container closed until ready for use and after use.

PESTICIDE DISPOSAL: Pesticide. spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

REGUAT

ANTIMICROBIAL 1977 LIQUID CONTROL OF MICROBIAL GROWTH, BACTERIA, FUNGI, ODORS ON MANY TEXTILE PRODUCTS

ACTIVE INGREDIENT:

N.N.-didecyl-N-methyl-3-(trimethoxysilyl)

KEEP OUT OF REACH OF CHILDREN

DANGER POISON FLAMMABLE

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT WITH EYES: Flush with plenty of water for at least 15 minutes and get immediate attention. IF SWALLCWED, call a Physician or Poison Control Center. Do not induce vomiting, have patient lie down and keep warm. Cover eyes to exclude light. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

PRECAUTIONARY STATEMENT

CORROSIVE: Causes severe burns to the eyes. May be fatal or cause blindness if swallowed. Do not get in eyes, on skin, or clothing. FLAMMABLE: Do not store or use near heat or open flame. CONTAINS 45% Methanol. VAPOR HARMFUL: Avoid prolonged breathing of vapor. Use with adequate ventilation. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

NET WEIGHT:

LBS.

EPA REG. NO. 46620-1

EPA EST. NO. 3090-CT-1

William G. Roessler 7103 Rock Creek Drive Frederick, Md. 21701

ACCEPTED

with COMMENTS

to EPA Letter 1 to b

AUG 29 1 55

40.000-1