Enclosures
ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

BEST AVAILABLE COPY

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.



MICRO-BIOCIDE, B105

ACCEPTED with Committees in the form the state of

JUN 1 7 信息

ACTIVE INGREDIENT:

7.1

amended, for the posterity meged under FIFA Ray, Man 2-(Thiocyanomethylthio)benzothiazole

INERT INGREDIENTS 70%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Causes skin irritation. This product may cause allergic skin reactions. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT: If in eyes, flush with plenty of water. Get medical attention, If on skin, wash with plenty of soap and water, Get medical attention. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol, Get medical attention.

Note to physician: Probable mucosal damage may contraindicate gastric lavage. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For quidance contact your State Water Board or Regional Office of the EPA.

> Menufactured by: REEF CHEMICAL COMPANY, INC.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

P.O. BOX 529 SNYDER, TX. 79549

EPA EST. NO.

NET CONTENTS

DIRECTIONS FOR US

It is a violation of Federal law to use this product in labeling.

COOLING TOW, IS: MICRO-BIOCIDE, B105 cooling tower wood against soft or surface rot and interring or painting a dispersion containing 0.5 to 0.7% MICH in water onto the clean wood surfaces. The amount ap MICRO-BIOCIDE, BIOS per 1000 ft.

rot can also be inhibited by periodic shock doses of M to the recirculating cooling water at the tower basin or vide 1.25 lb, of MICRO-BIOCIDE. B-105 bleedoff should be stopped for 4 to 8 hr, after treatmer

repeated every four months COOLING WATER: MICRO-BIOCIDE, B-105 becterie, and fungi in industrial recirculating cooling w begun, the system should be cleaned thoroughly to re logical stime, end other deposits. System should then

water, and treated with an initial dose of 0.6 to 3.7 fl. oz per 1000 gal, water in the system. 11. oz. per 1000 get, should be made every 1 to 5 days,

and severity of microbiological fouling. DRILLING FLUIDS: Ye inhibit becariel and fungel degradation by of wells. MICRO-BIOCIDE ... B-105 is

centrations of 0.06 to 0.26% based on the total wet weight PETROLEUM SECONDARY RECOVERY: MICRO-BIOC control suffate-reducing becterie, skime-forming becterie an miceller floods, water-disposal systems, and other oil-field wat floo of MICRO-BIOCIDE, B-105 per 100

before or after injection pumps and injection well headers. Cor a noticeably foxiled, add 0.6 to 3.7 ft or MICRO-BIOCID water continuously until desired degree of control is schie
MICRO-BIOCIDE, B-105

per 1000 dat o per 1000 gal o mentain control. Intermittent or Sing Method: W. control, add 0.6 to 3.7 ft or MICRO-BIOCIDE.

be made continuously or intermittently by means of a meters

to 8 hr per day and 1 to 4 times per week, or as needed to r CUTTING FLUIDS: MICRO-BIOCIDE, B-105 fungel degradation of water-based and water-soluble or emula

in metalworking operations. It should be added to the cutting a pertain metalworking operation. MICRO-BIOCIDE, B-105 with water. MICRO-BIOCIDE, B-105 ca added to the concentrate before dilution at a rate of the required concentration in the diluted fluid.

STORAGE & DISP

Do not contaminate water, food, or feed by stolage or PESTICIDE STORAGE. Do not expose to extremo temperati high. Drums should be opened in well ventilated areas. Leakii

in overpack drums for disposal. Spills should be absorbed in sandary (andlill PESTICIDE DISPOSAL. Pesticide wastes are acutely has posticide, spray mixture, or rinsate is a violation of Federal Lav

by use according to later instructions, contact your State Pest or the Hazardous Waste representative at your EPA Regiona CONTAINER DISPOSAL: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by other p

authorities