## CCL PLYING INSECT KILLER II

PMIT

For use in the Home, and Non-Food and Food Areas of: Food Processing Plants, Schools, Warehouses, Taverns, Stores, Kitchens, Office Buildings, Theatres, Garages, Hotels, Motels, Kennels, Bottling Plants, Locker Rooms, Canneries, Bakeries, Cafeterias, Hospitals, Camps, Campers, Cabins, Boats, Household Storage

## ACTIVE INGREDIENTS:

d-trans Allethrin ( allyl homolog of Cinerin)	0.30%
*Piperonyl butoxide, technical	0.60%
N-octyl bicycloheptene dicarboximide	1.00%
Inert Ingredients	98.103

100.00%

3

46813-1

\*Equivalent to 0.480% (butylcarbityl) (6-propyliperonyl) ether and 0.12% related compounds

MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Back Panel for Additional Precautionary Statements

Net Contents

Manufactured By:

\*\* \*\*

CCL Industries Inc. 26 Waterman Avenue Toronto, Ontario M4B 1Y5

÷.,

ACCEPTED with COMMENTS in EPA Letter Dated:

JUH 27 1090

Under the i edenti intecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

46813-1-

EPA Reg. No. 46813-1

EPA Est. No. 46813-CN-01, 46813-CN-02, 46813-CN-03

### Precautionary Statements

#### Hazards to Humans and Domestic Animals

### CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In  $ca \le of$  contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

# PHYSICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

### STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

- Disposal: "Do not contaiminate water, food, or feed by storage or disposal. "Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility." "Wrap container and put in trash collection."
- NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment, Do not return patients to room until after ventilation.

# To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: \*\* .

Close all doors and windows and direct spray upward into tenter of room with a slow sweeping motion. Spray 5 to 10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying cover expose food and utensils.

....

## To Kill Cockroaches, Ants, and Crickets:


Contact as many insects as possible directly with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. For control of ants, treat doors, windows sills, ant trails and other areas of entry. Repeat as necessary for control.

To Kill Carpet Beetles. Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be spraying thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of confused Flour Beetles, Sawtoothed Grain Beetles, Lesser Grain Borer, and Rice Weevils: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Wasps: Contact insects directly with spray. Sweep up and discard fallen wasps. Repat as necessary.

To Kill Fleas and Brown Dog Ticks: Remove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pets quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.



3/3