

CCL FLYING INSECT KILLER

Front Panel

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
*Piperonyl Butoxide Technical	5.0%
Petroleum Distillate	4.0%

INERT INGREDIENTS:

90.5%

*Equivalent to 4% (butylcarbityl) (5 propyl piperonyl) ether
1% Related Compounds

4/68/3-4

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

For use on Cattle, in Animal Quarters, and Milk Rooms,

Kills and repels stable flies, horse flies, face flies, deer flies, house flies,
horn flies, mosquitoes and gnats.

Net weight _____

EPA Est.No.
46813-CN-01
46813-CN-02
46813-CN-03

Manufactured by

CCL INDUSTRIES INC.
Toronto, Ontario
Canada

EPA Reg.No.
46813

Back Panel

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before use. Do not use in areas where fish or reptiles may be exposed to the spray.

Remove pets, birds and cover fish aquariums before spraying.

CHEMICAL OR PHYSICAL HAZARDS

Flammable - Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE:

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold container upright, nozzle away from you and press actuator button spraying as directed.

To Treat Animals: To protect cattle from attacks of stable flies, horse flies, deer flies, house flies horn flies, mosquitoes and gnats spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

In Animal Quarters & Milk Rooms: For rapid control of Houseflies, Mosquitoes, Gnats, Wasps and Flying Moths close windows and doors and spray at the rate of one second per 1,000 cubic feet of space. For best results keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

NOTICE TO USER: Sellers guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.