

PM 17
pg 1013

CCL FLYING INSECT KILLER X

Front Panel

ACTIVE INGREDIENTS

Pyrethrins	0.5%
* Piperonyl Butoxide Technical	5.0%

INERT INGREDIENTS

94.5%

* Equivalent to 4% (butylcarbityl) (6 propyl piperonyl) ether

1% Related Compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements

For use on Cattle, in Animal Quarters, Milk Rooms, Food Processing Plants, Restaurants, Hotels, Hospitals and other commercial and industrial buildings.

Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitos and gnats, flying and crawling insects.

Net Weight _____

BEST AVAILABLE COPY

Manufactured by:


CCL Industries Inc.
235 Yorkland Blvd., Suite 500
Willowdale, Ontario
M2J 4Y8

EPA Reg. No. 46813-6
EPA Est. No. 46813-CN-01
46813-CN-02
46813-CN-03

ACCEPTED

APR 2 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 46813-6



Aug # 46815-0
17m 17
15 20 13

Back Panel

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapours or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before use. Do not use in areas where fish or reptiles may be exposed to the spray.

Remove pets, birds and cover fish aquariums before spraying.

CHEMICAL OR PHYSICAL HAZARDS

Flammable - Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: "Do not contaminate water, food, or feed by storage or disposal." "Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility." Wrap container and put in trash collection.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Hold container upright, nozzle away from you and press actuator button, spraying as directed.

To Treat Animals: To protect cattle from attacks of stable flies, horse flies, deer flies, house flies, horn flies, mosquitos and gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

NOT AVAILABLE COPY

