

CCL FLYING INSECT KILLER X

Front Panel

ACTIVE INGREDIENTS:

Pyrethrins 0.5%
*Piperonyl Butoxide Technical 5.0%

INERT INGREDIENTS 94.5%

*Equivalent to 4% (butylcarbityl) (6 propyl piperonyl) ether

1% Related Compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements

For Use on Cattle, in Animal Quarters, Milk Rooms, Food Processing Plants, Restaurants, Hotels, Hospitals and other commercial and industrial buildings.

Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitos and gnats, flying and crawling insects.

Net Weight _____

Manufactured by:

CCL Industries Inc.
235 Yorkland Blvd., Suite 500
Willowdale, Ontario
M2J 4Y8

EPA Reg. No. 46813-6

EPA Est. No. 46813-CN-01
46813-CN-02
46812-CN-03

ACCEPTED
SEP 2 1986
Under the Federal Insect
Fungicide, and Rodenticide
Act as amended, for the pesti-
cides registered under
EPA Reg. No. 46813-6

Back Panel

**Precautionary Statements
Hazards to Human and Domestic Animals**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapours or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Foods or food processing equipment should be removed or covered during treatment. Do not apply while food processing is underway. All food processing surfaces should be thoroughly cleaned before using.

Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before use. Do not use in areas where fish or reptiles may be exposed to the spray. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after spraying.

Vacate premises after treatment. Ventilate the area after treatment is completed before reoccupying area.

Remove pets, birds and cover fish aquariums before spraying.

CHEMICAL OR PHYSICAL HAZARDS

Flammable - Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: "Do not contaminate water, food, or feed by storage or disposal." "Wastes resulting from the use of this product may be disposed of on site or on an approved waste disposal facility." Wrap container and put in trash collection.

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

Hold container upright, nozzle away from you and press actuator button spraying as directed.

To Treat Animals: To protect cattle from attacks of stable flies, horse flies, deer flies, house flies, horn flies, mosquitos and gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

Back Panel cont'd

In Animal Quarters & Milk Rooms: For rapid control of houseflies, mosquitos, gnats, wasps and flying moths close windows and doors and spray at the rate of one second per 1000 cubic feet of space. For best results keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

"Flying Insects": Flies, mosquitoes, wasps, gnats, and flying moths. Close doors and windows. Direct mist upwards in sweeping motion to all parts of the room especially windows and other light sources. Apply 6-10 seconds burst per 30 m³ of space. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1 m from interior wall, fabrics and furniture.

"Crawling Insects": Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silverfish. Spray hiding places such as base boards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit to be killed.

"Bed Bugs": Spray mattress, particularly around seams and tufts. Take beds apart, spray all joints. Repeat as required.

"Fleas": Spray sleeping quarters of pets.

NOTICE TO USER

Sellers guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of use of handling and accepts the product on these conditions.

