

PH 17 46813-7 13 134

FEB 27 1991

CCL Industries, Inc.
c/o Air Guard Control, Inc.
1209 West Bailey
Sioux Falls, SD 57104

Attention: Mr. Bruce Dawson

Gentlemen:

Subject: CCL Indoor Total Release Fogger I
EPA Registration No. 46813-7
Your Letter Dated July 20, 1989

The labeling submitted in conjunction with registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable, subject to the comments listed below. A stamped copy of the label is enclosed for your file.

1. Add the footnote "Contains petroleum distillates" to the label ingredient statement.
2. Submit a 1-year storage stability study. The formulated product must be analyzed for its active ingredients at time zero and during a year of storage. The storage must be under warehouse conditions of temperature and humidity using containers similar to those that will be used in the trade. This data must be submitted within 15 months.

Sincerely yours,

Phil Phil Sutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51339;I:Tavano:L17-5;KEVRIC:01/30/91:02/30/91:av:DD:av

CONCURRENCES

SYMBOL	H7505C						
SURNAME	Tavano						
DATE	2/20/91						

CCL INDOOR TOTAL RELEASE FOGGER I

Front Panel

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins, Warehouses, Schools, Theatres

One Unit Treats Up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

d-trans Allethrin	0.323%
3-Phenoxybenzyl (1RS, 3RS: 1RS, 3SR) 2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate	0.200%

INERT INGREDIENTS:

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

Flies, Mosquitoes, Cockroaches, Spiders, Centipedes,
 Fleas, Wasps, Ticks, Black Carpet Beetles,
 Saw-toothed Grain Beetles, Rice Weevils,
 Small Flying Moths, Pill Bugs,
 Crickets and Silverfish

Net Weight _____ Ounces

Formulated By:
 CCL Industries Inc.
 26 Waterman Avenue
 Toronto, Ontario
 M4B 1Y5

EPA Reg. No. 46813-7

EPA Est. No. 46813-CN-01

**ACCEPTED
 with COMMENTS
 in EPA Letter D-977
 FEB 27 1991**
 under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.
46813-7

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water, obtain medical attention if irritation persists. If swallowed do not induce vomiting, call a physician immediately.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Environmental Hazards

Non-Mosquito Adulticide

Do not apply directly to water or wetlands (swamps, bogs, marshs, and potholes). Cleaning of equipment or disposal of wastes must be done in a manner that avoids contamination of bodies of water or wetlands.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Storage and Disposal

Storage: Store in a cool area away from heat or open flame.

Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

This product will kill Flies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish.

Aids in control of Cockroaches.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks, and Fleas: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry. Repeat as necessary to bring infestation under control.