CCL FLYING INSECT KILLER TX

ACTIVE INGREDIENTS:

Pyrethrins	0.974%
*Piperonyl butoxide technical	1.950%
N-octyl bicycloheptene dicarboximide	3.210%
Petroleum distillate	13.025%

INERT INGREDIENTS:

80.841%

*Equivalent to 1.56% (butylcarbityl) (6-propyl piperonyl) ether 0.39% Related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional Precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, sc. weil, and other public buildings. In dairies, barns, farm milk houses, canaeries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

Net weight _____

Manufactured by

CCL INDUSTRIES INC., Toronto, Ontario Canada EPA Est. No. 46813-CN-01 ٢

1- 1-

1 1.

EPA Reg. No. 46813-14

1.011 1111

BEST DOCUMENT AVAILABLE

46813-14

Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Do not use in areas where fish or reptiles may be exposed to spray.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: "Do not contaminate water, food, or feed by storage or disposal." "Pesticide wastes are Toxic. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, of the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance." "Wastes resulting from the use of this product may be disposed of on site or at an approved wastedisposal facility." Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Sequential Insecticide is designed for use in automatically-timed discharging devices. Using the metered valve provided, which gives a dosage of 27.5 mgs. set to discharge every 7.5 minutes or 55 mgs every 15 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect acitivty and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.

BEST DOCUMENT AVAILABLE

C.C.L. Industries, Inc. c/o Syncro Hist Controls Inc. Batavia Industrial Centre 56 Harvester Avenue Batavia, NY 14020

Attention: Bruce Dawson

Gentlemen:

Subject: C.C.L. Plying Insect Killer IX EPA Registration No. 46813-14 Your Letter of Hay 30, 1984

The proposed amendment bringing the label for this product into compliance with PR Notices 83-3 and 84-1 is acceptable, and a stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Finothy A. Gardner Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767)

2

i.

Ale

Enclosure

.

BRD/IRB: **IATTRW44**: DCR-45250: WANG-0310K: vgr:Raven: 479-2013: 7/25/84DEL8/10/84

BEST DOCUMENT AVAILABLE

