

CCL FLYING INSECT KILLER TX

ACTIVE INGREDIENTS:

Pyrethrins	0.974%
*Piperonyl butoxide technical	1.950%
N-octyl bicycloheptene dicarboximide	3.210%

INERT INGREDIENTS:

93.866%

*Equivalent to 1.56% (butylcarbityl) (6-propyl piperonyl) ether
0.39% Related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional Precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, schools, and other public buildings. In dairies, barns, farm milk houses, canneries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

Repels cockroaches.

Net weight _____


Manufactured by

CCL INDUSTRIES INC.,
Toronto, Ontario
Canada

EPA Est. No.
46813-CN-01

EPA Reg. No.
46813-14

DEC 3 1987
EPA Reg. No. 46813-14



Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Do not use in areas where fish or reptiles may be exposed to spray.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: "Do not contaminate water, food, or feed by storage or disposal."
"Pesticide wastes are Toxic. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance." "Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility."
Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Sequential Insecticide is designed for use in automatically-timed discharging devices. Using the metered valve provided, which gives a dosage of 27.5 mgs. set to discharge every 7.5 minutes or 55 mgs every 15 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.