m.

OCL FLYING INSECT KILLER VII

Front Panel

ACTIVE INCREDIENTS:

Pyrethrins 1.00%
*Piperonyl butoxide technical 10.00%
d-Trans Allethrin 0.80%

(allyl homoloy of CinerinI)

Petroleum Distillate

-12.918 12.35 %

BOAP

INERT INGREDIENTS:

*Equivalent to 8.0% (butyl-carbityl) (6-propyl-piperonyl)ether 2.0% Related compounds

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See side panel for additional precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, schools, and other public buildings. In farm milk houses, canneries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

ACCEPTED
with COMMENTS
in EPA Letter Dates:

Net weight

DEC 7 1982

Under the stal Insecticide, Pagrama, and Rodenticide Act as amounted, for the pesticide registered under EPA Reg. No.

Manufactured by

FPA Est.No. 46813-CN-01 46813-CN-02 46313-CN-03

CCL INDUSTRIES INC., Toronto,Ontario Canada

EPA Reg.No. 46813

Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritations persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Sequential insecticide is designed for use in automatically-timed discharged devices. Using the metered valve provided, which gives a dosage of 27.5 mgs. set to discharge every 7.5 minutes or 55 mgs. every 15 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.

U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	DATE OF ISSUANCE
OFFICE OF PECAL CES PROGRAMS REGISTRATION DIVIDION (BH 567 RESHITGECT) (CL. 44)	TERM OF ISSUANCE	_ UC
NOTICE OF PESTICIDE: FREGULATION GENERAL ON GENERAL ON GENERAL ON GENERAL OF THE BOOK OF T	NAME OF PESTICIDE PROCUS	Ţ
NAME AND ADDRESS OF REGISTRANT Include ZIP ade		
r	٦ .	13/19/188
L	.1	, ,
NOTE: Changes in labeling formula differing in substance (submitted to and accepted by the Registration Division prioduct always refer to the above U.S. EPA registration nur	ar to use of the label in commerc	n with this registration must be ce. In any correspondence on this
On the basis of information furnished by the registrant, the the Federal Insectioned, hungicide, and Rodenticide Act.	above named postu ide is herel	by Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is ret	urned herewith.
health and the environment, the Administrator, on his motic icide in accordance with the Act. The acceptance of any no Act is not to be construed as giving the registrant a right t by others.	ame in connection with the regis	stration of a product under this
		,
ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		LOATE

CCL FLYING INSECT KILLER VII

Front Panel

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
*Piperonyl butoxide technical	10.00%
d-Trans Allethrin	0.80%
(allyl homoloy of CinerinI)	
Petrolem Distillate	12.91%

INERT INGREDIENTS:

75.29%

*Equivalent to 8.0% (butyl-carbityl) (6-propyl-piperonyl)ether 2.0% Related compounds

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See side panel for additional precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, schools, and other public buildings. In dairies, barns, farm milk houses, canneries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

Net weight

GEST L.

46813-15

Manufactured by

TPA Est.No. 46813-CN-01 46913-CN-02 46313-CN-03

CCL INDÚSTRIES INC., Toronto,Ontario Canada

EPA Reg.No. 46813

Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC AND ALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritations persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse ampty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Léquential insecticide is designed for use in automatically-timed discharged devices. Using the metered valve provided, which gives a dosage of 32 mgs. set to discharge every 7.5 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.

CA ENGLISHMENT LA BROTHER LAND AND AND AND AND AND AND AND AND AND	
U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO. DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS	DEL 1.1.2
REGISTRATION DIVISION (NH-567) NASHINGTON, C.C. 21460	TERM OF ISSUANCE
NOTICE OF PESTICIDE: THE GISTHATION	NAME OF PESTICIDE PRODUCT
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	
г	16/8/1788
	18/
L	_
submitted to and accepted by the Registration Division pri- product always refer to the above U.S. EPA registration nu-	
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby Registered/Reregistered un
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is returned herewith.
health and the environment, the Administrator, on his moticide in accordance with the Act. The acceptance of any n	nt or approval of this product by this Agency. In order to prote on, may at any time suspend or cancel the registration of a pe ame in connection with the registration of a product under thi
by others.	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	o exclusive use of the name or to its use if it has been cover
• • • •	o exclusive use of the name or to its use if it has been cover
• • • •	o exclusive use of the name or to its use if it has been cover
• • • •	o exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	co exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	co exclusive use of the name or to its use if it has been cover
• • • •	co exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
• • • •	to exclusive use of the name or to its use if it has been cover
by others.	DATE

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

EPA Farm 8570-6 (Rev. 5-76)