

OCL FLYING INSECT KILLER XIII

Front Panel

ACTIVE INGREDIENTS:

Pyrethrins	1.80%
*Piperonyl butoxide technical	10.00%

Petroleum Distillate	15.11%
----------------------	--------

INERT INGREDIENTS:	73.09%
--------------------	--------

*Equivalent to 8.0% (butyl-carbityl) (6-propyl-piperonyl) ether
2.0% Related compounds

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See side panel for additional precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, schools, and other public buildings. In dairies, barns, farm milk houses, canneries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

Net weight _____

Manufactured by

OCL INDUSTRIES INC.,
Toronto, Ontario
Canada

EPA Est.No. 46813-32
46813-CN-01
46813-CN-02
46813-CN-03

EPA Reg.No.
46813-RL

Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritations persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Sequential insecticide is designed for use in automatically-timed discharged devices. Using the metered valve provided, which gives a dosage of ~~25~~ mgs. set to discharge every 7.5 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.

or 55 mgs. set to discharge every 15 minutes,

