1134

C.C.L. Industries, Inc.
c/o Syncro Hist Controls Inc.
Batavia Industrial Centre
56 Harvester Avenue
Batavia, NY 14020

Attention: Bruce Dawson

Gentlemen:

Subject: C.C.L. Flying Insect Killer XIII EPA Registration No. 46813-32 Your Letter of May 30, 1984

The proposed amendment bringing the label for this product into compliance with PR Notices 83-3 and 84-1 is acceptable, and a stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Timothy A. Gardner
Product Hanager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

BRD/IRB:#MT9WMWP:DCR-45250:WANG-0310K:vgr:Raven:479-2013:7/25/84DEL8/10/84

# BEST DOCUMENT AVAILABLE

CONCURRENCES				
SYMBOL . 73767				
SURMAME Tours				
S/2/34				
PA Form 1320-1 (4 81) OFFICIAL FILE COPY				



# CCL FLYING INSECT KILLER XIII

## Front Panel

# ACTIVE INGREDIENTS:

Pyrethrins 1.80% \*Piperonyl butoxide technical 10.00%

Petroleum Distillate

15.11%

INERT INGREDIENTS:

73.09%

\*Equivalent to 8.0% (butyl-carbityl) (6-propyl piperonyl) ether 2.0% Related compounds

KEEP OUT OF THE REACH OF CHILDREN

#### CAUTION

See side panel for addition precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, schools, and other public buildings. In dairies, barns, farm milk houses, canneries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

Net Weight \_\_\_\_\_

Manufactured by

EPA Est. No. 46813-CN-01 46813-CN-02 46813-CN-03

CCL INDUSTRIES INC..
Toronto, Ontario
Canada

EPA Reg. No. 46813-32

BEST DOCUMENT AVAILABLE

AUGI 11 11

46813-32

#### Precautionary Statements

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritations persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

#### STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: "Do not contaminate water, food, or feed by storage or disposal." "Pesticide wastes are Toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, of the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance". "Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility." Wrap container and put in trash collection.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Sequential insecticide is designed for use in automatically-timed discharged devices. Using the metered valve provided, which gives a dosage of 27.5 mgs. set to discharge every 7.5 minutes or 55 mgs. set to discharge every 15 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.

BEST DOCUMENT AVAILABLE