

DEC 11 1985

Mr. Bruce H. Dawson
CCL Industries, Inc.
235 Yorkland Boulevard, Suite 500
Willowdale, Ontario M2J 4Y8

Dear Mr. Dawson:

Subject: CCL Flying Insect Killer XIII
EPA Registration No. 46813-32

The proposed labelling you have submitted is acceptable. Please submit
five (5) copies of the final printed label.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

300
~~28~~
17

87806:Brigham:RD-03:KENCO:11/27/85:12/9/85:EK:VO

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

CCL FLYING INSECT KILLER XIII

Front Panel

ACTIVE INGREDIENTS:

Pyrethrins	1.80%
*Piperonyl butoxide technical	10.00%
Petroleum Distillate	15.11%

INERT INGREDIENTS: 73.09%

*Equivalent to 8.0% (butyl-carbityl) (6-propyl piperonyl) ether
2.0% Related compounds

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See side panel for addition precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, schools, and other public buildings. In dairies, barns, farm milk houses, canneries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

Net Weight _____

Manufactured by:

CCL Industries Inc.
Toronto, Ontario
Canada

EPA Est. No.

46813-CN-01

46813-CN-02

46813-CN-03

EPA Reg. No.
46813-32

ACCEPTED
with COMMENTS
In EPA Letter Dated:

DEC 11 1985

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

46813-32

Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritations persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Foods or food processing equipment should be removed or covered during treatment. Do not apply while food processing is underway. All food processing surfaces should be thoroughly cleaned before using. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after spraying.

Remove pets and birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: "Do not contaminate water, food, or feed by storage or disposal." "Pesticide wastes are Toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance". "Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility." Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Sequential insecticide is designed for use in automatically-timed discharged devices. Using the metered valve provided, which gives a dosage of 27.5 mgs. set to discharge every 7.5 minutes or 55 mgs. set to discharge every 15 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.