

Mr. Bruce Dawson
CCL Industries, Inc.
c/o Air Guard Control, Inc.
1209 West Bailey
Sioux Falls, SD 57104

Dear Mr. C Dawson:

Subject: CCL Flying Insect Killer XIII
EPA Registration No. 46813-32
Your Letter Dated June 9, 1988

The proposed amendment to the registration of the product cited above, revising the precautionary statement regarding food processing areas and revising the directions for use, is acceptable. A stamped copy of the label is enclosed for your records.

The information regarding the perfume in the product submitted with your letter dated April 28, 1988 have been made a part of the file for your product.

Since this amendment includes the proposed change in the use directions requested in your letter dated September 16, 1987 no action is being taken on the labeling submitted with the letter dated September 16, 1987.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

55824:I:Tavano:H-3:KENCO:06/02/89:06/13/89:aw:gj:vo:ek:rw

CONCURRENCES

SYMBOL	H7505C							
SURNAME	Tavano							
DATE	6/6/89							

ACTIVE INGREDIENTS:

Pyrethrins	1.90%
*Piperonyl butoxide technical	10.00%

INERT INGREDIENTS:

88.20%

*Equivalent to 8.0% (butyl-carbityl) (6-propyl piperonyl) ether
2.0% Related compounds

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See side panel for addition precautions

For use in food processing plants, restaurants, hospitals, homes, stores, hotels, motels, schools, and other public buildings. In dairies, barns, farm milk houses, canneries, breweries and food handling establishments.

Kills flies, mosquitoes, small flying moths and gnats.

Repels cockroaches

Net Weight _____

Manufactured by:

CCL Industries Inc.
Toronto, Ontario
Canada

EPA Est. No.
46813-CN-01

EPA Reg. No.
46813-32

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG 10 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended by the pesticide
registered under EPA Reg. No.

46813-32

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritations persists.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

Do not place directly over or within 8 feet of food processing surfaces

Remove pets and birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: "Do not contaminate water, food, or feed by storage or disposal." "Pesticide wastes are toxic." "Disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance." "Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility." Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Sequential insecticide is designed for use in automatically-timed discharged devices. Using the metered valve provided, which gives a dosage of 27.5 mgs. set to discharge every 7.5 minutes or 34 to 55 mgs set to discharge every 15 minutes, one unit will control houseflies, mosquitoes, gnats and flying moths in an area of approximately 6,000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.