

FRONT PANEL

CCL QUICK BREAKING INSECT REPELLENT FOAM

Repels Mosquitoes, Chiggers, Tick, Deer Flies, Stable Flies, Black Flies, Gnats and Fleas on **Exposed Skin Surfaces.**

ACTIVE INGREDIENTS:

N,n-diethyl-m-toluamide	8.45%
Other isomers	0.44%
_N-octyl bicycloheptene dicarboximide	1.11%

INERT INGREDIENTS: 90.0%

_MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN


CAUTION

See Back Panel for Additional Precautionary Statements

Net Weight _____ ounces


Manufactured by:

CCL Industries Inc.
26 Waterman Avenue
Toronto, Ontario
M4B 1Y5



EPA Reg No. 46813-46

EPA Est. No. 46813-CN-01.



272

BACK PANEL

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

KEEP OUT OF REACH OF CHILDREN

For external use only. Harmful if swallowed.
May cause eye irritation.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center

IF ON SKIN: Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call you local poison control center. If you go to a doctor, take this repellent with you.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

Physical Hazards

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat and open flame.

Disposal: Do not re-use empty container. Wrap original container in several layers of newspaper and discard in trash. "Do not puncture or incinerate".

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labelling.

"Read all directions before using this product"

Shake can well. Spray foam into palms of your hands and spread evenly on exposed areas of skin such as legs, arms, body, neck and face. Avoid contact with plastic and fabrics such as acetate, rayon and dynele.

Do not apply over cuts, wounds or irritated skin. Do not apply to eyes and mouth and do not apply to the hands of young children. Use just enough repellent to cover exposed skin. Do not use under clothing. Avoid over exposure. Frequent reapplication and saturation is unnecessary for effectiveness. After returning indoors, wash treated skin with soap and water.

BEST AVAILABLE COPY