JAN 2 3 1991

Mr. Bruce Dawson CCL Industries, Inc. c/o Air Guard Control, Inc. 1209 West Bailey Sioux Palls, SD 57104

Dear Mr. Dawson:

Subject: CCL House & Garden Insect Killer III EPA Registration No. 46813-47 Your Letter Dated August 27, 1990

The labeling submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable. A stamped copy of the label is enclosed for your files.

Sincerely yours,

Phil Hitton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

\$1329:I:Tavano:L17~1:KINCO:11/01/90:12/02/90:DD:vo:ek:de

CONCURRENCES					
SYMBOL 1/175555					
SURNAME TO THE		{			
DATE 11/1/7				1	
EDA E. 1220 1 (12 20)					ADDICAL FILE CORV

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through akin. Avoid breathing spray mist. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

When used in commercial food processing, storage, preparation or serving areas, all processing surfaces and utenaits should be thoroughly washed with an acceptable detergent solution and rinsed with potable water to remove all traces of contamination. In the home, all surfaces should be covered during treatment, or thoroughly washed as above. Cover exposed food. Do not apply while processing, preparation or serving is underway. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other equatic animals.. Do not apply directly to any body of water. Do not contaminate water when disposing of

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center.
If in Eyes: Flush with plenty of water, Get medical attention if irritation persists.
If on Skin or Clothing: Wash skin with scap and warm water, Remove contaminated clothing and wash before re-use.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame. Disposel: Do not re-use empty container, Wrap container in paper and dispose of with trash. Do not incinerate or puncture.

SHAKE BEFORE USE, HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

INDOORS

To KIII Files, Mosquikoss, Gnats, Wasps, and Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room (1,000 cubic feet). Keep nozzle three feet from surfaces. Vacate premises. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry.

To KIR Cockroaches, Waterbuge, Silverfieh, Crickets, Ante and Ticke: Spray baseboards, cracks, cravices, moist areas, and openings around sinks and pipes and other hiding places, hiding the insects directly. Spray ant hills and ant trails, around window and door sills, and other locations. Repeat as necessary.

To KIII Clothee Moths, Carput Beetlee: Spray all articles to be protected, giving particular attention to folds and seams. Spray interior of storage containers such as closets, chests and trunks regularly. Treatment should be repeated every thirty days, unless the articles are stored in a mothtight container.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedsteed, baseboards, floor boards and places likely to harbour these pests. Repeat frequently.

To KIII Fless and Brown Dog Ticks: Rumove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pets quarters after spray has dired. Also treat dogs and cats with a registered flee and lick control product before allowing them to enter treated area.

To Kill Aphilds and Whitelies on English by and African Violets: Spray in short bursts, holding the can 18 inches from foliage of house plants. Spray both sides of the leaves lightly. Do not wet. Repeat as often as necessary.

OUTDOORS

Kills listed insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahkas, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses and Snap-dragons. Also kills insects specified below on Evergreens and Small Omamental Deciduous Trees, Shrubs, and Vines.

When sprayed directly on insects, this spray kills aucking insects: Aphids, Leafhoppers, Spotted Mites, Thirps (exposed) and Lace Bugs. Kills chewing insects: Army Worms (caterpillars), Mexican Been Beetles, Climbing Cutworms, and Japanese Beetles when these insects are hit directly with the

For best results, spray in the evening or on a cloudy day when air is still. Use a slow sweeping motion. Keep can 18 inches from the plants. Avoid wetting foliage with spray. Spray rows at the rate of 1 foot per second. For heavy growth, spray rows on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray garden when temperatures exceed 90°F.

EPA Reg. No. 46813-47

EPAEst. No. 46813-CN-01

Manufactured by: CCL Industries Inc. 26 Waterman Avenue Toronto, Ontano M4B 1Y5



ACTIVE

Pyrethrins

*Piperonyl butoxide, technical [⊥]N-Octyl bicycloheptene dicarl **INERT INGREDIENTS:**

> *Equivalent to 0.40% ether and 0.1 ± MGK® 264

KEEP OUT OF

See Back F **Precautk**

Kills Flying Insects: Fli and Flying Moths.

Kills Crawling Insects: Fleas and Brown Dog Ti

Kills insects on Plants Mites, Cenain Caterpilla

Net weigh

46813-47