

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)



Enclosures

CCL Total Release Fogger III

Used as a Total Release Fogger, this product will kill exposed stages of: Houseflies, Mosquitoes, Small Flying Moths, Fleas, Wasps, Hornets, Ticks, Crickets, Silverfish and Cockroaches.

One Unit Treats up to 6,000 Cubic Feet or an Average Size Room.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl butoxide, technical	1.00%
1N-Octyl bicycloheptene dicarboximide	1.67%
INERT INGREDIENTS:	<u>96.83%</u>
	100.00%

*Equivalent to 0.80% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% related compounds.
1MGK®264, Insecticide Synergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

For Use in the Home and in Food and Non-Food Areas of Kennels, Restaurants, Food Processing Plants, Industrial Buildings, Schools, Warehouses, Offices, Theatres, Garages, Hotels, Motels and Hospitals.

Net Weight _____

Manufactured by:

CCL Industries Inc.
26 Waterman Avenue
Toronto, Ontario
M4B 1Y7

REGISTERED
P. 11. 1989

12 1989

Use
For
and
register under FFA 11. 1989

46813-48

Back Panel

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowd. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Avoid inhalation of vapors. Avoid contact with skin and eyes. Avoid contamination of food and feedstuffs.

If used in food processing or preparation areas, foods should be removed or covered during treatment. Food processing surfaces should be cleaned with an effective cleaning compound and then rinsed with potable water to remove all traces of contamination before reuse. Do not treat while food processing is underway. Do not spray on walls, composition tiles or plastics.

Remove pets, birds and cover fish aquariums before spraying.

Physical or Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Call a physician or Posion Control Center. Do not induce vomiting because of aspiration hazard.
- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING:** Wash skin with soap and warm water. Remove contaminated clothing and wash before reuse.
- IF INHALED:** Remove victim to fresh air. Apply artificial respiration if nece: ary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

TOTAL RELEASE DIRECTIONS

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed space. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment, and ventilate thoroughly before reentry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Pets should be treated with a registered tick and flea control product prior to reentry. Repeat as necessary to bring infestation under control.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place away from heat and open flame.

Disposal: Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.