

PH 11 4000 92 11-1

SEP 25 1990

Mr. Bruce Dawson
CCL Industries, Inc.
c/o Air Guard Control, Inc.
1209 West Bailey
Sioux Falls, SD 57104

Dear Mr. Dawson:

Subject: CCL Total Release Fogger III
EPA Registration No. 46813-48
Your Letter Dated August 27, 1990

The labeling submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable. A stamped copy of the label is enclosed for your files.

Sincerely yours,

PHM Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51329:I/C:Tavano:L17-1:KENCO:11/01/90:12/02/90:DD:vo:ek:de

CONCURRENCES							
SYMBOL	H7505C						
SURNAME	Tavano						
DATE	11/2/90						

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Avoid inhalation of vapors. Avoid contact with skin or eyes. Avoid contamination of food and feedstuffs.

If used in food processing or preparation areas, foods should be removed or covered during treatment. Food processing surfaces should be cleaned with an effective cleaning compound and then rinsed with potable water to remove all traces of contamination before reuse. Do not treat while food processing is underway. Do not spray on walls, composition tiles or plastics.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on Skin or Clothing: Wash skin with soap and warm water. Remove contaminated clothing and wash before re-use.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash. Do not puncture or incinerate.

TOTAL RELEASE DIRECTIONS

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed space. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment, and ventilate thoroughly before reentry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, locking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Pets should be treated with a registered tick and flea control product prior to reentry. Repeat as necessary to bring infestation under control.

EPA Reg. No. 46813-48

EPA Est. No. 46813-CN-01

Manufactured by:

CCL Industries Inc.

26 Waterman Avenue

Toronto, Ontario

M4B 1Y5



**TOTAL RELEASE
FOGGER**

Used as a Total Release Fogger
Kill Exposed Stages of: House
Small Flying Moths, Fleas, Wasps,
Crickets, Silverfish and Crickets

One Unit Treats up to 6,000
an Average Size Room

ACTIVE INGREDIENTS:

Pyrethrins

*Piperonyl butoxide, technical

†N-Octyl bicycloheptene dicarboximide

INERT INGREDIENTS:

*Equivalent to 0.80% (butylcarbityl)

ether and 0.20% related compounds

-MGK® 264, Insecticide Susceptibility

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional
Precautionary Statements

For Use in the Home and in Food and
Kennels, Restaurants, Food Processing
Buildings, Schools, Warehouses,
Garages, Hotels, Motels and

Net weight _____