1117 4602-49 JUN 27 1890 PO 1605

CCI, Industries, Inc. c/o Air Guard Control, Inc. 1209 West Bailey Sioux Falls, SD 57104

Dear Bruce Dawson

Subject: CCL House & Garden Insect Killer II

EPA Reg. Wo. 46813-49

Letters dated July 11, 1989 and July 20, 1989 and

August 16, 1989

The labeling submitted in connection with registration of the product cited above under the Federal Insecticide Pungicide and Rodenticide Act is acceptable subject to the comment listed below and a stamped copy is enclosed for your records.

1.) Change the Physical or Chemical Hazard statement to read:

"Extremely flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting."

This change must be made at the next printing.

Sincerely yours,

Phil Button

Product Manager (17)

Insecticide-Rodenticide Branch Registration Division (H7505C)

58801:I:Tavano:H-11:KENCO:05/15/90:06/15/90:ka:sw:vo:ek:ka

| CONCURRENCES | | | | | | | | | |
|--------------|----------------|-------------|---|--|--|--|--|-----------------------------------------|-------------|
| SYMBOL | HISCIC | | | | | | | ************ | |
| SURNAME | | | L | | | | | | |
| DATE | 5/10/70 | | | | | | | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| SPA BA | 1320-1 (12.70) | | | | | | | OFFICE | AL BUR CORY |

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

** CCL HOUSE AND GARDEN INSECT KILLER II

For House and Garden Use Only

ACTIVE INGREDIENTS:

| d-trans Allethrin (allyl homolog of Cinerin I) | 0.25% | |
|------------------------------------------------|-------|--|
| *Piperonyl butoxide, technical | 0.80% | |
| -N-Octyl bicycloheptene dicarboximide | 0.40% | |

INERT INGREDIENTS:

98.50%

100.00%

*Equivalent to 0.64% (butylcarbityl)(6-propylpiperonyl) ether and 0.16% related compounds.

'MGK® 254, Insecticide Synergist

KEEP OUT CF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Kills Common Household Pests:

Houseflies, Mosquitoes, Cockroaches, Firebrats, and others listed on back panel.

Kills Common Plant Pests on Ornamentals: Japanese Beetles, Aphids, White Flies, and others listed on back panel.

Net Weight____

Manufactured by:

CCL Industries Inc. 26 Waterman Avenue Toronto, Ontario M4B 1Y5

EPA Reg. No. 46813-49

ACCEPTED

EPA Est. No. 46813-CN-01

ACCEPTED
with COMMENTS
to EPA Letter Dated:

তথ্য 2 i 1990

Fungicide, and Rodenticide Act as amended, for the pesticide No.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Avoid breathing vapors. Avoid contact with skin or eyes. In case of contact, immediately flush skin or eyes with plenty of water.

Do not use in commercial food processing, storage, preparation or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment wash waters.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce

vomiting because of aspiration hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if

irritation persists.

IF ON SKIN Wash skin with soap and warm water. Remove contaminated

OR CLOTHING: clothing and wash before re-use.

IF INHALED: Remove victim to fresh air. Apply artificial respiration

if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

To Kill Houseflies, Mosquitoes, Flying Moths, and Gnats:

Close all doors and windows and firect spray upward into cancer of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before reentry. Sweep up and destroy fallen insects. Before spraying, cover exposed food and utensils.

To Kill Cockroaches, Ants, and Crickets:

Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigertors, food storage areas, and wherever these pests are seen or suspected of hiding. For contol of ants, treat doors, window sills, ant trails and other areas of entry. Repeat as necessary for control.

To Kill Exposed Forms of Confused Flour Beetles, Saw-toothed Grain Beetles, and Rice Weevils:

Find and destroy infested package goods. Remove all other items from the pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Sowbugs, Earwigs, Firebrats, and Spiders:

Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

TO Kill Flies, Mosquitoes, Gnats, and Flying Moths:

Spray area infested with these listed flying insects. Follow precautions listed above. Hold container 18-24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these pests, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

To Protect Ornamental Plants:

For insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses and Snapdragons. Also, for insects specified below on Evergreens and Small Ornamental Deciduous Trees, Shrubs, and Vines. Do not spray cucumbers.

BEST AVAILABLE COPY

When sprayed directly on these insects, this spray kills sucking insects: Aphids, Leafhoppers, Spotted Mites, Thrips (exposed) and Lace Bugs. Kills chewing insects: Army Worm Larvae, Mexican Bean Beetles, Climbing Cutworms, and Japanese Beetles when sprayed directly.

WHEN SPRAYING KEEP CAN 18-24 INCHES FROM PLANT.

For best results spray in the evening or on a cloudy day when air is still. Use a slow sweeping motion. Avoid wetting foliage with the spray. Spray rows at the rate of one yard per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray when temperatures exceed 90°F.

This product may be used outside on porches, patios, and in the yard and picnic areas to kill Flies, Mosquitoes, Gnats, and Flying Moths present at the time of treatment. spray the area liberally. Spray with the breeze allowing the spray to drift into shrubbery and other places where insects harbor. Repeat as necessary.

'o Kill Wasos:

Spray nests with a generous blast (at least 4-6 seconds) from this unit from a distance of approximately two feet - scaking the nest thoroughly with the spray. To avoid being stung, make application at dusk, or other times when wasps are not active.

To Kill Sowbugs and Ants:

Spray directly as many insects as possible. Spray ant hills and trails. Repeat as necessary for control.

To Kill Fleas and Brown Dog Ticks:

Remove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pets quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.