JAN 2 / 1001

Mr. Bruce Dawson CCL Industries, Inc. c/o Air Guard Control, Inc. 1209 West Bailey Sloux Falls, SD 57104

Dear Mr. Dawson:

Subject: CCL House & Garden Insect Killer II
EPA Registration No. 46813-49
Your Letter Dated August 27, 1990

The labeling submitted in connection with registration under the Federal Insecticide, Pungicide, and Rodenticide Act is acceptable. A stamped copy of the label is enclosed for your files.

Sincerely yours,

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosura

51329:I/C: favano:L17-1:KENCO:11/01/90:12/02/90:DD:vo:ek:de

CONCURRENCES						
SYMBOL //75050						
SURNAME /						
DATE ///;					_	
EPA Form 1320 12-70					OFFICIA	AL FILE COPY



Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Avoid breathing vapors. Avoid contact with skin or eyes. In case of contact, immediately flush skin or eyes with plenty of water.

Do not use in commorcial food processing, storage, preparation or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pess, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment wash waters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near hear or open flame. Do n/x puncture or incrienzate container. Exposure to temperatures above 130°F may cause bursting. STATEMENT OF PRACTICAL TREATMENT

If Swellewed: Call a physician or Polson Control Center. Do not induce vorreting because of aspiration hazard.

If in Eyes: Flush with plenty of water, Get medical attention if entation persists.

If en Stan or Clothing: Wash stan with soap and warm water. Remove contaminated cicthing and wash before re-use.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with as labelling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Replace cap and discard container in trash, Do not incinerate or puncture.

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS. INDOORS

Te IXII Housefiles, Moeguitous, Prying Moths, and Gnets: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy taken insects. Before spraying, cover exposed food and utenzils.

To KMI Cockrosches, Ants and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. For control of lants, treat doors, window site, ant traits and other areas of entry. Repeal as necessary for control.

To KUI Exposed Forms of Confused Flour Beetics, Saw-teethed Grein Beetics, and Rice Weerlie: Find and destroy intested package goods. Remove all other items from pantry. Spray the shelves to full any of the named Insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Sewbuge, Earwige, Firebrets and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these posts. Special attention should be paid to cracks, crevious, hidden surfaces under sinks, behind stoves and refrigerators.

To Kill Flees and Brown Dog Ticks: Remove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as recessary. Do not spray animals. Put fresh bedding in pets quarters after spray has dried. Also treat dogs and cats with a registered flee and tick control product before allowing them to enter treated area.

OUTDOORS

To IGN Fittes, Missignifiese, Grate and Flying Mutha: Spray area intested with these listed flying insects. Follow precautions listed above. Hold container 18-24 inches from shrubs, bushes and gratesy areas. Spray these areas with a slow sweeping motion at the rate of 1 to 3 seconds per cubic yard of space white moving away from the treated areas. To reduce annoyance from these pasts treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to desipate before occupying the treated area. Repeat M necessary.

Te Pretect Creamental Plants: For insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahkas, Delphiniums, Gladrolf, Inses, Mangolds, Petunias, Roses and Snapdragons. Also, for insects specified below on Evergreens and Small Ornamental Deciduous Trees, Shrubs, and Vines. Do not spray occumber

When sprayed directly on insects, this spray will full sucking insects: Aphide, Leathoppers, Spotted Mites. Thinps (exposed) and Lace Bugs. Kills cheming insects: Army Worm Larvae, Mexican Bean Beatles, Cambing Cutworms, and Japanese Beatles when sprayed directly

WHEN SPRAYING, HOLD CAN 18-24 INCHES FROM PLANT.

For best results, spray in the evening or on a cloudy day when as is stift. Mat the plants lightly. Use a slow sweeping motion. Avoid welting foliage with spray. Spray rows at the rate of 1 yard per second. For heavy growth, spray both aides of row. Repeat when needed. Spray with caute on young plants and new growth. Do not spray when temperatures exceed 90°F.

This product may be used outside on porches, patios, and in the yard and picnic areas to kill Fise, Mosquitoes, Gratis, and Flying Moths present at the time of treatment. Spray the area liberally. Spray with the breeze allowing the spray to drift into shrubbery and other places where insects harbor. Repeat as necessary.

To Kill Waspe: Spray nests with a generous blest (at least 4–6 seconds) from this unit from a distance of approximately two feet – socking the nest thoroughly with the spray. To avoid being stung, make application at dusk, or other times when wasps are not active.

To KIN Sewinage and Ante: Spray directly as many insects as possible. Spray anti-hills and trails. Require as necessary for control

EPA Reg. No. 46813-49

EPA Est. No. 46813-CN-01

Manufactured by: CCL industries inc. 26 Waterman Avenue Toronto, Ontario M4B 1Y5



FOR GARD

ACTI

d-trans Allethrin (allyl homo *Piperonyl butoxide, technic N-Octyl bicycloheptene dic INERT INGREDIENTS:

> *Equivalent to 0.64* ether and t → MGK® 2

KEEP OUT OF

See Back Precau

Kills Comr House Files, N Firebrats, and o

Kills Common F Japanese Beetl others II

Net wei