

JAN 24 1991

Mr. Bruce Dawson
CCL Industries, Inc.
c/o Air Guard Control, Inc.
1209 West Bailey
Sioux Falls, SD 57104

Dear Mr. Dawson:

Subject: CCL Total Release Fogger II
EPA Registration No. 46813-51
Your Letter Dated August 27, 1990

The labeling submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable. A stamped copy of the label is enclosed for your files.

Sincerely yours,

RFM Phil Button
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51329:1/C:Tevano:117-1:KINCO:11/01/90-12/02/90:DD:vo:ek:da
CONCURRENCES

| | | | | | | | |
|---------|---------|--|--|--|--|--|--|
| SYMBOL | H7505C | | | | | | |
| SURNAME | Dawson | | | | | | |
| DATE | 11/2/90 | | | | | | |

4

CCL TOTAL RELEASE FOGGER II

Used as a Total Release Fogger, this product will kill exposed stages of: Houseflies, Mosquitoes, Small Flying Moths, Fleas, Wasps, Hornets, Ticks, Crickets, Silverfish and Cockroaches.

One Unit Treats up to 6,000 Cubic Feet or an Average Size Room.

ACTIVE INGREDIENTS:

| | |
|--|--------|
| Tetramethrin (1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate | 0.200% |
| 3-Phenoxybenzyl-1RS,3RS;1RS,3SR) 2,2-dimethyl-3- (2-methylprop-1-enyl) cyclopropanecarboxylate | 0.400% |

| | |
|---------------------------|----------------|
| INERT INGREDIENTS: | 99.400% |
|---------------------------|----------------|

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

For Use in the Home and in Non-Food Areas of Kennels, Restaurants, Food Processing Plants, Industrial Buildings: Schools, Warehouses, Offices Theatres, Garages, Hotels, Motels and Hospitals

Net Weight _____

Manufactured by:
CCL Industries Inc.
25 Waterman Avenue
Toronto, Ontario
M4B 1Y5

EPA Reg. No. 46813-51

EPA Est. No. 46813-EN-01

46813-51

Back Panel

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Avoid inhalation of vapors. Avoid contact with skin and eyes. Avoid contamination of food and feedstuffs. When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Do not spray on walls, composition tiles or plastics.

Remove pets, birds and cover fish aquariums before spraying.

Physical or Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

| | |
|----------------------------|---|
| IF SWALLOWED: | Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard. |
| IF IN EYES: | Flush with plenty of water. Get medical attention if irritation persists. |
| IF ON SKIN OR CLOTHING: | Wash skin with soap and warm water. Remove contaminated clothing and wash before re-use. |
| IF INHALED: | Remove victim to fresh air. Apply artificial respiration if necessary. |

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

TOTAL RELEASE DIRECTIONS

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed space. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment, and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Pets should be treated with a registered tick and flea control product prior to re-entry. Repeat as necessary to bring infestation under control.

STORAGE ON DISPOSAL

Storage: Store in a cool, dry place away from heat and open flame.

Disposal: Do not re-use empty container. Wrap original container in several layers of newspaper and discard in trash. "Do not puncture or incinerate."

