

This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

FEATURES AND APPLICATIONS

Kills Hornets, Wasps, Yellow Jackets, Bees, Spiders and Tent Caterpillars. For outdoor use in and around industrial, commercial, medical, and residential facilities; may also be used in basements, garages, barns, sheds, warehouses, unfinished attics and in vehicles and other areas where foods/drinks/feeds are not exposed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove pets and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. [You may also call 1-800-xxx-xxxx for emergency medical treatment information.] NOTE TO PHYSICIAN: Contains petroleum distillate-vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

For use in and around industrial, commercial, office, institutional and storage buildings, boats, ship cabins and hospitals. Also for use in buses, automobiles, trucks, boxcars, ship cargo holds, dog kennels and horse stables. In hospitals, remove patients prior to treatment. Ventilate the area for 2 hours prior to returning the patients. Do not use in horse stables if horses will be used for food. Do not get spray on people, pets or desirable vegetation. Do not use indoors as a space spray. Remove pets (including birds and fish) and cover non-movable aquariums, etc. in area to be sprayed.

Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOOR TO KILL BEES, WASPS, HORNETS, YELLOW JACKETS: Apply in late evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as infestation warrants.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices that harbor spiders.

OUTDOORS TO KILL BEES, WASPS, HORNETS, YELLOW JACKETS: Apply in late evening when insects are at rest. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around nest openings.

Contact as many insects as possible. Repeat as infestation warrants.

TO KILL TENT CATERPILLARS: Apply when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents and totally saturate on all sides. Repeat as infestation warrants.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Storage:** Keep in a locked storage area away from heat, sparks and open flame. **Disposal:** Do not puncture or incinerate! **If empty:** Place in trash or, if available, offer for recycling. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

CCL WASP & HORNET KILLER II

- A Synthetic Pyrethroid
- Kills Bees, Wasps, Hornets, Yellow Jackets, Spiders and Tent Caterpillars
[Also Kills Yellow Jackets & Spiders]
- Long Range Spray Reaches up to 15 Feet
- Dielectric Strength 35kV

ACTIVE INGREDIENT:

Resmethrin *	0.15%
OTHER INGREDIENTS:**	99.85%
	100.00%

* Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

** Contains petroleum distillate, xylene, or xylene range aromatic solvent.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED

APR 24 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 46813-61

Net Weight

EPA Reg. No. 46813-61 EPA Est. No. 46813-CN-03

Manufactured by

CCL INDUSTRIES

105 Gordon Baker Road
Willowdale, Ontario, M2H 3P8

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions? Call (phone number)]

Made in Canada.

[Alternate/optional language]

46813-61

04/24/2002

1/1