

# Multi-Purpose Insecticide Spray

Contains the Synthetic Pyrethroid Permanone®  
Controls named Residential, Industrial and Garden Insects  
For Use on Dogs and on Premises to Control Fleas and Ticks  
An Aqueous Stable Microemulsion  
Controls Pests for up to Four Weeks  
Kills Lice and Their Eggs  
For Use on Furniture and Other Inanimate Objects Infested with Lice  
Not for Use on Humans  
For Use on Livestock and Their Premises  
Controls Fleas and Ticks on Dogs for 14 Days

**Active Ingredient:**

\*Permethrin ..... 0.25%

**Other Ingredients** ..... 99.75%

100.00%

\*(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate

Cis/trans ratio: Min. 35% (±) cis and max. 65% (±) trans.

Permanone – Registered Trademark of Valent Biosciences Corporation

**Keep Out of Reach of Children**

## CAUTION

See back [side] panel for additional precautionary statements

{Logo}

Contains no CFCs or other ozone depleting substances.  
Federal regulations prohibit CFC propellants in aerosols.

Net Weight: \_\_\_\_ ounces

ACCEPTED

APR 14 2005

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, this pesticide  
registered under  
EPA Reg. No. 46813-64

{Back/Side Panel}

**Read Entire Label Before Each Use**

**For Pet Uses: Use Only on Dogs**

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Avoid spraying in eyes. Avoid breathing spray mist. Avoid contact with skin. Thoroughly wash hands with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Avoid contamination of feed and foodstuffs. **This product is not for use on humans.** If lice infestations occur on humans, use a product labeled for use on humans. Keep children and/or pets out of treated areas during treatment and do not allow them to contact treated areas until surfaces are dry. **Animals:** Do not spray directly in/on eyes, mouth or genitalia of pets. Use only on dogs. Do not use on cats or kittens. Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, immediately consult a veterinarian.

#### First Aid

Have the product container or label with you when calling a poison control center or doctor or going for treatment. [You may also call {toll free number} for emergency medical treatment information.]

<b>If Inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>

	<ul style="list-style-type: none"><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li><li>• Call a poison control center for treatment advice.</li></ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"><li>• Take of contaminated clothing.</li><li>• Immediately rinse skin with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

{Note: The grid format will be used if market space allows; otherwise a paragraph format will be used.}

#### Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

#### Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### Precautions and General Instructions

We recommend that those with asthma or severe allergies consult their doctor before using this product and possibly have someone else apply this product. Since vacuuming stirs dust up into the air, those with asthma or severe allergies who do choose to apply this product must wear a dust mask and use a vacuum with a high efficiency particulate (HEPA) filter. Do not apply this product to or near children's toys.

#### Shake Well Before Using

Remove protective cap, hold container upright and spray 12 to 15 inches from surfaces/objects to be treated. When spraying surfaces/objects, spray until surface/object is damp, but not to the point of run-off, and avoid excess product application. When spraying fabrics or furniture, first spray an inconspicuous area to test for incompatibility (staining, discoloration, etc.) before general application. Inspect area after spray dries and, if acceptable, spray entire area to be treated. When using this product as a space spray, upon reentry to treated areas, open windows and ventilate for at least 2 hours.

Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Nonfood Areas: CCL Multi-Purpose Insecticide Spray may be applied in non-food/feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in federally inspected meat and poultry plants.

In the home, cover all food handling surfaces and cover or remove all exposed food and cooking utensils, or thoroughly wash after treatment. Remove birds and cover fish aquariums before spraying.

Not for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses, lawns and grounds.

#### Application Instructions

**Bees, Black Flies, Blow Flies, Fruit Flies, Gnats, Hornets, Houseflies, Mosquitoes, Skipper Flies, Small Flying Moths and Wasps:** Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion.

**Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Palmetto Bugs, Pillbugs Scorpions, Silverfish, Sowbugs Spiders and Waterbugs:** Spray into hiding places, such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

**Ants:** Spray trails, nests and points of entry. Spray directly on ants when possible.

**Angoumois Grain Moths and Indian Meal Moths:** Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment.

**Exposed Stages of Confused Flour Beetles, Grain Mites, Granary Weevils, Red Flour Beetles, Rice Weevils and Sawtoothed Grain Beetles:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers, or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Dispose of infested stored food products.

**Carpet Beetles:** Spray directly on beetles, floors, baseboards, shelves and carpets. Vacuum entire area once dry.

**Bedbugs:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray in joints. Treat baseboards, moldings and floors. Allow all sprayed articles to thoroughly dry before reuse. After mattress is dry cover with mattress cover and sheet. Do not use mattress without cover. Vacuum entire area once dry.

**To Control Carpet Beetles and Clothes Moths on wool and other proteinaceous fibers:** Remove infested articles from storage, thoroughly brush and, if possible, air for several hours in sunlight. Liberally apply spray to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, lightly spray infested articles, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to thoroughly dry before use.

**In Animal Quarters and Milk Rooms:** For rapid control of *Bees, Gnats, Hornets, House Flies, Mosquitoes, Small Flying Moths and Wasps:* Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area.

**To Treat Livestock:** To protect beef cattle, dairy cattle, goats, hogs, horses and sheep from attacks of *Deer Flies, Face Flies, Gnats, Horn Flies, Horse Flies, House Flies, Mosquitoes and Stable Flies:* Spray about 3 seconds on each side, being careful to thoroughly spray back, withers and forelegs. To protect from *Face Flies*, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

**For Swine:** Do not ship animals for slaughter within 5 days of last treatment.

**To Control Blood Sucking Lice:** Apply to the infested areas of the animal, using a stiff brush to get the spray to base of the hair. Repeat every 3 weeks if required.

**To Control Poultry Lice:** Thoroughly spray roosts, walls and nests or cages then spray a fine mist over the birds.

**For Control of Bedbugs and Mites in Poultry Houses:** Spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.

**Fleas and Ticks (Adults and Larvae):** Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, paying special attention to cracks and crevices around baseboards and window and door frames. Infested upholstered furniture may also be treated with this product. Vacuum entire area once dry.

**To Control Fleas and Ticks on Dogs:** Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to ensure penetrating the coat. Dampen the fur up to the head. Repeat application every two weeks if necessary.

**To Kill Lice and Louse Eggs:** Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry cleaned. Allow all sprayed articles to thoroughly dry before use. After mattress is dry cover with mattress cover and sheet. Do not use mattress without cover. Vacuum entire area once dry.

**For the Control of Garden Insects:** For use on ornamental plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks,

wandering Jews, zinnias and other ornamentals to kill the insects listed below. May be used on plants, as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading to large garden areas. Effective when used as directed to kill *Aphids, Armyworms, Clover Mites, Exposed Thrips, Japanese Beetles, Lace Bugs, Leafminers, Pavement Ants, Red Mites, Spider Mites and Whiteflies*. When spraying, do not operate closer than 18 inches. Spray, using a sweeping motion, in one second bursts. Do not saturate tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Directly contact insects whenever possible. Repeat treatment as infestations occur.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool (preferably locked) place inaccessible to children and pets and away from heat or open flame. Do not transport or store below 32°F. **Disposal:** Do not puncture or incinerate container! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency [or 1-800-CLEANUP] for disposal instructions.

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-{phone number}.

For product information call toll-free: 1-800-{phone number}. [Questions? Call {phone number}]

**Notice:** Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA Reg. No. 46813-64 EPA Est. No. 46813-CAN-3

Manufactured by [for]  
K-G Packaging, Inc.  
8001 Keele Street  
Concord, Ontario L4K 1Y8  
[{phone, fax numbers}]  
[{website}]  
Made in [Product of] Canada]

[ ] Denotes alternate/optional language

{ } Denotes language that does not appear on the market labeling