

ProPhene™

Concentrated Surface Disinfectant and Holding Solution

Tuberculocidal, Virucidal;
Bactericidal, Fungicidal

Recommended for use in Hospitals,
Medical/Dental Clinics, Nursing Homes,
Healthcare Institutions and Veterinary Clinics.

Active Ingredients

o-phenylphenol	9.0%
o-benzyl-p-chloropheno.	1.0%
Inert Ingredients	90.0%
Total	100.0%

DIN: 02231481

Lot Number is printed
on container.

E.P.A. Reg. No. 46851-11-30811
E.P.A. Est. No. 46851-CO-003

Contents: 1 Quart
(32 oz. - 946 ml)
Reorder No. PHENC32

Keep Out of Reach of Children

See Side Panel for Additional Precautionary Statements

DANGER:
EXTREMELY CORROSIVE



POISON:



SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS

PERSONAL PROTECTION:

When handling items soiled with blood or body fluids or when conducting procedures which might lead to contact with blood or body fluids, always wear items such as heavy duty nitrile gloves, gowns, masks and eye coverings.

CLEANING PROCEDURES: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

CONTACT TIME: One if when diluted 1:32 has been shown to be effective in destroying the HIV-1 (AIDS virus) in 60 seconds at 20°C. This contact time will not control other common types of viruses and bacteria.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

Hazard to Humans and domestic animals. This product must not be used in hospital nurseries.

DANGER: EXTREMELY CORROSIVE. POISON. HARMFUL IF ABSORBED THROUGH SKIN. Contains O-phenylphenol and O-benzyl-p-chloropheno. Causes irreversible eye damage and skin burns. Harmful if inhaled, swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shields (safety glasses), protective clothing (long-sleeve shirt and long pants, sock, plus shoes

and chemical resistant gloves, such as water proof gloves). Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

In case of an emergency for additional information call toll free 800-535-5053. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN
Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE


IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Thoroughly clean surface of items to be disinfected and rough dry. ProPhene is a concentrated solution and must be diluted 1:32 with water prior to instrument soak and/or decontamination of dental and medical instruments or disinfection of hard environmental surfaces. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body; or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

Soak/Decontamination - immerse items in diluted ProPhene solution for instrument soak and/or decontamination of medical and dental instruments. Rinse articles thoroughly following soak/decontamination. Organic materials or water introduced into the diluted product may effect products effectiveness. Discard the used solution daily or sooner if it becomes diluted or soiled.

Ultrasonic Cleaning - Place instruments into diluted ProPhene and activate ultrasonic unit. When instruments are clean, remove and rinse thoroughly. Change solution daily or sooner if it becomes diluted or soiled.

MANUFACTURED BY:
CERTOL INTERNATIONAL, LLC
A DIVISION OF
CERTOL
INTERNATIONAL, LLC
6120 E. 58TH AVE.
COMMERCE CITY, CO 80022 USA
1 800 THE EDGE
(1 800 843 3343)



Importé au Canada par /
Imported to Canada by:
Trans Canada Distribution Inc.
Mississauga, ON
L5L 5Y7

TO PREPARE 1:32 USE-DILUTION	
WATER	PROPHENE
To Make 1.2 Gallon	
484.38 ml.	15.38 ml.
To Make 1 Quart	
968.75 ml.	31.25 ml.
To Make 1.2 Imperial Gallon	
1937.5 ml.	62.5 ml.
To Make 1 Imperial Gallon	
3875.0 ml.	125 ml.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Keep ProPhene covered in storage or use.

PESTICIDE DISPOSAL:
Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PESTICIDE CONTAINER: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED
JUN 30 2004
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 46851-11

46851-11

6/30/2004

PHENC32BL02 0404