

SMVV (Salt-Mineral)
VIS-VITA

SUPPLEMENT FOR SELF FEEDING
(Contains RABON® Oral Larvicide)

To prevent the development of Horn Flies, Face flies, House Flies and other flies in the manure of treated cattle.

ACTIVE INGREDIENTS

2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphale.....

INERT INGREDIENTS.....

70%
89.50%*
90.00%

*refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS PER CENT

Crude Protein, Min.	11.8	Salt (NaCl), Min.	22.0
Crude Fat, Min.	1.4	Iodine (I), Min.	.032
Crude Fiber, Max.	2.8	Iron (Fe), Min.	.1278
Calcium (Ca), Max.	8.2	Copper (Cu), Min.	.0128
Calcium (Ca), Min.	6.8	Manganese (Mn), Min.	.0704
Phosphorus (P), Min.	6.0	Cobalt (Co), Min.	.002
Salt (NaCl), Max.	28.0	Zinc (Zn), Min.	.1278

GUARANTEED VITAMIN ANALYSIS PER POUND

Vitamin A, USP Units	150,000	Vitamin D2, USP Units	18,000
Vitamin D3, USP Units	5,000	Vitamin E, I Units	150.00
Choline Chloride, Mg.	620		

FEED INGREDIENTS

Distillers Dried Grains with Solubles, Milo Distillers Dried Grains with Solubles, Dried Whey, Fish Meal, Soybean Meal, Active Dry Yeast, Dried Extracted Ashbya Gossypii Fermentation Meal, Dried Aspergillus Niger Fermentation Solubles, Dried Propionibacterium Fermentation Solubles, Dried B. Subtilis Fermentation Solubles, Dried Fermented Corn Extractives, Dried Brewers Yeast, Vitamin A Palmitate (Stability Improved), D-Activated Plant Sterol (Source of Vitamin D2), D-Activated Animal Sterol (Source of Vitamin D3), Riboflavin Supplement, Calcium Pantothenate, Choline Chloride, Alpha Tocopheryl Acetate, Dicalcium Phosphate, Calcium Carbonate, Salt, Iron Carbonate, Manganese Oxide, Zinc Oxide, Copper Oxide, Iron Oxide, Cobalt Carbonate, Ethylene Diamine Dihydrochloride, Cane Molasses, Flavor, Calcium Iodate, Potassium Iodate, Manganese Sulphate, Ferrous Carbonate, Ferric Oxide, Copper Carbonate, Dried Lactobacillus Acidophilus Fermentation Product.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See reverse of tag for additional
precautionary statements.

NET WT 50 LBS.

EPA REG. NO. 49911-1

EPA EST. NO.

RABON is the registered trademark of Shell Oil Company
EPA Pesticide No. 3,102,842

Manufactured By
Raber's VIS-VITA Sales
Sioux City, Iowa

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in manner inconsistent with its labeling.

Apply free choice to cattle. Cattle should consume an average of 4 lb. of BAYV per 100 pounds of body weight per month. This will supply the recommended average daily intake of 70 mg. RABON Oral Lanthanum per hundred pounds body weight. Cattle should not be starved for mineral before initiation of the RABON cattle mineral program but DONT all salt from other feed after the program is started. Do not feed other free choice sources of salt or mineral containing salt in any form. Allow one mineral feeder for each 15-20 head, and place near watering and feeding areas. Put out no more than one month's supply at a time, and protect from rain.

If consumption of BAYV with RABON is above 4 lb. per 100 lb. of body weight per month, increase the number of feeding locations or relocate. If consumption is below 4 lb. per 100 lb. of body weight per month, increase the number of feeding locations. Start feeding BAYV with Rabon early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall.

BAYV with Rabon may be fed up to slaughter and to lactating dairy cows. BAYV with Rabon prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or sludge on the premises. To achieve optimum fly control, BAYV with RABON should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a Dry Place.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

161 172160
18/1

TOP

46911-1

Until reregistration

SMJV with Rabon Oral Larvicide

Baber's Vis-Vita Sales
607 Floyd Boulevard
Box 363
Sioux City, IA 51102-0363

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 46911-1."
 - b. Add an ingredient statement that indicates the amount of rabon (in grams or milligrams) per pound.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.
A stamped copy of the label is enclosed for your records.

George T. LaKocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures