

PM 15 46911-1

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

105

OCT 30

300 254616  
17 1

Mr. Fred Karpuk  
Vita-Vita Sales  
607 Floyd Boulevard  
P.O. Box 363  
Sioux City, IA 51102-0363

Dear Mr. Karpuk:

Subject: Dithionon Registration Standard  
SMV Supplement for Self Feeding  
EPA Registration No. 46911-1  
Your Letters Dated January 4 and August 25, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. The words "Active Ingredients" and "Inert Ingredients" must be printed in the same type size and be given equal prominence.
2. Under Environmental Hazards, change "This product is toxic . . ." to "This pesticide is toxic . . ."

55397:I:Herbert:LLR-8:KENCO:10/26/89:12/06/89:DD:EK:aw

CONCURRENCES

SYMBOL	SURNAME	DATE					

2005

-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

5/1/73

**SMVV** (Salt-Mineral-VIS-VITA)  
**SUPPLEMENT FOR SELF FEEDING**  
**(Contains RABON® Oral Larvicide)**

To prevent the development of Horn Flies, Face flies, House Flies and Stable Flies in the manure of treated cattle.

ACTIVE INGREDIENTS	BY WEIGHT
Tetrachlorvinphos: 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate.....	.70%
INERT INGREDIENTS .....	99.30%*
Each pound contains 3.17 grams Rabon.	TOTAL 100.00%

\*refers only to ingredients which are not larvicidal.

**GUARANTEED ANALYSIS PER CENT**

Crude Protein, Min.	11.6	Salt (NaCl), Min.	22.0
Crude Fat, Min.	1.4	Iodine (I), Min.	.01
Crude Fiber, Max.	2.6	Iron (Fe), Min.	.1278
Calcium (Ca), Max.	8.2	Copper (Cu), Min.	.0128
Calcium (Ca), Min.	6.8	Manganese (Mn), Min.	.0704
Phosphorus (P), Min.	6.0	Cobalt (Co), Min.	.0002
Salt (NaCl), Max.	26.0	Zinc (Zn), Min.	.1278

**GUARANTEED VITAMIN ANALYSIS: PER POUND**

Vitamin A, USP Units	150,000	Vitamin D2, USP Units	16,000
Vitamin D3, USP Units	5,000	Vitamin E, I Units	150.00
Choline Chloride, Mg.	520		

**FEED INGREDIENTS**

Corn Distillers Dried Grains with Solubles, Milo Distillers Dried Grains with Solubles, Dried Whey, Fish Meal, Soybean Meal, Active Dry Yeast, Dried Extracted Ashbya Gossypii Fermentation Meal, Dried Aspergillus Niger Fermentation Solubles, Dried Propionibacterium Fermentation Solubles, Dried B. Subtilis Fermentation Solubles, Dried Fermented Corn Extractives, Dried Brewers Yeast, Vitamin A Palmitate (Stability Improved), D-Activated Plant Sterol (Source of Vitamin D2), D-Activated Animal Sterol (Source of Vitamin D3), Riboflavin Supplement, Calcium Pantothenate, Choline Chloride, D1-Alpha Tocopheryl Acetate, Dicalcium Phosphate, Calcium Carbonate, Salt, Iron Carbonate, Manganous Oxide, Zinc Oxide, Copper Oxide, Iron Oxide, Cobalt Carbonate, Ethylene Diamine Dihydroiodide, Cane Molasses, Flavor, Calcium Iodate, Potassium Iodide, Manganese Sulphate, Ferrous Carbonate, Ferric Oxide, Copper Carbonate, Dried Lactobacillus Acidophilus Fermentation Product

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 See reverse of tag for additional  
 precautionary statements.

Net wt 50 Lbs

EPA REG NO 46911-1

EPA Estab No 46911-1

US Patent No 3 162 842

Manufactured By  
 Baber's VIS-VITA Sales  
 Sioux City, Iowa 51102

ACCEPTED  
 with COMMENTS  
 in EPA Letter Dated:

OCT 30 1973

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act as  
 amended, for the pesticide  
 registered under EPA Reg. No.

46911-1

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Harmful if swallowed. Avoid skin and eyes. Avoid breathing dust. Avoid contact with clothing. Wash thoroughly with soap and water and before eating or smoking. Wash with plenty of water. If persists, get medical attention. Wear a long sleeved shirt and pants, chemical resistant gloves, shoes and socks for protection during handling.

**ENVIRONMENTAL PRECAUTIONS**  
 This product is toxic to fish. Do not contaminate water when disposing of this product. Wash water.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in

Allow free choice to cattle. Cattle should consume 100 pounds of body weight per month. This will supply a daily intake of 70 mg. RABON Oral Larvicide per hundred pounds of body weight. Cattle should be starved for mineral before initiation of the RABON Oral Larvicide program. All salt or mineral containing salt in any form. Allow on and place near watering and feeding areas. Put out no later than 10:00 AM and protect from rain.

If consumption of SMVV with RABON is above 100 pounds per month, reduce the number of feeding locations or reduce the amount of SMVV per 100 lbs of body weight per month. Increase the amount of SMVV with Rabon early in the spring before the fly season begins and continue feeding throughout the summer and into the fall.

SMVV with Rabon may be fed up to slaughter age. SMVV with Rabon prevents the development of fly larvae in the manure of treated cattle but is not a fly control measure to reduce the population of existing flies.

Supplementary control measures may be necessary to control adult house flies and stable flies in manure but in other delaying vegetable matter or soil. In order to achieve optimum fly control, SMVV with Rabon must be used in conjunction with other good manure management and sanitation practices.

**STORAGE AND DISPOSAL**  
 Do not contaminate water, soil, or food with storage or disposal.

**STORAGE:** Store in a cool, dry place.

**DISPOSAL:** Completely empty bag into application (Mixer / Blower). Then dispose of empty bag in a safe manner by incineration or in accordance with state and local authorities. Do not burn. Stay out of smoke. Do not reuse for the use of this product. Do not dump on site or at an approved waste disposal facility.