

46923-4

8/13/2012

1/22



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

AUG 13 2012


Crystal Layton Agent for Old Bridge Chemicals  
c/o Landis International  
P O Box 5126 3185 Madison Highway  
Valdosta GA 31603

Subject Product name Copper Sulfate Fine Crystals  
Reg Number 46923 4  
Original Submission 4/11/12 and Resubmission of revised label 7/30/12  
Label Amendment Market product in two pound plastic containers for residential use  
Decision Number 464510

Dear Ms Layton

The revised label referred to above submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act as amended is acceptable

One copy of the label stamped Accepted is enclosed for your records This label supersedes all labels previously accepted for this product If you have questions concerning this letter, please contact me at 703 308 9443

Sincerely,  
  
Tony Kish  
Product Manager Team 22  
Fungicide Branch  
Registration Division (7504P)

2/22

Old Bridge Chemicals Inc

# COPPER SULFATE FINE CRYSTALS

Net Weight XX pounds (XX Kg) EPA Reg No 46923 4 EPA Est No 46923 NJ 1

### ACTIVE INGREDIENT

Copper Sulfate Pentahydrate\* CAS # 7758 99 8 99 0%

OTHER INGREDIENTS 1 0%

TOTAL 100%




\*Metallic Copper Equivalent 25 2%

Certified to ANSI/NSF 60

## KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

Si Usted no entiende la etiqueta busque a alguien para que se la explique a Usted en detalle (If you do not understand the label find someone to explain it to you in detail) product contains chemicals known to the State of California to cause cancer and birth defects



### FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice
If swallowed	Call poison control center or doctor immediately for treatment advice Have a person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person
If inhaled	Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth to mouth if possible Call poison control center or doctor for further treatment advice
If on skin or clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call the poison control center or doctor for treatment advice

### HOT LINE SERVICE

Have the product container or label with you when calling a poison control center or doctor or for going for treatment You may contact 800 275 3924 for emergency medical information



## PRECAUTIONARY STATEMENTS

4/22

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER Corrosive** Causes irreversible eye damage May be fatal if swallowed Do not get in eyes or on clothing For applications in waters destined for use as drinking water those waters must receive additional and separate potable water treatment Do not apply more than 1.0 ppm as metallic copper to these waters

### PERSONAL PROTECTIVE EQUIPMENT

Mixers Loaders Applicators and other handlers must wear the following Long sleeve shirt long pants shoes plus socks protective eyewear such as glasses with side shields chemical resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride disposable particulate dust mask NIOSH approved N95 Some materials that are chemical resistant to this product are rubber and latex If you want more options follow the instructions for category A on an EPA chemical resistant category selection chart Follow manufacturer's instructions for cleaning or maintaining PPE If no such instructions for washables exist use detergent and hot water Keep and wash PPE separately from other laundry Discard clothing and other absorbent materials that have been drenched or heavily contaminated with product's concentrate Do not reuse them

#### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating drinking chewing gum using tobacco or using toilet

Users should remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing

Users should remove PPE immediately after handling this product As soon as possible wash thoroughly and change into clean clothing Wash outside of gloves before removing

### ENVIRONMENTAL HAZARDS

**AQUATIC USES** This pesticide is toxic to fish and aquatic invertebrates Water treated with this product may be hazardous to aquatic organisms Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds This oxygen loss can cause fish and invertebrate suffocation To minimize this hazard do not treat more than 1/2 of the water body to avoid depletion of oxygen due to decaying vegetation Wait at least 14 days between treatments Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters to determine if a permit is required

Certain water conditions including low pH (<6.5) low dissolved organic carbon (DOC) levels (3.0 mg/or lower) and soft waters (i.e. alkalinity less than 50 mg/L) increase the potential acute toxicity to non target aquatic organisms

Restrictions For algae use except for treatment of rice to control algae If more than 1/2 of the water body may be treated at one time If the treated water is to be used as a source of potable water the metallic copper concentration must not exceed 1 ppm For all algae use (including use of rice to control algae) the minimum retreatment interval is 14 days

**TERRESTRIAL USES** This pesticide is toxic to fish and aquatic invertebrates and may contaminate water through runoff This product has a potential for runoff for several months or more after application Poorly drained soils and soils with shallow water tables are more prone to product runoff that contains this product Drift and runoff may be hazardous to aquatic organisms adjacent to treated areas Do not apply directly to water or to area where surface water is present or to intertidal areas below the mean high water mark Do not contaminate water when disposing of equipment wash water or rinsate

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling Do not apply this product in a way that will contact workers or other persons either directly or through drift Only protected handlers may be in the area during application For any requirements specific for your State or Tribe consult the agency responsible for pesticide regulation

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard (40 CFR Part 170) This standard contains requirements for the protection of agricultural workers on farms forests nurseries and greenhouse and handlers of agricultural pesticides It contains requirements for training decontamination notification and emergency assistance It also contains specific instructions and exceptions pertaining to the statements on this label about personal protection equipment (PPE) and restricted entry period The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard Do not enter or allow worker entry into treated areas during restricted entry interval for 48 hours PPE required for early entry to treated areas that is permitted by the Worker Protection Standard that involves contact with anything that has been treated such as plants soil or water is Coveralls shoes plus socks chemical resistant gloves made waterproof material such as polyethylene or polyvinyl chloride and goggles or face shield

**NON AGRICULTURAL USE REQUIREMENTS**

The requirement in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard For agricultural pesticides (40 CFR Part 170) The WPS applies when the product is used to produce agricultural plants on farms forest nurseries or green houses Applicators and other handlers who handle this product for any use NOT covered by the Worker Protection Standard (CFR 40 Part 170) must wear long sleeve shirt chemical resistant gloves made of water proof material such as rubber or latex shoes plus socks and protective eyewear wash thoroughly with soap and water after handling Remove contaminated clothing and wash before reuse Do not allow adults children or pets to enter treated areas until sprays have completely dried or if applied dry until dust settles

## SPRAY DRIFT MANAGEMENT

A variety of factors including weather conditions (e.g. wind direction, wind speed, temperature, relative humidity) and methods of application (e.g. ground application, aerial, air blast, chemigation) can influence spray drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

**Wind Speed** Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors target deposition (approximately 3 to 10 mph) and there are no sensitive areas within 250 feet downwind.

**Temperature Inversions** If applying at wind speeds less than 3 mph, the applicator must determine if (a) conditions of temperature inversions exist or (b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

**Droplet Size** Apply only as a medium or coarse spray (ASAE Standard 572) or a mean diameter of 300 microns or greater for spinning atomizer nozzles.

**Equipment** All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

**Aerial Application** The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter. Release crystals at the lowest height consistent with efficacy and flight safety. Do not release at a height greater than 10 feet above the crop canopy unless a greater height is required for aircraft safety. When applications are made with a crosswind, the swath must be displaced downwind. The applicator must compensate for this displacement at the up and downwind edge of the application area by adjusting the path of the aircraft.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage** Store in a cool and dry place. If paper bag is damaged, place in a plastic bag. Shovel any spills into a plastic bag and seal with tape. Keep pesticide in original container. Do not put concentrate or dilutions of concentrate in food or drink containers.

**Pesticide Disposal** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional office for guidance.

**Container Disposal** Non-refillable container. Do not reuse or refill this container.

**Paper Bags** Completely empty the bags by shaking and tapping sides and bottom to loosen clinging particles. Empty residues into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, if allowed by the State and Local Authorities. If burning, stay out of smoke. Offer for recycling if available.

**Plastic Jugs** Triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container 1/4 full with water and recap. Shake for ten seconds. Pour rinsate into application equipment or a mix tank or store for future use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, if available, or puncture and dispose of in a sanitary landfill, or, if allowed by State and Local authorities, by burning. If burning, stay out of smoke.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## ALGAE CONTROL

7/22

When using Copper Sulfate to control algae there are many factors to consider such as water hardness temperature of the water type and quantity of vegetation to be controlled and the amount of water flow. Algae can be controlled more easily and effectively if treatment with Copper Sulfate is made soon after plant growth has started. Under such circumstances small amounts of Copper Sulfate can effectively control algae in water. However if treatment is delayed until large amounts of algae are present larger quantities of Copper Sulfate will be required. Control of algae in water systems is not always permanent. Usually algae is more difficult to control with Copper Sulfate when water temperatures are low. The dose rates for Copper Sulfate are based on a water of 60 ° F or higher. Larger amounts of Copper Sulfate will be required in hard water. Normally larger quantities of Copper Sulfate will be required to kill algae in water that is flowing than in a body of stagnant water. If possible curtail the flow of water before treatment and hold dormant for about three days after treatment or until plants have begun to die. When preparing a Copper Sulfate solution in water it is best that the mixing vessel be made of plastic or glass. Metal containers lined with plastic or painted or enameled are permissible. Galvanized containers are to be avoided. It is best to treat algae on calm sunny days when heavy mats of filamentary algae are most likely to be floating on the surface where it can be sprayed directly. When in doubt about the concentration to be used it is recommended to start with a lower concentration and gradually increase the concentration until the algae is killed.

### CALCULATIONS FOR AMOUNT OF WATER AND COPPER SULFATE PENTAHYDRATE TO BE USED

A Calculate water volume as follows

- 1 Obtain surface area by measuring regular shaped ponds or mapping irregular ponds or by use of a previously recorded data or maps
- 2 Calculate average depth by sounding in a regular pattern and taking the mean of these readings or by use of previously recorded data
- 3 Multiply surface area by square feet by average depth in feet to obtain cubic feet of water volume or
- 4 Multiply surface area in acres by average depth in feet to obtain total acre feet of water volume

B Calculate weight of water to be treated as follows

- 1 Multiply volume in cubic feet by 62.44 to obtain total pounds of water or
- 2 Multiply volume in acre feet by 2,720,000 to obtain total pounds of water

C Calculate amount of Copper Sulfate Pentahydrate to add

To calculate the weight of Copper Sulfate Pentahydrate needed to achieve the desired concentration multiply the weight of water in pounds by the recommended concentration. Since the recommended concentrations are given in parts per million (ppm) first convert the value to a decimal equivalent. A value of 1 ppm is equivalent 0.000001 as a decimal value. Thus the amount of Copper Sulfate Pentahydrate required to treat 1 acre foot (2,720,000 pounds) of water with 1 ppm of Copper Sulfate Pentahydrate would be  $0.000001 \times 2,720,000 = 2.72$  lbs. Copper Sulfate Pentahydrate

**FOR SMALL PONDS** Follow the directions in A above. Calculate the weight of the water to be treated by multiplying the volume in cubic feet by 62.44 to obtain total pounds of water. For 1 ppm of Copper Sulfate multiply the pounds by 0.000001. The result is pounds of Copper Sulfate. The amount of Copper Sulfate to treat a pond 100 ft by 100 ft by 2 ft deep  $100 \times 100 \times 2 = 20,000 \text{ ft}^3$   
 $20,000 \text{ cu ft} \times 62.44 \text{ lbs} = 1,248,800 \text{ lbs of water} \times 0.0001 = 124.88 \text{ pounds of Copper Sulfate}$

Treatment of algae can result in oxygen loss for decomposition of dead algae. This loss can cause fish suffocation. Therefore to minimize this hazard treat  $\frac{1}{3}$  to  $\frac{1}{2}$  of the water area in a single operation and wait 14 days between treatments. Begin treatments along the shore and proceed outwards in bands to allow fish

to move into untreated water

NOTE If treated water is to be used as a source of potable water the metallic copper residual must not exceed 1 Ppm (4 ppm Copper Sulfate Pentahydrate)

8/22

## SPECIFIC INSTRUCTIONS

9/22

**CONTROL ALGAE AND THE POTAMOGETON PONDWEEDS, LEAFY SAGO, IN IRRIGATION CONVEYANCE SYSTEMS** Use the continuous application method selecting proper equipment to supply Copper Sulfate Crystal at 0.25 to 0.5 pounds per hour for each cubic foot per second of flow for twelve hours of each 24 hours. For the best control begin Copper Sulfate additions when water is first turned into system to be treated and continue throughout the irrigation season. Copper Sulfate Crystal becomes less effective for mature plants. Copper Sulfate Crystal becomes less effective as the bicarbonate alkalinity increases and is substantially reduced above 150 ppm as CaCO<sub>3</sub>. Mechanical or other means may then be required to remove excess growth.

**TO CONTROL ALGAE SUCH AS FILAMENTOUS GREEN PIGMENTED FLAGELLATES AND DIATOMS IN IRRIGATION CONVEYANCE SYSTEMS** Begin continuous addition when water is first turned on using suitable equipment to uniformly deliver 0.1 to 0.2 pounds of Copper Sulfate Crystal per hour per cubic foot per second of flow for 12 of each 24 hours (note Copper Sulfate Crystal comes in several free flowing crystal sizes but should be selected to match requirements of your feeder.)

**TO CONTROL ALGAE IN RICE FIELDS (Domestic and Wild)** Application should be made when algae has formed on the soil surface in the flooded field. Applications are most effective when made prior to algae leaving the soil surface and rising to the surface of the water. For a 3 inch flood depth apply Copper Sulfate at a rate of 2.72 lbs per acre at the first sign of algae. Apply Copper Sulfate crystals to the surface of the water or dissolve in water and make a surface spray. For a 6 inch flooded depth use 5.44 lbs per acre. Adjust the rate according to the average water depth not to exceed the maximum application rate of 4 ppm of Copper Sulfate (1 ppm metallic copper) which is equivalent to 10.88 lbs of Copper Sulfate per acre foot of water. The minimum retreatment interval is 14 days.

**TO CONTROL TADPOLE SHRIMP IN RICE FIELDS** Application should be made to the flooded rice fields anytime the pest appears from planting time until the seedlings are well rooted and have emerged through the water. For a 3 inch flood depth apply 6.75 pounds per acre. For a flood depth of 6 inches use 13.6 lbs per acre. Adjust the rate according to the average water depth not to exceed the maximum application rate of 10 ppm of Copper Sulfate (2.5 ppm metallic copper) which is equivalent to 27.2 pounds of Copper Sulfate per acre of water.

**TO CONTROL ALGAE IN IMPOUNDED WATER, LAKES, PONDS AND RESERVOIRS** There are several methods by which to apply Copper Sulfate to impounded water. Probably the simplest and the most satisfactory method is to dissolve the Copper Sulfate crystals in water and spray the solution over the body of water. A small pump mounted in the boat can easily be used for this purpose. Copper Sulfate may be broadcast directly on the water surface from a properly equipped boat. A specially equipped air blower can be used to discharge these size crystals at a specific rate over the surface of the water. When using this method the wind direction is an important factor. Do not use this method unless completely familiar with this type of application. Copper Sulfate is also designed to be used as a dry application from airplanes using a maximum of 10.64 pounds per acre foot. Where the situation permits Copper Sulfate may be applied under the water by dragging burlap bags filled with Copper Sulfate through the water by means of a boat. Begin treatment along the shoreline and proceed outward until  $\frac{1}{3}$  to  $\frac{1}{2}$  of the total area has been treated. No more than  $\frac{1}{2}$  of the water body may be treated at one time. Care should be taken that the course of the boat is such as to cause even distribution of the chemical. In large lakes it is customary for the boat to travel in parallel lines about 20 to 100 feet apart. Continue dragging the burlap bags over the treated area until the minimum dosage is achieved and all the crystals have been dissolved. The minimum treatment interval is 14 days. If the treated water is to be used as a source of potable water the metallic copper concentration must not exceed 1 ppm (4

(

(

10/

**COPPER SULFATE REQUIRED FOR TREATMENT OF DIFFERENT GENERA OF ALGAE**

The genera of algae listed below are commonly found in impounded water lakes ponds and reservoirs in the United States Use the lower recommended rate of Copper Sulfate in soft waters (less than 50 ppm methyl orange alkalinity) and higher concentration in hard water (above 50 ppm alkalinity)

**NOTE** Do not use concentration of 1 1/2 ppm or more where fish are present Concentrations up 6 ppm are permitted in waters such as rice fields where fish are not present Always consult State Fish and Game Agency before applying this product to municipal waters

CONCENTRATION	1/4 to 1/2 ppm	1/2 to 1 ppm	1 to 1 1/2 ppm	1 1/2 to 2 ppm
POUNDS/ACRE FOOT	67 to 13	13 to 26	26 to 39	39 to 53
<b>ORGANISM</b>				
Cyanophyceae (Blue Green)	Anabaena Anacystis Aphanizomenon Gloeotrichia Gomphosphaeria Polycystis Rivularia	Cylindrospermum Oscillatoris Pleustonema	Nostoc Phormidium	Calothrix Symploca
Chlorophyceae (Green)	Closterium Hydrodictyon Spirogyra Ulothrix	Botryococcus Cladophora Coelastrum Drapamaldia Enteromorpha Gloeocystis Microspora Tribonema Zygnema	Chlorella Crucigenia Desmidium Golenkinia Oocystis Palmelia Pithophora Staurastrum Tetraedron	Ankistrodesmus Chara Nitella Scenedemus
Diatomaceae (Diatoms)	Asterionella Fragilaria Melorisa Navicula	Gomphonema Nitzschia Stephanodiscus Synedra Tabellaria	Achnanthes Cymbella Neidium	
Protozoa (Flageliates)	Dinobryon Synura Uroglena Volvox	Ceratium Cryptomonas Euglena Glenodinium Mallomonase	Chlamydomonas Hawmatococcus Peridinium	Eudorina Pandorina

12/22

**SEWER TREATMENT ROOT DESTROYER  
ROOT CONTROL GENERAL INFORMATION**

Plant roots can penetrate through small cracks and poorly sealed joints of sewer lines. If not controlled, these small roots will continue to grow larger in number causing breakage, reduced flow, and eventually flow stoppage. This product has been known to be an effective means to control roots in residential and commercial sewers.

**COMMERCIAL, INSTITUTIONAL AND MUNICIPAL SEWERS  
ROOT CONTROL IN SEWERS**

As a preventative measure, apply into each junction or terminal manhole a maximum of two pounds of this product every 6 to 12 months. At time of reduced flow (some water is essential) add this product. If flow has not completely stopped but has a reduced flow due to root masses, add this product in the next manhole above the reduced flow area. For complete stoppage, penetrate the mass with a rod to enable some flow before treatment.

**ROOT CONTROL IN STORM DRAINS**

Apply when water flow is light. If no water flow, as in dry weather, use a hose to produce a flow. Apply 2 pounds of this product per drain per year.

**SEWER PUMPS AND FORCE MAINS**

At the storage well inlet, place a cloth bag containing 2 lbs of this product. Repeat every six months if necessary.

**RESIDENTIAL OR HOUSEHOLD SEWER SYSTEMS**

When a reduced water flow is first noticed and root growth is thought to be the cause, treat with this product. It is important not to wait until a stoppage occurs because some water flow is necessary to move this product to the area of root growth. Usually within 3 to 4 weeks after roots have accumulated sufficient Copper Sulfate Pentahydrate, the roots will die and begin to decay and water flow should increase. As the roots regrow, follow up treatments with this product may be required every 6 months. Applications may be made each year in the spring after plant growth begins, during late summer or early fall, or anytime a reduced water flow thought to be caused by root growth occurs. Apply one pound of this product every six months to household sewers. Add this product to sewer lines by pouring about 1/2 pound increments into the toilet bowl nearest the sewer line and flush. Repeat this process until recommended dose has been added. Or remove cleanout plug and pour entire recommended quantity directly into the sewer line. Replace the plug and flush toilet several times. Do not apply Copper Sulfate through sink or tub as it will corrode metal drains. If system is equipped with septic tank, Copper Sulfate will precipitate in the septic tank and little will pass into the absorption drain field. To treat drain field pipes, add 2 pounds of Copper Sulfate once a year to the distribution box located between the septic tank and the drain field. If the distribution box does not have an opening, it would be advisable to install a clean out plug opening into the outlet pipe from the septic tank leading to the drain field for effective root control in the drain field pipes.

**\*NOTE** Do not use a sewer additive where prohibited by State Law. State Law prohibits the use of this product in sewer systems in the State of Connecticut. Not for sale or use in California counties of Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, and Sonoma for root control in sewers. Not for sale or use in septic systems in the State of Florida.

**WOOD TREATMENT**

(Green peeled posts) fungus decay rot

Prepare a solution of 180 pounds of sodium chromate in each 26 gallons of water to be used and a separate second solution of 180 pounds of Copper Sulfate in each 24 gallons of water to be used. Soak the peeled

8. ... posts ... in a ... Copper ... solution for 3 days then turn end down in Sodium Chromate solution for 2 days and finally turn the posts upside down in Sodium Chromate solution for 1 additional day. Remove and rinse ( ... ) with clear water ( ... )

**CONDITION OF SALE  
LIMITED WARRANTY AND LIMITATIONS  
OF LIABILITY AND REMEDIES**

Read and follow all package directions carefully Purchaser and user assume all risks associated with improper use or application or other factors beyond Old Bridge s control Old Bridge warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the risks referred above **OLD BRIDGE MAKES NO AND THE LAW SHALL NOT FIND ANY EXPRESSED OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE** To the extent consistent with applicable law purchaser s use and sole remedy against Old Bridge for any cause of action related to the handling or use of this product shall be for damages for the amount of which shall not exceed the price paid for the product that causes the alleged loss damages injury or other claim to the extent consistent with applicable law In no event shall Old Bridge be liable for special indirect incidental or consequential damages or expenses By purchasing or using this product purchaser or user accept the foregoing conditions of sale and limitation of warranty liability and remedies

**ENVIROMENTALLY HAZARDOUS  
SUBSTANCE  
SOLID, N O S (CUPRIC SULFATE),  
9,UN3077, PGIII, RQ  
CASE NO 7758 99 8**

For Technical Information and MSDS  
Call Old Bridge Chemicals  
at (732) 727 2225  
or e mail Sales@OldBridgeChem.com

**OLD BRIDGE CHEMICALS, INC  
P O Box 194  
Old Waterworks Road  
Old Bridge, New Jersey 08857**

4/22

NON COMMERCIAL LABEL FOR HOUSEHOLD USE

Old Bridge Chemicals Inc

COPPER SULFATE FINE CRYSTALS

Net Weight 2 pounds (0 908 Kg) EPA Reg No 46923 4

EPA Est No 46923 NJ 1

ACTIVE INGREDIENT

Copper Sulfate Pentahydrate\* CAS # 7758 99 8 99 0%

OTHER INGREDIENTS 1 0%

TOTAL 100%



\*Metallic Copper Equivalent 25 2%

Certified to ANSI/NSF 60

KEEP OUT OF REACH OF CHILDREN

DANGER/PELIGRO

Si Usted no entiende la etiqueta busque a alguien para que se la explique a Usted en detalle (If you do not understand the label find someone to explain it to you in detail)

ATTENTION This product contains chemicals known to the State of California to cause cancer and birth defects

FIRST AID

If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 20 minutes</li> <li>• Remove contact lenses if present after the first 5 minutes then continue rinsing eye</li> <li>• Call a poison control center or doctor for treatment advice</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor for treatment advice</li> <li>• Have a person sip a glass of water if able to swallow</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor</li> <li>• Do not give anything by mouth to an unconscious person</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air</li> <li>• If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth to mouth if possible</li> <li>• Call poison control center or doctor for further treatment advice</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing</li> <li>• Rinse skin immediately with plenty of water for 15 20 minutes</li> <li>• Call poison control center or doctor for further treatment advice</li> </ul>

HOT LINE SERVICE

Have the product container or label with you when calling a poison control center or doctor or for going for treatment You may contact 800 275 3924 for emergency medical information

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER** Corrosive Causes irreversible eye damage May be fatal if swallowed Do not get in eyes or on clothing For applications in waters destined for use as drinking water those waters must receive additional and separate potable water treatment Do not apply more than 1 0 ppm as metallic copper to these waters

**PERSONAL PROTECTIVE EQUIPMENT**

Applicators and other handlers must wear the following Long sleeve shirt long pants shoes plus socks protective eyewear such as goggles face shield or safety glasses chemical resistant gloves made of any waterproof material Some materials that are chemical resistant to this product are polyvinyl chloride nitrile rubber or butyl rubber If you want more options follow the instructions for category A on an EPA chemical resistant category selection chart Follow manufacturer s instructions for cleaning or maintaining PPE If no such instructions for washables exist use detergent and hot water Keep and wash PPE separately from other laundry Discard clothing and other absorbent materials that have been drenched or heavily contaminated with product s concentrate Do not reuse them

<p><b>USER SAFETY RECOMMENDATIONS</b></p> <ul style="list-style-type: none"> <li>• Users should wash hands before eating drinking chewing gum using tobacco or using toilet</li> <li>• Users should remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing</li> <li>• Users should remove PPE immediately after handling this product Wash outside of gloves before removing As soon as possible wash thoroughly and change into clean clothing</li> </ul>
---

**ENVIRONMENTAL HAZARDS**

**AQUATIC USES** This product is toxic to fish and aquatic invertebrates Water treated with this product and may be hazardous to aquatic organisms Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds The oxygen loss can cause fish and invertebrate suffocations To minimize this hazard do not treat more than 1/2 of the water body to avoid depletion of oxygen due to decaying vegetation Wait at least 14 days between treatments Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas Consult with State or local agency with primary responsibility for regulating pesticides before applying to public waters to determine if a permit is required

Certain water conditions including low pH (<6.5) low dissolved organic carbon (DOC levels (3.0 mg or lower) and soft waters (i.e. Alkalinity less than 50 mg/L) increase the potential acute toxicity to non target aquatic organisms

**TERRESTRIAL USES** This pesticide is toxic to fish and aquatic invertebrates and may contaminate water through runoff. This product has a potential for runoff for several months or more after application. Poorly drained soils and soils with shallow water tables are more prone to product runoff that contains this product. Drift and runoff may be hazardous to aquatic organisms adjacent to treated areas. Do not apply directly to water or to area where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Do not allow adults, children, or pets to enter the treated area until dusts have settled.

**STORAGE AND DISPOSAL**

Do not contaminate food or feed by storage or disposal.  
**PESTICIDE STORAGE** Store in original container and place in a locked storage area.  
**PESTICIDE DISPOSAL** Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.  
**CONTAINER DISPOSAL** *If empty* Non-refillable container. Do not reuse or refill this container. Do not rinse unless required for recycling. Place in trash or offer for recycling if available.  
*If partially filled* Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down a drain or on the ground.

**GENERAL INSTRUCTIONS FOR USE IN ALGAE CONTROL**

When using Copper Sulfate to control algae, there are many factors to consider such as water hardness, temperature of the water, type and quantity of vegetation to be controlled, and the amount of water flow. Algae can be controlled more easily and effectively if treatment with Copper Sulfate is made soon after plant growth has started. Under such circumstances, small amounts of Copper Sulfate can effectively control algae in water. However, if treatment is delayed until large amounts of algae are present, larger quantities of Copper Sulfate will be required. Control of algae in water systems is not always permanent. Usually, algae is more difficult to control with Copper Sulfate when water temperatures are low. The dose rates for Copper Sulfate are based on a water of 60 ° F or higher. Larger amounts of Copper Sulfate will be required in hard water. Normally, larger quantities of Copper Sulfate will be required to kill algae in water that is flowing than in a body of stagnant water. If possible, curtail the flow of water before treatment and hold dormant for about three days after treatment or until plants have begun to die. When preparing a Copper Sulfate solution in water, it is best that the mixing vessel be made of plastic or glass. Metal containers lined with plastic or painted or enameled are permissible. Galvanized containers are to be avoided. It is best to treat algae on calm, sunny days when heavy mats of filamentary algae are most likely to be floating on the surface where it can be sprayed directly. When in doubt about the concentration to be used, it is recommended to start with a lower concentration and gradually increase the concentration until the algae is killed.

**CALCULATIONS FOR AMOUNT OF WATER AND COPPER SULFATE  
PENTAHYDRATE TO BE USED**

- A Calculate water volume as follows
- 1 Obtain surface area by measuring regular shaped ponds or mapping irregular ponds or by use of a previously recorded data or maps
  - 2 Calculate average depth by sounding in a regular pattern and taking the mean of these readings or by use of previously recorded data
  - 3 Multiply surface area by square feet by average depth in feet to obtain cubic feet of water volume or
  - 4 Multiply surface area in acres by average depth in feet to obtain total acre feet of water volume
- B Calculate weight of water to be treated as follows
- 1 Multiply volume in cubic feet by 62.44 to obtain total pounds of water or
  - 2 Multiply volume in acre feet by 2,720,000 to obtain total pounds of water
- C Calculate amount of Copper Sulfate Pentahydrate to add
- To calculate the weight of Copper Sulfate Pentahydrate needed to achieve the desired concentration multiply the weight of water in pounds by the recommended concentration. Since the recommended concentrations are given in parts per million (ppm) first convert the value to a decimal equivalent. A value of 1 ppm is equivalent 0.000001 as a decimal value. Thus the amount of Copper Sulfate Pentahydrate required to treat 1 acre foot (2,720,000 pounds) of water with 1 ppm of Copper Sulfate Pentahydrate would be  $0.000001 \times 2,720,000 = 2.72$  lbs Copper Sulfate

Treatment of algae can result in oxygen loss for decomposition of dead algae. This loss can cause fish suffocation. Therefore to minimize this hazard treat  $\frac{1}{3}$  to  $\frac{1}{2}$  of the water area in a single operation and wait 14 days between treatments. Begin treatments along the shore and proceed outwards in bands to allow fish to move into untreated water. NOTE: If treated water is to be used as a source of potable water the metallic copper residual must not exceed 1 ppm (4 ppm Copper Sulfate Pentahydrate)

**SPECIFIC INSTRUCTIONS**

**TO CONTROL ALGAE IN IMPOUNDED WATER, LAKES AND PONDS** There are several methods by which to apply Copper Sulfate to impounded water. Probably the simplest and the most satisfactory method is to dissolve the Copper Sulfate crystals in water and spray the solution over the body of water. A small pump mounted

in the boat can easily be used for its purpose. Copper Sulfate may be broadcast directly on the water surface from a boat. Where the situation permits, Copper Sulfate may be applied under the water by dragging burlap bags filled with Copper Sulfate through the water by means of a boat. Begin treatment along the shoreline and proceed outward until 1/3 to 1/2 of the total area has been treated. Care should be taken that the course of the boat is such as to cause even distribution of the chemical. In large lakes, it is customary for the boat to travel in parallel lines about 20 to 100 feet apart. Continue dragging the burlap bags over the treated area until the minimum dosage is achieved and all the crystals have been dissolved. The minimum treatment interval is 14 days. If the treated water is to be used as a source of potable water, the metallic copper concentration must be exceeded one ppm (4 ppm Copper Sulfate).

**COPPER SULFATE REQUIRED FOR TREATMENT OF DIFFERENT GENERA OF ALGAE**

The genera of algae listed below are commonly found in impounded water, lakes, ponds, and reservoirs in the United States. Use the lower recommended rate of Copper Sulfate in soft waters (less than 50 ppm methyl orange alkalinity) and higher concentration in hard water (above 50 ppm alkalinity).

**NOTE:** Do not use concentration of 1 1/2 ppm or more where fish are present. Concentrations up to 6 ppm are permitted in waters such as rice fields where fish are not present. Always consult State Fish and Game Agency before applying this product to municipal waters.

CONCENTRATION	¼ TO ½ ppm	½ to 1 ppm	1 to 1½ ppm	1½ to 2 ppm
POUNDS/ACRE FOOT	67 TO 13	13 TO 26	26 TO 39	39 TO 53
ORGANISM				
Cyanophyceae (Blue Green)	Anabaena Anacystis Aphanizomenon Gloeotrichia Gomphosphaeria Polycystis Rivularia	Cylindrospermum Oscillatoris Pleustonema	Nostoc Phormidium	Calothrix Symploca
Chlorophyceae (Green)	Closterium Hydrodictyon Spirogyra Ulothrix	Botryococcus Cladophora Coelastrum Drapamaldia Enteromorpha Gloeocystis Microspora Tribonema Zygnema	Chlorella Crucigenia Desmidiium Golenkinia Oocystis Palmelia Pithiphora Staurastrum Tetraedron	Ankistrodesmus Chara Nitella Scenedemus
Diatomaceae (Diatoms)	Asterionella Fragilaria Melorisa Navicula	Gomphonema Nitzschia Stephanodiscus Synedra Tabellaria	Achnanthes Cymbella Neidium	
Protozoa (Flagellates)	Dinobryon Synura Uroglena Volvox	Ceratium Cryptomonas Euglena Glenodinium Mallomonase	Chlamydomonas Hawmatococcus Peridinium	Eudorina Pandorina

**SEWER TREATMENT ROOT DESTROYER**

**NOTE** Do not use a sewer additive where prohibited by State Law State Law prohibits the use of this product in sewer systems in the State of Connecticut Not for sale or use in California counties of Alameda Contra Costa Marin Napa San Francisco San Mateo Santa Clara Solano and Sonoma for root control in sewers Not for sale or use in septic systems in the State of Florida

Plant roots can penetrate through small cracks and poorly sealed joints of sewer lines If not controlled these small roots will continue to grow larger in number causing breakage reduced flow and eventually flow stoppage This product has been known to be an effective means to control roots in residential and commercial sewers

As a preventative measure apply into each junction or terminal manhole Two pounds of this product every 6 to 12 months At time of reduced flow (some water is essential) add this product If flow has not completely stopped but has a reduced flow due to root masses add this product in the next manhole above the reduced flow area For complete stoppage penetrate the mass with a rod to enable some flow before treatment

**RESIDENTIAL OR HOUSEHOLD SEWER SYSTEMS**

When a reduced water flow is first noticed and root growth is thought to be the cause treat with this product It is important not to wait until a stoppage occurs because some water flow is necessary to move this product to the area of root growth Usually within 3 to 4 weeks after roots have accumulated sufficient Copper Sulfate Pentahydrate the roots will die and begin to decay and water flow should increase As the roots regrow follow up treatments with this product may be required every 6 months Applications may be made each year in the spring after plant growth begins during late summer or early fall or anytime a reduced water flow thought to be caused by root growth occurs Apply one pound of this product every six months to household sewers Add this product to sewer lines by pouring about 1/2 pound increments into the toilet bowl nearest the sewer line and flush Repeat this process until recommended dose has been added Or remove cleanout plug and pour entire recommended quantity directly into the sewer line Replace the plug and flush toilet several times Do not apply Copper Sulfate through sink or tub as it will corrode metal drains If system is equipped with septic tank Copper Sulfate will precipitate in the septic tank and little will pass into the absorption drain field To treat drain field pipes add 2 pounds of Copper Sulfate once a year to the distribution box located between the septic tank and the drain field If the distribution box does not have an opening it would be advisable to install a clean out plug opening into the outlet pipe from the septic tank leading to the drain field for effective root control in the drain field pipes

**CONDITION OF SALE  
LIMITED WARRANTY AND LIMITATIONS**

**OF LIABILITY AND REMEDIES** Read and follow all package directions carefully Purchaser and user assume all risks associated with improper use or application or other factors beyond Old Bridge s control Old Bridge warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the risks referred above

**OLD BRIDGE MAKES NO AND THE LAW SHALL NOT FIND ANY EXPRESSED OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE** To the extent consistent with applicable law purchaser s use and sole remedy against Old Bridge for any cause of action related to the handling or use of this product shall be for damages for the amount of which shall not exceed the price paid for the product that causes the alleged loss damages injury or other claim to the extent consistent with applicable law In no event shall Old Bridge be liable for special indirect incidental or consequential damages or expenses By purchasing or using this product purchaser or user accept the foregoing conditions of sale and limitation of warranty liability and remedies

**ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE  
SOLID, N O S (CUPRIC SULFATE),  
9, UN3077, PG III, RQ**

( CAS NO 7758 99-8 )

22/22

For Technical Information and MSDS Call Old Bridge Chemicals at (732) 727 2225  
or e mail [sales@oldbridgechem.com](mailto:sales@oldbridgechem.com)  
OLD BRIDGE CHEMICALS  
P O Box 194  
OLD BRIDGE NEW JERSEY 08857  
**OLD BRIDGE CHEMICALS, INC**