

A FUNGICIDE FOR CONTROL OF

- EARLY & LATE BLIGHT ON POTATOES
- LEAFSPOT ON SUGAR BEETS & PEANUTS
- SCAB & CERTAIN OTHER DISEASES ON PECANS
- LEAFSPOT AND ALTERNARIA ON CARROTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with or inhalation of spray mist. Avoid contamination of foodstuffs and feed. Wear clean protective clothing and bathe after each exposure.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

BEFORE USE, READ DIRECTIONS, WARNING AND NOTICE STATEMENTS CAREFULLY. Consult agricultural extension or agricultural experiment station specialists regarding timing recommendations.

GENERAL INFORMATION:

Full coverage is necessary for best results. Directed spray should be directed to all parts of the plant uniformly. Gallonage increased according to size of plants. Use the lowest application rates in protective schedules, higher rates later in the season or during high infection periods.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITION: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

CONVERSION CHART

1 Gallon = 128 Ounces

Du-Ter W.P.	Du-Ter Flowable 30
3.9 pounds	1 gallon
1.9 pounds	1/2 gallon
1.0 pounds	1 quart
24 dry ounces	48 fluid ounces
12 dry ounces	24 fluid ounces
10 dry ounces	20 fluid ounces
9 dry ounces	18 fluid ounces
8 dry ounces	16 fluid ounces
7 dry ounces	14 fluid ounces
6 dry ounces	12 fluid ounces
5 dry ounces	10 fluid ounces
4 dry ounces	8 fluid ounces
3 dry ounces	6 fluid ounces

4 Pt. —
 1/2 Gal.

1 gallon treats approximately the following number of acres:

3 Pt. — Pecans	6-18 acres per gallon
Potatoes	6-12 acres per gallon
Sugar Beets	6-16 acres per gallon
Carrots	8-16 acres per gallon

2 Pt. — For specific rates, consult attached label or your local extension agent.

ACCEPT

SEP 15 1984

Under the Federal Insecticide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 46746

transferred to 4

DLCAI

Thompson-Hayward ports the pecan in and acknowledges in part the National Marketing Council's increasing pecan marketing opportunities.

CONVERSION CHART

1 Gallon = 128 Ounces

Du-Ter W.P.	Du-Ter Flowable 30
3.9 pounds	1 gallon
1.9 pounds	1/2 gallon
1.0 pounds	1 quart
24 dry ounces	48 fluid ounces
12 dry ounces	24 fluid ounces
10 dry ounces	20 fluid ounces
9 dry ounces	18 fluid ounces
8 dry ounces	16 fluid ounces
7 dry ounces	14 fluid ounces
6 dry ounces	12 fluid ounces
5 dry ounces	10 fluid ounces
4 dry ounces	8 fluid ounces
3 dry ounces	6 fluid ounces


1 gallon treats approximately the following number of acres:

3 Pt.— Pecans	6-18 acres per gallon
Potatoes	6-12 acres per gallon
Sugar Beets	6-16 acres per gallon
Carrots	8-16 acres per gallon

2 Pt.— For specific rates, consult attached label or your local extension agent.

ACCEPTED
 SEP 15 1982
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 46946-239

transferred to 46946-239



CONTAINS 30 oz. Diphemyltin hydroxide per gallon
 ACTIVE INGREDIENT Diphemyltin hydroxide 19.7%
 INERT INGREDIENTS 80.3%
 *Equivalent to 6.4% Metallic Tin 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER
 STATEMENT OF PRACTICAL TREATMENT
 IF INHALED: Remove victim to fresh air and apply respiration if indicated.
 IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.
 IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

A RESEARCH DISCOVERY OF PHILIPS DUPHAR B.V. AMSTERDAM, HOLLAND
 Manufactured or sold under one or more of the following U.S. Patents: 3,113,069; 3,140,977; 3,248,283; 3,266,395; 3,395,228; 3,445,575 and other Patents Pending
 NET CONTENTS 1 GALLON (3.785 Litres)
 EPA Reg. No. 46946-239 4-82 EPA Est. No. 37429-GA-1

THOMPSON-HAYWARD AGRICULTURAL CHEMICALS COMPANY, INC.
 CROP PROTECTION DIVISION

PECANS

Thompson-Hayward supports the pecan industry and acknowledges the vital part the National Pecan Marketing Council plays in increasing pecan marketing opportunities.

CONVERSION CHART

1 Gallon = 128 Ounces

Du-Ter W.P.	Du-Ter Flowable 30
3.9 pounds	1 gallon
1.9 pounds	1/2 gallon
1.0 pounds	1 quart
24 dry ounces	48 fluid ounces
12 dry ounces	24 fluid ounces
10 dry ounces	20 fluid ounces
9 dry ounces	18 fluid ounces
8 dry ounces	16 fluid ounces
7 dry ounces	14 fluid ounces
6 dry ounces	12 fluid ounces
5 dry ounces	10 fluid ounces
4 dry ounces	8 fluid ounces
3 dry ounces	6 fluid ounces

1 gallon treats approximately the following number of acres:

3 Pt. — Pecans	6-18 acres per gallon
Potatoes	6-12 acres per gallon
Sugar Beets	6-16 acres per gallon
Carrots	8-16 acres per gallon

2 Pt. — For specific rates, consult attached label or your local extension agent.

ACCEPTED


SEP 15 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 46946-239

transferred to 469-163

PECANS

Thompson-Hayward supports the pecan industry and acknowledges the vital part the National Pecan Marketing Council plays in increasing pecan marketing opportunities.



CONTAINS 30 oz. Inphentylin hydroxide per gallon

ACTIVE INGREDIENT	Inphentylin hydroxide*	19.7%
INERT INGREDIENTS		80.3%
Equivalent to 6.4% Metolac Tin		100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air and apply respiration if indicated.
 IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.
 IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

A RESEARCH DISCOVERY OF PHILIPS DUPHAR B.V. AMSTERDAM, HOLLAND

Manufactured or sold under one or more of the following U.S. Patents: 3,113,069; 3,140,977; 3,248,283; 3,268,395; 3,395,228; 3,445,575; and other

NET CONTENTS: 1 GALLON (3.785 Liters) EPA Reg. No. 46946-239 4-82 EPA Est. No. 37429-GA-1

THE AGRICULTURE & NUTRITION COMPANY, INC.
 CROP PROTECTION DIVISION