

RESTRICTED USE PESTICIDE

For retail sale and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified applicator's certification.

BEST DOCUMENT AVAILABLE



ACTIVE INGREDIENT
 N-[(1,4-Chlorophenyl) amino] carbonyl-
 2,6-difluorobenzamide 25.0%
INERT INGREDIENTS 75.0%
 100.0%

U.S. Patent Numbers 3,748,356 and 3,933,908
 DIMILIN® is a Registered Trademark of Philips-Guyphar B.V.
 Amsterdam, Holland

Keep Out of Reach of Children
CAUTION

See side panel for additional precautionary statements

NET WEIGHT 10 POUNDS (4.54 kilograms)
 EPA Reg. No. 46946-243 CG-78 EPA Est. No. 148-MS-1



**THOMPSON-HAYWARD
 CHEMICAL COMPANY**

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THIS LABEL

SOYBEANS: To control velvetbean caterpillar and green cloverworm, apply DIMILIN W-25 at the rate of 2-4 ounces (1/8 - 1/4 pound) per acre. Make application when larvae are small (first or third instars) to give greater control and minimum insect damage to leaves. Repeat application if damaging numbers reappear.

Consult local Extension Service regarding infestation levels requiring treatment. **Aerial Application** - Apply recommended amount of DIMILIN W-25 in sufficient water (1-3 gallons per acre) to achieve uniform coverage of foliage. **Ground Application** - Apply in 9-35 gallons of water per acre to give uniform coverage.

Do not make more than two applications per season. Do not apply within 21 days of harvest. Do not cut for hay nor allow milk or meat animals to graze treated fields.

DIMILIN inhibits the moulting process of larvae, therefore it does not provide immediate kill. From 3 to 5 days may be required before populations are reduced. Do not rotate crops other than soybeans until six (6) months following last application of Dimilin.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 CAUTION**

Harmful if swallowed. Avoid breathing of dust. Avoid contact with eyes or skin. Wear one-piece overalls which have long sleeves and long pants constructed of finely-woven fabric as specified in the USDA-EPA Guide for Commercial Applicators during mixing, loading or application of DIMILIN. Remove contaminated clothing and wash before reuse. Wear a pesticide respirator, jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health when mixing, loading, or making ground application of DIMILIN. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

Do not apply to lakes, streams, ponds, or apply this product in the gulf states within the coastal zone. This zone includes: 1. The areas between the coastline and a parallel line 3 miles from the coastline, including any bays and estuaries which are contiguous to the sea. 2. The area within 3 miles of daily influenced waters, including coastal saline marshes and rivers. Do not apply when weather conditions favor drifts from target area. Do not apply DIMILIN near any person or dwelling. It is recommended that the product be applied at least 300 feet from dwellings when they are downwind. Flagmen may not be used for marking the spray swath or pattern. Do not enter treated field until the day following application or the spray deposit has dried. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not graze or feed treated forage.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. **Pesticide Disposal:** Pesticide spray mixture or residue not used should be disposed of in a landfill approved for pesticides. **Container Disposal:** Dispose of in an incinerator or landfill approved for pesticide containers. **General:** Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

NOTICE