Microbicide #QA-6012 **ACTIVE INGREDIENT:** Poly[exyethylene (dimethyliminic) ethylene-(dimethyliminio) ethylene dichloride) 88.0 % This product contains $\frac{1.02}{}$ lb. of active ingredient per gallon and weighs 8.53 tb. per gallon. **KEEP OUT OF REACH OF CHILDREN** CAUTION

Contain ST. III TS in that Free perce

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Calla physician immadiately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner in-
consistent with its labeling.
<u>Nicrobicide #QA-6012</u> is used to control akjae, bacteria,
and fungi in recirculating commercial and industrial water cooling towers. Prior to
its use, systems must be cleaned to remove algal growth, microbiological slime,
and other deposits. An initial slug addition of $\frac{5.0}{10.000}$ to $\frac{12.5}{10.0000}$ fluid ounces
of Microbicide #QA-6012 per 1000 gallons of water to provide a concentration of 40 to 100 parts per million of
to provide a concentration of 40 to 100 parts per million of
Microbicide #QA-6012 , based on the total weight of water
in the system, is recommended. Repeat initial dosage until control is evident.
Subsequent slug additions of 1.20 to 12.5 fluid ounces of Microbicide #QA-6012 per 1000 gallons of water (10
to 100 parts per million of Microbicide #QA-6012) should
be employed every 2 to 5 days, or as needed. The frequency of addition depends
upon the relative amount of bleedoff and the severity of the microbiological prob-
lem. Slug additions should be made in the sump of water cooling towers.
Microbicide #0A-6012 is used to control bacteria in industrial
air-washing systems that maintain effective mist eliminating components. Prior
to its use, systems should be cleaned to remove bacterial slime and other
deposits. An initial slug dose of 21.37 to 35.63 fluid ounces of
Microbicide #QA-6012 per 1000 gallons of water is recom-
mended. Repeat initial dosage until control is evident. Subsequent slug additions
of 14.44 to 35.63 fluid ounces of Microbicide #QA-6012
per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The
frequency of addition depends upon the relative amount of bleedoff and severity
of the bacterial problem. Slug additions may be made to the sump or to the water
collection trays of the airwash system.
STORAGE & DISPOSAL: Keep container closed when not in use. Do not
contaminate water, food, or feed by storage, disposal or cleaning of equipment.
Rinsate that cannot be used or reprocessed should be disposed of in a landfill ap-

proved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

[] METAL CONTAINERS: Triple rinse and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place.

☐ PLASTIC CONTAINERS: Do not reuse empty container. Triple rinse and incinerate or dispose of in an approved landfill or bury in safe place.

	Manufactured by:	
	McGrayel Company	
	P. O. Box 12362, 3386 South Maple Ave.	
	Fresno, CA 93777	
EPA REG. NO EPA EST. NO		
	NET CONTENTS	

	EPA REGISTRATION NO.	DATE PE ISMANCE	
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	TERM OF ISSUANCE	JAN 7 1983	
REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460			
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODU	CT	
(Under the Federal Insecticide, Fungicide) and Rodenticide Act, as amended)			
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)			
۳	٦		
	•		
L		•	
NOTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	r to use of the label in commerc		
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereb	y Registered/Reregistered under	
A copy of the labeling accepted in connection with this Re-	gistration/Reregistration is retu	aned herewith.	
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any national Act is not to be construed as giving the registrant a right to by others.	n, may at any time suspend or come in connection with the regis	ancel the registration of a pest- tration of a product under this	
• •			
,			
•			
,			
ATTACHMENT IS APPLICABLE			
ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL		1 DATE	

EPA Form 8570-6 (Rev. 5-76)

ĝ.

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.