



BEST AVAILABLE COPY

For summer and winter control of all types of algae in swimming pools.

ACTIVE INGREDIENT: Poly[oxyethylene(dimethyliminio)ethylene- (dimethyliminio)ethylene dichloride)	0%
INERT INGREDIENT 70.	0%
This product contains 2.67 lb, of active ingredient per gallon and weighs 8.9 lb, per gallon.	

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, of if these are not available, drink large quantities of water. Avoid alcohol. Calla physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, pends, or public water. For guiuance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Algatec-C is used to control the growth of algae in swimming pools, exterior s, as, whirlpools, hot tubs, and lecorative fountains. For maximum effectiveness pools, spas, whirlpools, hot tubs, and decorative fountains containing heavy growth of algae should be cleaned prior to using Algatec-C.

For pools having just visible algae growth add an initial dose of 23.5 to 36.4 fluid ounces of Algatec-C per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment or a freshly cleaned and filled pool add initially 12.8 to 23.5 fluid ounces of Algatec-C per 10,000 gallons of water. Subsequent additions of 4.3 to 8.6 fluid ounces of Algatec-C per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance

Spas, whirlpools, hot tubs, and decorative fountains having just visible algae growth require an initial dose of 2 to 4 fluid ounces of Algatec-C per 1000 gallons of water. For treatment of a freshly cleaned and filled spa, whirlpool, hot tub, or decorative fountain, add initially 1 to 2 fluid ounces of Algatec-C per 1000 gallons of water. Subsequent additions of 0.5 to 0.8 fluid ounces of Algate-C should be made every 5 to 7 days after initial treatment for maintenance.

Algatec-C is compatible with those chemicals normally used to treat pools, spas, and decorative fountains and is effective at both acid and alkaline pH. Algatec-C can be used in pools, spas, and decorative fountains treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Algatec-C with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. Mop up spills with clear water, All pesticides should be kept out of reach of children and stored away from food.

DISPOSAL: Do not reuse empty container. Wrap container and place in trash

Manufactured by.
McGrayel Company
P.O. Box 12362 3386 S. Maple Ave.
Fresno, CA 93777-2362

EPA REG. NO. 46978-4

EPA EST. NO. 46978-EA-01

- 4 Sep 7

NET CONTENTS: 5 GALLONS

Algatec-C

MOT LIVE

lance with Falls

Mased on Draft Labeling Dates

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk-legg whites gelatin solution, or, if-these are not-available, drink large quantities of water Avoid alcehel. Call a physician immediately

ENVIRONMENTAL MAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the rug of office of the Environmental Protection Agency.

DIRECTIONS FOR USF

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Algated-C is used to control the growth of algae in swimming pools, exterior spas, whirlpools, hot tubs, and decorative fountains. For maximum effectiveness pools, spas, whirlpools, hot tubs, and decorative fountains containing heavy growth of algae should be cleaned prior to using Algated-C.

nor pools having just visible algae growth add an initial cose of 23.5 to 35.4 fluid ounces of Algated-C per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool add initially 12.8 to 23.5 fluid ounces of Algated-C per 10,000 gallons of water. Subsequent additions of 4.3 to 8.6 fluid ounces of Algated-C per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance.

Spas, whirlpools, hot tubs, and decorative rountains having just visible algae growth require an initial dose of 2 to 4 fluid ounces of Algatec Ciper 1000 gallons of water. For treatment of a freshly cleaned and filled spa, whirlpool, hot tub, or decorative fountain, add initially 1 to 2 fluid ounces of Algatec Ciper 1000 gallons of water. Subsequent additions of 0.5 to 0.8 fluid ounces of Algatec-C should be made every 5 to 7 days after initial treatment for maintenance.

Algated C is compatible with those chemicals normally used to treat pools, spas, and decorative fountains and is effective at both acid and alkaline pH. Algated C can be used in pools, spas, and decorative fountains treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Algated C with concentrated dry or liquid chlorine products.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use it taking or damaged containers should be placed in a plastic bar; and discarded in trash. More up spills with clear water. All pesticides should be kept out of reach of this dress and stored away from food.

DISPOSAL: Do not reuse empty container. Wrap container and place in trash

Manufactured by:

McGrayel Company

P.O. Box 12362

3386 S. Maple Ave

Fresno, CA 93777-2362

EPA REG. NO. 46978-4

EPA EST. NO.

NET CONTENTS _____

1

,

0 2

1

1:1

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE F	NODUC I
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	ALGATEC -C	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	<u> </u>	
Г	コ	
All pel Del Del		
Burney Survey West Strate		
• C • C · C · 1236.		
Fresh, W. Millerde.		
NOTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	r to use of the label in c	
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is	s hereby Registered/Reregistered under
A copy of the labeling accepted in connection with this Re-	gistration/Reregistration	is returned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motionicide in accordance with the Act. The acceptance of any national to be construed as giving the registrant a right to by others.	n, may at any time suspe ime in connection with th	and or cancel the registration of a pest- ne registration of a product under this
pris jiwaci kasalin twally raji.	denomina ecchinic	Control Line Control
2(c)(.)(.) (rovide that you:	والمراضون	
1. Subsit/cit all sate regulars to your product under liften section 3(c		
figible att of similar account, to such		they 1 - quilt in the
4. Not the phress "Lon registration	on 10. au378-a" 5	o year labes resers
yes release the product for ship ent.		
to be a result of the first of the section of the s		
residual to the first state of the state of		
$10^{-1} \text{ for } 10^{-1} \text{ ready } 10^{-1} \text{ suggests } 10^{-1$		
The production of the state of		
 at major tode the judget of a larger a straight only of the larger as encorrect 		
	- 1 w.	· ·
;c	211	4
18	1 cay	the
U uci	f kempter	
	duct Banager (32	
	infectants grand	
Rec	istratīon Dīvisi	on (75-767d)
ATTACHMENT IS APPLICABLE		
ATTACHMENT IS APPLICABLE		DATE

90348: Pringle: C. Disk: KENCO 10/8/86: bjp:vo

ALGATEC-C

OCT 2 1986

ACTIVE INGREDIENT: Poly(oxyethylene (dimethyliminio) ethylene(dimethyliminio) ethylene dichloride) INERT INGREDIENT 70.0 % This product contains 2.67 lb. of active ingredient per gallon and weighs 8.9 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, cr. if those are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Profection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a marits labeling.

ALGATEC-C is used to con
in swimming pools, exterior spas, whirlpools, hot tubs, and decorate imum effectiveness pools, spas, whirlpools, hot tubs, and decorate heavy growth of algae should be cleaned prior to using <u>ALGATEC ALGATEC-C</u>
For pools having just visible algae growth add an initial dose of fluid ounces of ALGATEC=C per 10,000 move settled algae debris by cleaning. For treatment of a fin pool add initially 12.8 to 23.5 fluid ounces of ALGATEC per 10,000 gallons of water. Subsequent additions of 4.3 of ALGATEC=C per 10,000 gallons of water si 7 days after initial treatment for maintenance. Spas, whirlpools, hot tubs, or decorative fountains having just quire an initial dose of 2 to 4 fluid ounces of ALGATEC=C per 1,000 gallons of water. For treatment of a freshly cleaned a hot tub, or decorative fountain, add initially 1 to ALGATEC=C per 1,000 gallons of water. Should be made every 5 to 7 days after initial treatment for main ALGATEC=C is compatible with the second content of the s
used to treat pools and spas and is effective at both ALGATEC-C can be used in pools chlorine chemicals and may reduce the amount of those cher However, do not mix ALGATEC-C liquid chlorine products.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Lea tainers should be placed in a plastic bag and discarded in with clear water. All pesticides should be kept out of reach away from food.

DISPOSAL: Do not reuse empty container, Wrap container

MCGRAYEL COMPANY	lanufactured by:
P.O. BOX 12362	3386 S, MAPLE A
FRESNO, CA 9377	
EPA REG. NO.	EPA EST. NO.
NET CONTE	NTS