

300/170939
17 2

DEC 15 1986

Mr. James R. Melton
Chem-Tech, Ltd.
4515 Fleur Drive, No. 303
Des Moines, IA 50321

Dear Mr. Melton:

Subject: Amendment - Alternate Label (Container Size/Treatable Space)
CT Total Release Fogger
EPA Registration No. 47000-2
Your Letter Dated March 10, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

86280:Shell:LR-5:KENCO:11/7/86:11/17/86:de:VO

CONCURRENCES

SYMBOL ▶							
SURNAME ▶							
DATE ▶							

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Get medical attention if irritation persists.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and put in trash collection.

This product will kill: Flies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish, Cockroaches.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building alone and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

EPA Reg. No. 47000-2 EPA Est. No. 47000-IA-01



TOTAL RELEASE FOGGER

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	0.300%
Related compounds	0.023%
3-Phenoxybenzyl d-cis and trans 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.191%
*Other isomers	0.009%
***2,2-Dichlorovinyl dimethyl phosphate	0.465%
****Related compounds	0.035%
Petroleum distillate	13.454%
INERT INGREDIENTS:	85.523%
	100.000%

*d-cis, trans phenol:rin
**cis/trans isomer ratio max 25% (+ or -) cis
***cis/trans isomer ratio min. 75% (+ or -) trans
****From 5% (wt) of dichlorvos, technical (DDVP)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements

Net Weight: 7.5 oz.

Chem-Tech, Ltd. Des Moines, IA 50313

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins, Warehouses, Schools, Theatres

One Unit Treats Up to 6,000 Cubic Feet

4800

This product will kill: Flies, Mosquitoes, Cockroaches, Spiders, Centipedes, Fleas, Wasps, Ticks, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets and Silverfish.

Precautionary Statements

Hazards to Humans and Domestic Animals
CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas in the home. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Wash hands thoroughly after handling and before eating or smoking.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

(NOTICE)

1-31-84

OFF UNRECORDED COPY, DATED 8/3/84. Jm