

YAM 15

1/1000-2 P/181

1/30/80

HEADINGS-RED
COPY -BLUE
ENVIRONMENTAL HAZARD
INGREDIENT STATEMENT
- 6 pt.

Precautionary Statements
Hazards to Humans and Domestic Animals
CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Wash hands thoroughly after handling and before eating or smoking.

Remove pets, birds and cover fish aquariums before spraying.



**TOTAL
RELEASE
FOGGER**

ENVIRONMENTAL HAZARDS
Do not contaminate water when disposing of equipment wash water.

PHYSICAL OR CHEMICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Get medical attention if irritation persists.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and put in trash collection.

ACTIVE INGREDIENTS:
d-trans Allethrin. 0.323%
3-phenoxybenzyl-(1RS,3RS;
1RS,3RS)-2,2-dimethyl-3-(
(2-methylprop-1-enyl)
cyclopropanecarboxylate. . . 0.200%
**Dichlorvos [2,2-dichloro-
vinyl dimethyl phosphate] 0.465%
**Related compounds 0.035%
*INERT INGREDIENTS: 98.977%
Total 100.000%

*Contains petroleum distillate
**From .5% (wt.) of dichlorvos technical (DDVP)

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**
See Back Panel for
Additional Precautionary
Statements

Net Weight: 7.5 oz.

MFG. BY:
Chem-Tech, Ltd.
One Malton, LA 98313



For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins, Warehouses, Schools, Theatres.

One Unit Treats Up to 6,000 Cubic Feet

This product will kill Flies, Mosquitoes, Cockroaches, Spiders, Centipedes, Fleas, Wasps, Ticks, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets and Silverfish.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

EPA Reg. No. 47000-2 EPA Est. No. 47000-04-01
1-90

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2 12, Active to Inert Change in Status.