

AUTOMIST INSECT KILLER

RECEIVED

JUL 16 1982

REGISTRATION DIVISION  
(15-787)

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Do not use in nurseries or rooms where infants, ill or aged persons are contained. Do not install directly over or within 12 feet of any food handling or dispensing area. Large drafts or forced ventilation may reduce or eliminate the insecticidal efficacy of these installations.

**PHYSICAL OR CHEMICAL HAZARDS**

Contains under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE DISPOSAL**

Storage: Do not store near heat or open flame.  
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

<b>ACTIVE INGREDIENTS</b>	
Pyrethrin	1.0%
*Piperonyl butoxide technical*	2.0%
N-Octyl bicycloheptene dicarboximide	3.0%
Petroleum hydrocarbons	44.0%
<b>INERT INGREDIENTS</b>	<b>50.0%</b>
<b>TOTAL</b>	<b>100.0%</b>

\*Equivalent to 1.6% (butylcarbityl) 6-propylpiperonyl Ether and 0.4% related compounds.

KEEP OUT OF REACH OF CHILDREN  
CAUTION

See side panel for additional precautions.

NET WEIGHT 6 OZS. (170 grams.)

EPA REG. NO.

EPA Est No.

**CHEM-TECH LTD.**

1727 Hull Avenue • Des Moines, Iowa 50313

**FOR USE IN AUTOMATIC DISPENSERS:**  
One dispensing unit should be installed for each 6,000 cubic feet of space to be treated. The Dispenser activates once every 15 minutes; after two hours of operation, enough insecticide is suspended in the air to kill a substantial proportion of the flies, mosquitos, and gnats present. Usually the effectiveness will be noticeable within one hour after the Dispenser is activated. If less than 24-hour control is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity, and room temperatures all affect insect activity and control. Therefore, one unit per 6,000 cubic feet should be considered as an average need with adjustments made depending on specific conditions at place of usage. As with any method of insect control, best results achieved when sanitation and other positive insect-prevention practices are followed.  
Automist Insect Killer contains a highly effective insecticide formulation specifically designed for use in automatic mist dispensing units around food handling establishments, food processing establishments, restrooms, dining rooms, and restaurants where flies, gnats, flying moths, and mosquitoes are an annoyance.

0612 1982

47000-7

47000-7

001, 0, 32

Automat Insect Killer

OK

Chem Tech Ltd.  
1727 Hull Avenue  
Des Moines, IA 50313

160 / 75 149  
18 / 1

WHL  
05

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 47000-7" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Franklin D. R. Geo  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

*Joseph M. ... for FPRC*

*20 October 1982*

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER**  
 Corrosive to eyes. Concentrate causes eye damage and skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing spray mist.

**STATEMENT OF PRACTICAL TREATMENT**  
 In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. Wash skin thoroughly with soap and water. If swallowed, give large quantities of water, induce vomiting, and see a doctor immediately.  
 Note to Physicians: Emergency Information - call (415) 233-3737.

**ENVIRONMENTAL HAZARDS**  
 Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

**PHYSICAL OR CHEMICAL HAZARDS**  
 MAY GIVE OFF HIGHLY TOXIC AND EXTREMELY FLAMMABLE HYDROGEN SULFIDE GAS IF MIXED WITH ACIDS.

**DIRECTIONS FOR USE**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

**STORAGE AND DISPOSAL**

**PROHIBITIONS**  
 Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

**STORAGE**  
 Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Keep this drum in the shade.

**PESTICIDE DISPOSAL**  
 Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state, or local procedures.

**CONTAINER DISPOSAL**  
 Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

**OPTIONAL**  
 When drum is empty, replace bungs securely and return to manufacturer.



# ORTHO

## Lime-Sulfur Solution

**(FUNGICIDE-INSECTICIDE-MITICIDE)**

Active ingredient	By Wt.
Calcium Polysulfide	27%
Inert ingredients	71%
Density - Baume at 60° F.	31°
Contains 6.5% calcium and 22.5% sulfur expressed as gypsum—3.0 lbs. per gal. Other combined sulfur 1.9 lbs. per gal. Product Weight 10.59 lbs. per gal. at 68° F.	

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

FOR AGRICULTURAL USE ONLY OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS ONLY. DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**Chevron Chemical Company**  
 Ortho Agricultural Chemicals Division  
 San Francisco CA 94120-7144    Richmond CA 94804-0036  
 Product 92    Made in U.S.A.  
 Form 174-C3    EPA Est. 239-CA-1  
 EPA Reg. No. 239-143-AA

**NET CONTENTS**  
**30 GALLONS**

PM 10

47000-7

PC 10 2

47000-7

057.0 32

Automist Insect Killer

OK

Chem Tech Ltd.  
1727 Hull Avenue  
Des Moines, IA 50313

160	75	149
18	1	

*with*  
05

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 47000-7" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Franklin D. R. Gee  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TG-767)

enclosure

*Angel M. ... for FPRC*

*20 October 1982*

AUTOMIST INSECT KILLER

RECEIVED

JUL 19 1982

REGISTRATION DIVISION  
(TS-767)

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Do not use in nurseries or rooms where infants, ill or aged persons are contained. Do not install directly over or within 12 feet of any food handling or dispensing area. Large drafts or forced ventilation may reduce or eliminate the insecticidal efficacy of these installations.

**PHYSICAL OR CHEMICAL HAZARDS**

... under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE DISPOSAL**

Storage: Do not store near heat or open flame.  
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

**ACTIVE INGREDIENTS**

Pyrethrins .....	1.0%
*Piperonyl butoxide technical*.....	2.0%
N-Octyl bicycloheptene dicarboximide .....	3.0%
Petroleum hydrocarbons.....	44.0%

INERT INGREDIENTS.....	50.0%
<b>TOTAL</b>	<b>100.0%</b>

\*Equivalent to 1.6% (butylcarbityl) 6-propylpiperonyl) Ether and 0.4% related compounds.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautions.

NET WEIGHT 6 OZS. (170 grms.)

EPA REG. NO.

EPA Est No.

**CT CHEM-TECH  
LTD.**

1727 Hull Avenue • Des Moines Iowa 50313

FOR USE IN AU  
One dispensin  
for each 6,00  
be treated. T  
once every 15  
of operation,  
suspended in  
stantial prop  
mosquitos, an  
the effective  
within one ho  
activated. If  
is required,  
set to start  
desired and r  
is no longer  
such factors  
space treated  
peratures all  
and control.  
6,000 cubic f  
as an average  
depending on  
place of usag  
insect contro  
achieved when  
positive inse  
are followed.  
Automist Inse  
effective ins  
specifically  
matic mist di  
handling esta  
establishment  
and restauran  
moths, and mo

47000-7