

PK 17 47000-01
 15 151
 1/1-1/1-1

EPA 7
 100-90

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION
 Do not use in nurseries or rooms where infants, ill or aged persons are contained. Do not install directly over or within 12 feet of any food handling or dispensing area. Large drafts or forced ventilation may reduce or eliminate the insecticidal efficiency of these installations.

When using this product as a space spray in food processing plants, foods must be removed or covered during treatment. Apply only when the facility is not in operation. All food processing surfaces must be thoroughly cleaned with an appropriate cleaning agent and rinsed with potable water before reuse.

PHYSICAL OR CHEMICAL HAZARDS
FLAMMABLE. Contents under pressure. Keep away from heat, sparks and flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

STATEMENT OF PRACTICAL TREATMENT
IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE DISPOSAL
Storage: Do not store near heat or open flame. **Dispose:** Do not reuse empty container. Wrap container and put in trash collection.

**Automist
 Insect
 Killer**



ACTIVE INGREDIENTS:
 Pyrethrins 1.0%
 Piperonyl butoxide, technical 2.0%
 N-Octyl bicycloheptene dicarboximide 3.0%
 ** INERT INGREDIENTS 94.0%
 *Contains petroleum hydrocarbons

*Equivalent to 1.80% Butylcarbitol 8-propylpiperonyl Ether and 0.4% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See side panel for additional precautions.

Net Wt. 6.5 Oz.

Manufactured by:
CHEM TECH, LTD.
 Des Moines, IA 50321



For Use in Automatic Dispensers:
 One dispensing unit should be installed for each 6,000 cubic feet of space to be treated. The Dispenser activates once every 15 minutes; after two hours of operation, enough insecticide is suspended in the air to kill a substantial proportion of the flies, mosquitoes, and gnats present. Usually the effectiveness will be noticeable within one hour after the Dispenser is activated. If less than 24-hour control is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity, and room temperatures all affect insect activity and control. Therefore, one unit per 6,000 cubic feet should be considered as an average needed with adjustments made depending on specific conditions at place of usage. As with any method of insect control, best results are achieved when sanitation and other positive insect-prevention practices are followed.

Automist Insect Killer contains a highly effective insecticide formulation specifically designed for use in automatic mist dispensing units around food handling establishments, food processing establishments, restrooms, dining rooms, and restaurants where flies, gnats, flying moths, and mosquitoes are an annoyance.

EPA REG. NO. 47000-7

EPA EST. NO. 47000-1A-01

1-90

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.