9/11/2003

 η_2



ACCEPTE	D
SEP 1 1 2003	
Under the Federal Insection Fundicide, and Rodanticide at amended, for the pestick registered under BPA Reg. No. 47000-7	ا عند ا

ACTIVE INGREDIENTS: Pyrethtips

Pyrethrins	1.0%
Piperonyl Butoxlde, technical*	2.0%
N-Octyl Bicycloheptene Dicarboximide	3.0%
**INERT INGREDIENTS	<u>94.0%</u>
TOTAL	100%

*Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) Ether and .4% related compounds. **Contains petroleum hydrocarbons

·公下和1998年 If inhaied in all or an ambulance, then give artificial Call a poison control center or doctor for If on skin or close with plenty of water for 15-20 minutes. Call a 20 minutes, Remove contact lenses, if If in eyes all a poison control center or doctor for advice. Have person sip a glass of If swallowed control center or Have the prot r or going for freatment. For saticide information Center at information r -800-858

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Do not use in nurseries or rooms where infants, ill or aged persons are contained. Do not install directly over or within 12 feet of any food handling or dispensing area. Large drafts or forced ventilation may reduce or eliminate the insecticidal efficiency of these installations.

When using this product as a space spray in food processing plants, foods must be removed or covered during treatment. Apply only when the facility is not in operation. All food processing surfaces must be thoroughly cleaned with an appropriate cleaning agent and rinsed with potable water before reuse.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees Fahrenheit may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with it labeling.

For Use in Automatic Dispensers:

One dispensing unit should be installed for each 6,000 cubic feet of space to be treated. The Dispenser activates once every 15 minutes; after two hours of operation, enough insecticide is suspended in the air to kill a substantial proportion of the flies,

KEEP OUT OF REACH OF CHILDREN CAUTION

1

د د. در زد mosquitoes, and gnats present. Usually the effectiveness will be noticeable within one hour after the Dispenser is activated. If less than 24-hour control is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity, and room temperatures all affect insect activity and control. Therefore, one unit per 6,000 cubic feet should be considered as an average needed with adjustments made depending on specific conditions at place of usage. As with any method of insect control, best results are achieved when sanitation and other positive insect-prevention practices are followed.

Automist insect Killer contains a highly effective insecticide formulation specifically designed for use in automatic mist dispensing units around food handling establishments, food processing establishments, restrooms, dining rooms, and restaurants where flies, gnats, flying moths, and mosquitoes are an annoyance.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from children, preferably a secure storage area.

CONTAINER DISPOSAL: Do no puncture or incineratel in unity screen in trach or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800*CLEXNUE on one scot alun subclimes.

EPA Reg. No. 47000-7

NET WEIGHT: 6.5 Oz.

Mfg. By: Chem-Tech, Ltd. Des Moines, IA 50321 EPA Est. No. 47000-IA-01

э. С

و ب فا فا

2

2/2