



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Vomiting should be supervised by a physician. Do not give anything by mouth to an unconscious person.

If on skin: Wash with plenty of soap and water. Contact a physician.

If in eyes: Flush eyes with plenty of water. Call a physician.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a secure, cool, dry area in original container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**2% Malathion
Backrubber
Solution**

**For the Reduction of Lice and Hornflies
on Beef Cattle and Lice on Hogs**

ACTIVE INGREDIENTS:

Malathion: 0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate	2.0%
INERT INGREDIENT	98.0%
TOTAL	100.0%

This product contains 0.14 lbs. per gallon of Malathion.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL CAUTIONS ON SIDE PANEL

NET CONTENTS

MANUFACTURED BY:
CHEM-TECH, LTD.
Des Moines, IA 50321



GALLON

DIRECTIONS (Con't.)

Apply the material to saturate the backrubber mechanism. The amount of material needed for the applicator will depend on the size of the reservoir and the type of covering. One to two gallons will be needed for the applicators with the reservoir while those without it should be charged by saturating the exposed burlap, felt or cloth portions of the applicator. Subsequent recharging to maintain effective results should be done when needed.

Locate backrubbers to give cattle and hogs free access. Best locations are usually watering places, salt licks or feed racks and loafing areas.

Do not treat animals under one month of age. Do not make accessible to dairy animals.

Beef Cattle: To protect beef cattle against horn flies and aid in the reduction of lice, use this solution undiluted.

Hogs: To aid in the reduction of lice on hogs, dilute 1 gallon 2% Malathion with 3 gallons fuel oil, kerosene, diesel oil.

In most cases the rubbing of the animals against the device or applicator will distribute the oil solution over the body sufficiently to control lice.

NOTICE

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Est. No. 47000-1A-01

EPA Reg. No. 47000-10

7/89

BEST AVAILABLE COPY

