



**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin or eyes. In case of contact, wash immediately with soap and warm water; for eyes, flush with water and get medical attention. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not treat animals under three months of age. Avoid treating animals in cold, stormy weather. Avoid treating over-heated or sick animals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated. If on skin — Remove contaminated clothing and wash affected areas with soap and water. If in eyes — Flush eyes with plenty of water. Call a physician immediately. Note to Physicians — Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal. Store only in original container in a cool, dry secure area.

Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or waste is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Plastic Containers: When container is empty triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DISPOSALS OF DIPS: The following shall apply to all dip uses, except those intended for household use: Used dip solutions must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg of used dip solution per month or more than 1000 kg used dip solution in combination with other hazardous waste, this material must be treated as a hazardous waste subject to subpart C of RCRA. Any user who wishes to treat, store or dispose of hazardous waste must obtain a permit to serve as a hazardous waste facility pursuant to RCRA.



RESTRICTED USE PESTICIDE: For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

12.5% LINDANE EC
CATTLE AND STOCK INSECTICIDE

FOR LICE and PSOROPTIC and SARCOPTIC MANGE

ACTIVE INGREDIENTS:
 Gamma Isomer of Benzene Hexachloride (from Lindane) 12.50%

INERT INGREDIENTS 87.5%

Total 100.00%

**KEEP OUT OF REACH OF CHILDREN
 WARNING**

See Side Panel For Additional Precautions.

Restricted Use Pesticide: Applicators must wear the following protective clothing during the application process: a light-weight protective suit or coveralls; water-resistant hat; unlined waterproof gloves; and unlined lightweight boots. Mixers and loaders must also wear goggles or a face shield, waterproof gloves and a waterproof apron.

MANUFACTURED BY:
CHEM TECH, LTD.
 ONE MORRIS, LA. 70313

NET CONTENTS
 1 QUART

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Lice (Pigs and Cattle): Mix 2 1/2 pints 12.5% Lindane in 100 gallons of water. Use as a spray or dip, thoroughly wetting animals. Repeat treatment at 7 to 10 day intervals may be necessary to prevent reinfestation. Do not spray within 30 days of slaughter. Do not dip within 60 days of slaughter. Do not use on dairy goats.

Lice (Beef Cattle): Use 2 1/2 pints 12.5% Lindane per 100 gallons of water. Dip or spray thoroughly wetting animals. Repeat treatment at 7-10 day intervals may be necessary to prevent reinfestation. Do not dip animals within 60 days of slaughter. Do not spray within 30 days of slaughter. Treat calves with three-fourths strength solution, lightly and with caution. Do not treat calves under 3 months of age. Do not apply to dairy animals.

Psoroptic and Sarcoptic Mange Mites and Lice (including eggs) (Hogs): Use 3/4 pints 12.5% Lindane in 100 gallons of water. Dip or spray. Complete coverage of the animals, including inside of ears, is necessary. In light cases a single treatment may be all that is needed. If condition persists, a second treatment may be necessary in 10 days. Hogs should be kept out of sun and wind a few hours after treatment. Do not spray within 30 days of slaughter, or dip within 60 days of slaughter. Do not treat pigs under 3 months of age.

Do not treat sows within two weeks of farrowing nor for at least three weeks thereafter.

NOTICE

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Reg. No. 47985-14
 EPA Est. No. 47985-LA-01
 1/87



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response. Page 2.12, Active to Inert Change in Status.